

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
19 February 2004 (19.02.2004)

PCT


(10) International Publication Number
WO 2004/015139 A1

- (51) International Patent Classification⁷: C12Q 1/68 (74) Agent: SCHUBERT, Klemens; Neue Promenade 5, 10178 Berlin-Mitte (DE).
- (21) International Application Number: PCT/EP2003/008602 (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (22) International Filing Date: 1 August 2003 (01.08.2003) (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- (25) Filing Language: English (26) Publication Language: English
- (30) Priority Data: 102 36 406.0 2 August 2002 (02.08.2002) DE
- (71) Applicant (for all designated States except US): EPIGENOMICS AG [DE/DE]; Kastanienallee 24, 10435 Berlin (DE).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): ADORJAN, Peter [HU/DE]; Dunckerstrasse 4, 10437 Berlin (DE). PIEPENBROCK, Christian [DE/DE]; Schwartzkoffstrasse 7 B, 10115 Berlin (DE). RUJAN, Tamás [HU/DE]; Hiddenseer Strasse 13, 10437 Berlin (DE). SCHMITT, Armin [DE/DE]; Hortensiengasse 29, 12203 Berlin (DE).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 2004/015139 A1

(54) Title: METHOD FOR AMPLIFICATION OF NUCLEIC ACIDS OF LOW COMPLEXITY

(57) Abstract: The invention describes a method for amplifying nucleic acids, such as DNA with means of an enzymatic amplification step, such as a polymerase chain reaction, specified for template nucleic acids of low complexity, e.g. pre-treated DNA, like but not limited to DNA pre-treated with bisulfite is disclosed. The invention is based on the use of specific oligo-nucleotide primer molecules to solely amplify specific pieces of DNA. It is disclosed how to optimize the primer design for a PCR if the template DNA is of low complexity.

Method for amplification of nucleic acids of low complexity

5 The present invention relates to a method for the amplification of nucleic acids.

Description

10 This invention relates to the fields of genetic engineering, molecular biology and computer science, and more specifically to the field of nucleic acid analysis based on specific nucleic acid amplification.

15 The matter of the present invention is a method for amplifying nucleic acids, such as DNA by means of an enzymatic amplification step, such as a polymerase chain reaction, specified for template nucleic acids of low complexity, e.g. pre-treated DNA, like but not limited to
20 DNA pre-treated with bisulfite. The invention is based on the use of specific oligo-nucleotide primer molecules to solely amplify specific pieces of DNA. It is disclosed how to optimize the primer design for a PCR if the template DNA is of unusually low complexity. Also, for the
25 optimal primer design it was considered that the treated template DNA is single stranded.

The amplification of nucleic acids relies mainly on a method called polymerase chain reaction (PCR). The PCR is based on the activity of the enzyme DNA polymerase, which is elongating primer molecules, which bind to the template DNA by adding dNTPs and hereby copying the template sequence (Saiki RK, Gelfand DH, Stoeffel S, Scharf SJ, Higuchi R, Horn T, Mullis KB and Erlich HA (1988).
30 Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase. Science 239 : 487-491). The
35

primer molecules are designed to specifically hybridize to those regions of the template DNA that define both ends of the amplicate. The forward primer binds to the 5' end of the sense strand of the amplicate, whereas the reverse primer binds to the 5' end of the reverse strand, hereby defining the starting points of the polymerase reaction and eventually determining the length of the amplicate.

10 Before the polymerase starts the template DNA gets denatured, this is usually done by a short cycle of heating the reaction mixture up to about 95°C, then cooling it down to the annealing temperature determined by the melting temperature of the primer molecules used and finally 15 allowing the polymerase to elongate the annealed primers at its ideal working temperature for some minutes. This cycle is repeated several times each starting with the denaturation step. The primer molecules hybridize to the single stranded DNA. The forward primer is the starting 20 molecule for a copy of the sense strand and the reverse primer is the starting molecule for a copy of the anti-sense strand.

These first copies will be of unspecific length, limited 25 only by the polymerase's activity. However in the following cycle, the forward primer will also bind to the first copy of the anti-sense strand, the polymerase will take that copy as a template and will elongate the primer only as far as there is template DNA. Hereby the length of the 30 second copy gets limited to the length defined by the first nucleotide of the second primer. In the following cycles more and more pieces of template DNA compete for the primer molecules and eventually the DNA amplicate of defined length will be the main product.

However, in the case of a bisulfite treated DNA the template DNA is single stranded. The bisulfite or similar treatment alters the original sequences on both strands such that these are not complementary to each other after 5 the treatment. As a result no complementary strand to the target sequence exists. A first primer molecule binds to the one end of the single stranded target sequence. The polymerase elongates said primer and copies said target sequence. The second primer molecule cannot bind to the 10 complementary, so called anti-sense strand, as it would in a standard PCR. Therefore the second primer molecule is designed to bind to the first copied sequence instead. More specifically it will bind to that part of the copied nucleic acid which is the complement to the other end of 15 said target sequence.

The results of a PCR are highly depending on the choice of the ideal primer. The choice of a primer molecule must respect constraints permitting a correct amplification by 20 PCR, fulfilling hybridization temperature conditions and auto- or hetero-hybridization prevention.

In other words, as any PCR requires two primer molecules to amplify a specific piece of DNA in one reaction the 25 melting temperatures of both primers need to be very similar in order to allow proper binding of both at the same hybridization temperature. That is why most primer design programs require the user to define a preferred melting temperature or a permitted range of melting temperatures. This requirement becomes the limiting factor 30 when designing primers for a so called multiplex PCR, as all primer pairs in use need to have the same or at least very similar melting temperatures. Additionally primers have to be very specific, in order to only amplify those 35 pieces of DNA that are the target.

By providing the means for designing extremely accurate primer pairs for DNA hybridization procedures this invention relates to the so called PCR primer design. More specifically the body of this invention relates to the specific requirements of primers and therefore of primer design when using template DNA that consists of essentially only three different nucleotides and is single stranded. This is the case when using bisulfite treated DNA as a template, as it contains no cytosine other than the methylated cytosines in a CG dinucleotide and a rest of insufficiently treated and therefore untransformed non-methylated cytosines. The invention relates specifically to the primer design when using bisulfite treated DNA as template.

15

It would be obvious to an individual skilled in the art that the use of the primers as specified in this invention are not limited to nucleic acid amplification. Said primers can be used for several purposes, such as amplification, but also for nucleic acid sequencing or as blocking oligonucleotides during analysis of bisulfite treated DNA. Therefore the use of said primers is not limited to nucleic acid amplification but extends to all standard molecular biological methods.

20

Pairs of these primers are used to specifically amplify DNA from a small amount of sample DNA that consists of bisulfite treated DNA originating from a limited source of DNA like a bodily fluid or tissue sample.

30

DNA can occur methylated or non-methylated at certain positions and this information is relevant for the status of a genes transcription. The methyl group is attached to the cytosine bases in CpG positions. The identification of 5-methylcytosine in a DNA sequence as opposed to unmethylated cytosine is of greatest importance for example

35

when studying the role of DNA methylation in tumorigenesis. But, because the 5-Methylcytosine behaves just as a cytosine for what concerns its hybridization preference (a property relied upon for sequence analysis) its positions can not be identified by a normal sequencing reaction. Furthermore in a PCR amplification this relevant epigenetic information, methylated cytosine or unmethylated cytosine, will be lost completely.

- 10 This problem is usually solved by treating the genomic DNA with a chemical leading to a conversion of the cytosine bases, which consequently allows to differentiate the bases afterwards.
- 15 A tool most useful for analyzing DNA methylation is the bisulfite conversion of DNA that converts cytosine bases into bases showing a hybridization behavior as thymine bases. Hereby the DNAs complexity is reduced by a fourth.
- 20 Bisulfite conversion is the most frequently used method for analyzing DNA for 5-methylcytosine. It is based upon the specific reaction of bisulfite with cytosine which, upon subsequent alkaline hydrolysis, is converted to uracil, whereas 5-methylcytosine remains unmodified under 25 these conditions (Shapiro et al. (1970) Nature 227: 1047). However, in its base pairing behavior, uracil corresponds to thymine, that is, it hybridizes to adenine; whereas 5-methylcytosine doesn't change its chemical properties under this treatment and therefore still has 30 the base pairing behavior of a cytosine, that is hybridizing with guanine. Consequently, the original DNA is converted in such a manner that methyl-cytosine, which originally could not be distinguished from cytosine by its hybridization behavior, can now be detected as the 35 only remaining cytosine using "normal" molecular biological techniques, for example, by amplification and hy-

bridization or sequencing. All of these techniques are based on base pairing which can now be fully exploited. Comparing the sequences of the DNA prior to and after bisulfite treatment allows an easy identification of those bases that have been methylated.

In the scope of this invention when it says "a nucleotide (...) was converted by the treatment..." this conversion is meant to be able to differentiate between methylated and un-methylated cytosine bases within said sample, as for example the conversion of un-methylated cytosine bases to bases which hybridize to adenine by the treatment with bisulfite.

An alternative method is to use restriction enzymes that are capable of differentiating between methylated and un-methylated DNA, but this is restricted in its uses due to the selectivity of the restriction enzyme towards a specific sequence.

An overview of the further known methods of detecting 5-methylcytosine may be gathered from the following review article: Rein T, DePamphilis ML, Zorbas H, Nucleic Acids Res. 1998, 26, 2255.

In terms of sensitivity, the prior art is defined by a method, which encloses the DNA to be analyzed in an agarose matrix, thus preventing the diffusion and renaturation of the DNA (bisulfite reacts with single-stranded DNA only), and which replaces all precipitation and purification steps with fast dialysis (Olek A, Oswald J, Walter J (1996) A modified and improved method for bisulfite based cytosine methylation analysis. Nucleic Acids Res. 24: 5064-6). Using this method, it is possible to analyze individual cells, which illustrates the potential of the method.

To date, barring few exceptions (e.g., Zeschnigk M, Lich C, Buiting K, Doerfler W, Horsthemke B (1997) A single-tube PCR test for the diagnosis of Angelman and Prader-Willi syndrome based on allelic methylation differences at the SNRPN locus. Eur J Hum Genet. 5: 94-8) the bisulfite technique is only used in research. Always, however, short, specific fragments of a known gene are amplified subsequent to a bisulfite treatment and either completely sequenced (Olek A, Walter J (1997) The pre-implantation ontogeny of the H19 methylation imprint. Nat Genet. 3: 275-6) or individual cytosine positions are detected by a primer extension reaction (Gonzalgo ML and Jones PA (1997) Rapid quantitation of methylation differences at specific sites using methylation-sensitive single nucleotide primer extension (Ms-SNuPE). Nucleic Acids Res. 25: 2529-31; WO 95/00669) or by enzymatic digestion (Xiong Z, Laird PW (1997) COBRA: a sensitive and quantitative DNA methylation assay. Nucleic Acids Res. 25: 2532-4).

20

Another technique to detect hypermethylation is the so called methylation specific PCR (MSP) (Herman JG, Graff JR, Myohanen S, Nelkin BD and Baylin SB (1996), Methylation-specific PCR: a novel PCR assay for methylation status of CpG islands. Proc Natl Acad Sci USA. 93: 9821-6). The technique is based on the use of primers that differentiate between a methylated and a non-methylated sequence if applied after bisulfite treatment of said DNA sequence. The primer either contains a guanine at the position corresponding to the cytosine in which case it will after bisulfite treatment only bind if the position was methylated. Or the primer contains an adenine at the corresponding cytosine position and therefore only binds to said DNA sequence after bisulfite treatment if the cytosine was unmethylated and has hence been altered by the bisulfite treatment so that it hybridizes to adenine.

With the use of these primers amplicons can be produced specifically depending on the methylation status of a certain cytosine and will as such indicate its methylation state. The present invention, however, does preferably not include CpGs in the primer sequence.

Another new technique is the detection of methylation via Taqman PCR, also known as MethylLight (WO 00/70090). With this technique it became feasible to determine the methylation state of single or of several positions directly during PCR, without having to analyze the PCR products in an additional step.

In addition, detection by hybridization has also been described (WO 99/28498).

Further publications dealing with the use of the bisulfite technique for methylation detection in individual genes are:

Grigg G, Clark S (1994) Sequencing 5-methylcytosine residues in genomic DNA. Bioassays 16: 431-6; Zeschnick M, Schmitz B, Dittrich B, Buiting K, Horsthemke B, Doerfler W (1997) Imprinted segments in the human genome: different DNA methylation patterns in the Prader-Willi/Angelman syndrome region as determined by the genomic sequencing method. Hum Mol Genet. 6: 387-95; Feil R, Charlton J, Bird AP, Walter J, Reik W (1994) Methylation analysis on individual chromosomes: improved protocol for bisulphite genomic sequencing. Nucleic Acids Res. 22: 695-6; Martin V, Ribieras S, Song-Wang X, Rio MC, Dante R (1995) Genomic sequencing indicates a correlation between DNA hypomethylation in the 5' region of the pS2 gene and its expression in human breast cancer cell lines. Gene 157 : 261-4; WO 97/46705; WO 95/15373; WO 97/45560

For all those methods mentioned above, which are based on PCR amplification of bisulfite treated DNA, the biggest challenge is to design primers that are specific.

5

THE PROBLEM AND ITS SOLUTION

There are a number of programs available on the market that offer to design primer pairs in order to amplify a piece of DNA in a PCR. Usually they require as input the 10 template DNA sequence, the preferred melting temperature TM, the desired length of the amplicate and optionally the preferred length of the primer molecules.

However if a primer is required to bind specifically to 15 bisulfite treated DNA, the design of the primer molecule is especially difficult and those tools known in the art are not competent to design primers that lead to specific products. The following problems occur when dealing with bisulfite treated DNA instead of standard DNA:

20

First, the sequence complexity of the bisulfite treated genome is reduced dramatically. Complexity in this context is meant to be a measure for the similarity of a given sequence to a random or stochastic sequence; the 25 more complex a sequence is the more it is similar to a random sequence. A reduced complexity of the genome means there are less degrees of variation. Where there are essentially only three different nucleotides rather than four, the probability of a sequence to occur twice in a 30 given length of sequence is much higher. For example, a primer molecule of 20 nucleotides in length is likely to be unique in the human genome, if it is not part of a repeat sequence: The human genome is known to consist of about 3×10^9 bases. There are $4^{20} \approx 10^{12}$ different ways 35 to form sequences of a length of 20 nucleotides, assuming equidistribution of the bases, which makes multiple oc-

currences of a given 20-mer (oligonucleotide of 20 nucleotides) extremely unlikely. However since there are only $320 \approx 3 \times 10^9$ different 20-mers possible over a 3-letter alphabet, this multiple occurrence cannot be excluded. In addition a bisulfite treated sequence, enriched in thymine in the sense strand and enriched in adenine in the reverse complementary strand, will contain more repeats and regions of general low complexity.

- 10 Another way to enhance or guarantee uniqueness of primer and/or oligo molecules is to estimate their expected frequency in the genome based upon a Markov model of order n for the human genome or to check their uniqueness explicitly by counting their exact occurrence. The estimation based upon the Markov model relies upon the determination of the probabilities of all 4^n n-mers (oligo molecules of n nucleotides) in the human genome or in all amplificates which are used in the hybridization and the conditional probabilities of all four bases given these n-mers. The primer pairs will be constructed from forward and reverse oligos which lie within an appropriate distance to each other and which have minimal individual expected occurrence elsewhere in the genome.
- 15 20 25 30 35 A second challenge in primer design for bisulfite treated DNA is that the melting temperature TM of a bisulfite DNA primer of a certain length is typically lower than the melting temperature TM of a standard primer containing cytosines. This is due to the fact that every cytosine in a bisulfite treated DNA is - after amplification by PCR - replaced by thymine. Cytosine binds its corresponding base guanine via three hydrogen bonds, whereas thymine binds its corresponding base adenine via two hydrogen bonds only, leading to a generally weaker binding, a lower TM.

A third problem arises from the fact that bisulfite treated sequences are not only lacking cytosines but are also thymine-rich. Thymine also hybridizes unspecifically with guanine. This makes mismatching (unspecific binding of a primer to a sequence not identical) of a primer designed for bisulfite treated DNA much more likely than mismatching of a standard primer consisting of four different nucleotides.

10 It is the aim of this invention to overcome these problems, which are specific for primer based amplification of bisulfite treated DNA.

15 For a so called "multiplex PCR" it becomes especially difficult to design primer pairs. This expression is used to describe an experiment in which several different pieces of DNA are amplified simultaneously, in one reaction vessel and at the same time. Obviously this saves a lot of effort and time and is as such a basic requirement
20 for high throughput assays based on PCR amplification. An overview on the state of the art concerning multiplex PCR is given by Henegariu et al. (Henegariu O, Heerema NA, Dlouhy SR, Vance GH and Vogt PH (1997) Multiplex PCR: Critical Parameters and Step-by-Step Protocol. BioTechniques 23: 504-511), who offer a step-by-step protocol on how to tackle multiplex PCR problems. However, the possibility of a special primer design is not mentioned in
25 this article.

30 To ensure that the multiplex PCR works and the multiple products are amplified indeed usually a gel electrophoresis of the reaction mixture is performed. The products get separated due to their different sizes. Unfortunately, the ability of agarose gel electrophoresis to
35 distinguish the products is slightly limited. However, it is possible to test for different product sizes with the

means of a fragment analyzer, which is much more accurate and able to distinguish product sizes of one base difference. Hence different product sizes are no longer a requirement to be considered in the primer design for a
5 multiplex PCR.

In patent WO 01/94634 a method for a multiplex PCR using at least two primer pairs is described that consists of basically a two step amplification procedure wherein one
10 step is referred to as pre-amplification. After pre-amplification (by means of PCR) with a number of primer pairs the sample gets divided into as many portions as there are primer pairs. At least one (and preferably only one) of the previously used primer pairs is added. This
15 method doesn't relate in any way to the selection or design of primer molecules described herein.

In an article by Shuber et al. (Shuber AP, Grondin VJ and Klinger KW (1995) A simplified procedure for developing
20 multiplex PCRs. Genome Res 5 (5) : 488-493) regarding multiplex PCR, the authors suggest to use primers, which contain a 3' region complementary to sequence specific recognition sites and a 5' region of a defined length of 20 nucleotides each. The authors claim that they could
25 establish identical reaction conditions, cycling times and annealing temperatures for any PCR primer pair following those requirements.

In several recent papers successful multiplex PCRs have
30 been established. For example, Becker et al. have reported the development of a multiplex PCR reaction for the detection of multiple staphylococcal enterotoxin genes, which uses individual primer sets for each toxin gene (Becker K, Roth R and Peters G (1998) Rapid and specific detection of toxigenic Staphylococcus aureus : use
35 of two multiplex PCR enzyme immunoassays for amplifica-

tion and hybridization of staphylococcal enterotoxin genes, exfoliative toxin genes, and toxic shock syndrome toxin 1 gene. J. Clin. Microbiol. 36: 2548-2553). This has been developed even further by Monday and Bohach, by
5 increasing the number of primer pairs applied in one reaction up to about 10 in order to have one assay to amplify all of the characterized enterotoxin genes. This still required a unique established primer pair for the detection of every individual gene (Monday SR and Bohach
10 GA (1999) Use of multiplex PCR to detect classical and newly described pyrogenic toxin genes in staphylococcal isolates. J. Clin. Microbiol. 37: 3411-3414).

In another paper by Sharma et al. a method for a one-vessel-multiplex PCR is described wherein each of six chosen primer pair consists of one identical universal forward primer, based on a highly conserved region of those genes of interest and one reverse primer, specific for each individual gene. As such the assay leads to a rapid amplification of a family of genes, which all have a conserved region in common. It is designed to detect presence or absence of certain genes in an unknown mixture. No further information is given about the primer design, apart from saying that they were designed by a-
15 lignment of published DNA sequences. This is certainly not the only requirement though, as one big limitation of the method is the need of getting PCR products of different sizes in order to identify those in the end (Sharma NK, Rees CED and Dodd CER (2000) Development of a single-reaction multiplex PCR toxin typing assay for Staphylococcus aureus strains. Applied and Environmental Microbiology 66 (4) : 1347-1353).

In the patent application WO 01/36669 a method is described which uses a similar approach for the controllable amplification of a higher number of sequences in selec-
35

ting one randomly chosen reverse primer that hybridizes unspecifically and a number of specific forward primers to amplify a group of sequences. As the reverse primer is labeled all products formed will be labeled as well. By
5 hybridizing said amplicons towards immobilized detection oligos, which are able to differentiate the products, it will be easy to see which products have been amplified and herein the presence or absence of said sequences in the mixture can be determined.

10

The big disadvantage in all these methods is that every primer pair needs to be established individually first to ensure that a PCR product of the expected size was produced and that no additional or nonspecific products are
15 generated. Once the specificity of the primer pairs had been determined, PCR conditions, buffers, and primer concentrations need to be optimized to establish conditions under which the primer molecules can be combined into one single PCR reaction without affecting the ability of the
20 primer pairs to generate a gene specific amplicon.

15

A more recently published approach by Nicodeme and Steyaert describes the conditions required for multiplex PCR and suggests an algorithm to automatically select for
25 primer pairs (Nicodeme P and Steyaert JM (1997) Selecting optimal oligonucleotide primers for multiplex PCR. Proc. Int. Conf. Intell Syst Mol Biol; 5 : 210-213). In this approach the conditions for pre-selecting primer pairs for a successful one locus amplification (singleplex PCR
30 conditions) are rather broad. The three basic requirements are the pairing distance between a forward and a reverse primer, the condition of non-palindromicity of a primer, and the condition that the 3' end of a primer must not be reverse complementary to any of the other
35 primers sequence. This selection is done with the help of a typical primer design program called PRIMER. However,

PRIMER is a two step program, and in this approach the new method to design primers for a multiplex PCR takes the output from step 1 as input, which is a list of possible forward and a list of possible reverse primers for every amplicon.

The only further selection criteria for the multiplex PCR primers are the absence of the reverse complementarity of their 3' end towards the other primer sequences in the experiment. A second critical factor considered here is the GC versus AT ratio. To some extent it is this ratio that determines the melting temperature of a primer pair. The authors suggest to limit the GC/AT ratio to be inside a given range which would enable the simultaneous hybridization of several primer pairs at one reaction temperature. The final requirement is the electrophoresis distance, determined by the tool that is used to differentiate the PCR products in, for example, a gel electrophoresis. This most common method requires the products to be of different sizes. The whole concept of this method also requires to have a pool of possible primer pairs for each amplicon.

The design of suitable primers for a multiplex PCR on bisulfite treated DNA is an even greater challenge. The low complexity of the DNA, being reduced to essentially three different bases rather than four different bases, requires an extra careful selection of primers to avoid mismatching and unwanted amplification.

In the scope of this invention the word "mismatching" corresponds to the situation when the alignment of two sequences which are essentially complementary reveals positions in one of the sequences where the nucleotide base does not align with its corresponding base but a different one. The corresponding or complementary base pairs are adenine and thymine, cytosine and guanine,

are adenine and thymine, cytosine and guanine, uracil and adenine. For example, a cytosine that aligns with a thymine in its otherwise complementary sequence creates a mismatch of one base or nucleotide.

5

Accordingly "base mismatches" refers to the situation of a base mismatching with another as explained above, respectively "one or more base mismatches" refers to one or more bases (in a given sequence) that cannot be aligned with their corresponding bases.

Also, when the alignment reveals single nucleotide gaps in one of the aligned sequences this is understood under the term "mismatch" in the scope of this invention.

15

A 'gap' is to be understood as follows: If an alignment reveals that, in order to get the highest number of corresponding base pairs aligned, some bases are lacking a corresponding base in its otherwise complementary sequence, this is called a gap. Such a gap can have a length of one or more nucleotides.

To solve the problems mentioned above we invented a method consisting of several steps that is applicable for the amplification of nucleic acids in singleplex as well as in multiplex PCR experiments.

25

SUMMARY OF THE INVENTION

30

The method is comprised of the following steps: Firstly, the nucleic acid sample containing the region of interest, which is to be amplified, is isolated. Secondly, this nucleic acid sample is treated in a manner that differentiates between methylated and un-methylated cytosine bases within said sample. Thirdly, a reaction mixture is set up containing a) the treated template nu-

35

cleic acids, carrying the region of interest (also called: target nucleic acid) that is to be amplified, b) specified oligo-nucleotide primers, c) an enzyme capable of amplifying said nucleic acids in a defined manner, d) 5 the necessary nucleotides required for the nucleic acid synthesis and e) a suitable buffer.

- Said specified oligo-nucleotide primers are characterized in that
- 10 their sequences each reach a predefined measure of complexity (as described in detail below) every possible combination of two primer molecules in said reaction mixture has a melting temperature below a specified threshold temperature
- 15 none of the possible combinations of two primer molecules in said reaction mixture leads to the amplification of an additional unwanted product as determined by virtual testing for amplification.
- 20 In the last step of the method said amplified target nucleic acid is detected by means commonly used by one skilled in the art.

The invention is composed of a method for the amplification of nucleic acids comprising the following steps of isolating a nucleic acid sample, treating said sample in a manner that differentiates between methylated and unmethylated cytosine bases within said sample, amplifying at least one target sequence, within said treated nucleic acid, by means of enzymatic amplification and a set of 25 primer molecules, wherein said primer molecules are characterized in that

a) each primer molecule sequence reaches a predefined measure of complexity, b) every combination of any two 30 primer molecules in the set has a melting temperature below a specified threshold temperature and c) every combi-

nation of two primer molecules, under conditions allowing for one or more base mismatches per primer, does not lead to the amplification of an unwanted product when virtually tested using the treated and the untreated sample
5 nucleic acids as template and the last step of detecting said amplified target nucleic acid.

More detailed description of the method:

10 The method is comprised of the following steps:
In the first step of the method, the nucleic acid sample, which contains the region of interest that is to be amplified, must be isolated from tissue or cellular sources. Such sources may include at least one cell, but
15 usually several cells, cell lines, histological slides, bodily fluids, or tissue embedded in paraffin.

20 In a preferred embodiment of this invention the nucleic acid sample is isolated from a bodily fluid, a cell culture, a tissue sample or a combination thereof.

For example a certain kind of organ sample from a patient or an animal can be used to extract genomic DNA by the usually applied methods. Preferably, in this invention
25 DNA is extracted from a tissue sample or a biological fluid like blood, serum, urine or other fluids. 'Bodily fluid' herein refers to a mixture of macromolecules obtained from an organism. This includes, but is not limited to, blood, blood plasma, blood serum, urine, sputum,
30 ejaculate, semen, tears, sweat, saliva, lymph fluid, bronchial lavage, pleural effusion, peritoneal fluid, meningeal fluid, amniotic fluid, glandular fluid, fine needle aspirates, nipple aspirate fluid, spinal fluid, conjunctival fluid, vaginal fluid, duodenal juice, pancreatic juice, bile and cerebrospinal fluid. This also
35 includes experimentally separated fractions of all of the

preceding. 'Bodily fluid' also includes solutions or mixtures containing homogenized solid material, such as feces.

5 The nucleic acids may include DNA or RNA. Isolation may be by means that are standard to one skilled in the art, this includes for example extraction of DNA with the use of detergent lysates, sonification and vortexing with glass beads. An example is the extraction of DNA from a
10 piece of a plant, like a leave or fruit. Once the nucleic acids, like genomic double stranded DNA, have been extracted they are used in the analysis.

15 In a preferred embodiment of this invention the nucleic acid sample is comprised of plasmid DNA, BACs (bacterial artificial chromosomes), YACs (yeast artificial chromosomes) or genomic DNA.

20 In another especially preferred embodiment of this invention the nucleic acid sample is comprised of human genomic DNA. It is preferred that the nucleic acids are of human origin.

25 In the second step, this nucleic acid sample is treated in a manner that differentiates between methylated and un-methylated cytosine bases within said sample. Cytosine bases which are unmethylated at the 5'-position are converted to uracil, thymine, or another base which is dissimilar to cytosine in terms of hybridization behavior.
30 This will be understood as 'treatment' hereinafter. The method most commonly used so far is the so called bisulfite treatment.

35 This step is of essential meaning to the process as it translates the methylation pattern of said nucleic acids into a pattern that is something like an imprint of the

methylation status itself. It contains essentially the same information but the pre-treated nucleic acids are no longer sensitive to amplification via PCR. Amplification via PCR does not differentiate between methylated and un-methylated cytosines and therefore leads to the loss of this level of information. The original methylation status however can be deducted whenever the described pre-treatment had been performed prior to the amplification step. Hence any means suitable to differentiate between a methylated and an un-methylated cytosine base are applicable, as long as the modified bases are still capable of being amplified by enzymatic means after treatment.

It is a preferred embodiment of this invention that said sample is treated by means of a solution of a bisulfite, hydrogen sulfite or disulfite. A treatment of genomic DNA as described above is carried out with bisulfite (hydrogen sulfite, disulfite) and subsequent alkaline hydrolysis which results in a conversion of non-methylated cytosine nucleobases to uracil or to another base which is dissimilar to cytosine in terms of base pairing behavior.

In the third step of this method, a reaction mixture is set up containing a) the treated template nucleic acids, comprising the region of interest (also called target nucleic acid) that is to be amplified, b) specified oligonucleotide primers, c) an enzyme capable of amplifying said nucleic acids in a defined manner, for example a polymerase, d) the necessary nucleotides required for the nucleic acid synthesis and e) a suitable buffer. The template nucleic acid contains at least one target nucleic acid, which is amplified in the reaction. One primer molecule of the at least one primer pair in the reaction mixture is capable of binding to the 3' end of one specified target nucleic acid. The first primer binds to the

- 3' end of the target sequence, this primer is elongated and a complementary sequence to the target sequence is made. The polymerase stops to elongate unspecifically.
- 5 The next cycle starts by thermally denaturing the now double stranded template nucleic acid into single stranded template nucleic acids. This is followed by the next phase of annealing when both primer molecules specifically bind to the target nucleic acid and its complementary strand. The second primer is identical to the 5' 10 end of the target molecule. It doesn't bind to the target sequence itself but to said complementary nucleic acid to the target sequence, as soon as this is denatured from the template.
- 15 The process is finished by the actual amplification phase at a slightly lower reaction temperature, during which the enzyme, for example the polymerase elongates the primer as a complementary sequence to the target nucleic acid. The polymerase elongates this second primer by using the first copy as template until the end of said copied nucleic acid is reached. That way an identical copy to the original single stranded target nucleic acid is created. Hence, the length of the amplicon is determined by choosing the two primers.
- 20
- 25 The elongation products, being complementary to each other and hereby building a double stranded version of the target nucleic acid, serve as additional targets for the primer molecules binding in the next cycle of amplification.
- 30
- 35 Essentially step 3 of the method is comprised of amplifying at least one target sequence, within said treated nucleic acid, by means of enzymatic amplification and a set of primer molecules.

Said primer molecules used in said method are characterized in that they, in addition to fulfilling all the usual requirements towards a PCR primer as will be specified in more detail later, also fulfill the following requirements:

Firstly, the sequence of each primer molecule used in step 3 of this method reaches a predefined measure of complexity.

10

In a preferred embodiment of this method the primer molecules are reaching a certain value of linguistic complexity. A notion and a measure of linguistic complexity has been introduced by Trifonov in 1990 and has been used for analysis of nucleotide sequences before (Trifonov, EN 15 (1990) Making sense of the human genome. In Structure & Methods. Vol 1 pp 69-77 (eds. Salma, RH and Salma MH, Adenine Press, Albany, US). The linguistic complexity technique allows a calculation to be made of the structural complexity of any linear sequence of characters irrespective of whether the text is cognized or presently undeciphered. The sequences are compared exclusively from the point of view of their structural complexity with no reference to the meaning of the texts. In 1997 Trifonov 20 published how the linguistic complexity of nucleosomal sequences is defined (Bolshoy, A; Shapiro, K; Trifonov, E and Ioshikhes I. (1997) Enhancement of the nucleosomal pattern in sequences of lower complexity. NAR 25 (16): 3248-3254). Quote: "The linguistic complexity measure exploits the major distinguishing feature between natural 25 nucleotide sequences and uniformly random ones: the repetitiveness of the natural sequences, i.e. the frequent repetition, not necessarily a tandem one, of some oligonucleotides ("words"), while others are avoided. (...) Complexity can be directly calculated as the extent to 30 which the maximal possible vocabulary (all word sizes

considered) is utilized in a given strength of sequence (...)."

In another preferred embodiment of this method said measure of complexity is set by the so called Shannon entropy (Shannon, C E, (1948) A Mathematical Theory of Communication, University of Illinois Press, Urbana). This is the most common measure to assess the information content (in a technical, non-semantic meaning) of linear information carriers. It attributes the maximal value (which can be chosen to be 1 without restrictions) to sequences where all symbols (characters) occur at equal probability and a value of 0 to sequences consisting of just one repeated symbol (character, letter). A derived and more general measure is the higher order Shannon entropy which attributes maximal value to sequences where all its subsequences occur at equal probability and a value of 0 or close to 0 to sequences consisting of periodic repetitions of short subsequences. The practical determination of the (higher order) Shannon entropy however is limited by the finite lengths of sequences which often does not permit a precise estimation of the probability distribution of their constitutive symbols.

Further possible measures are for example the Lempel-Ziv complexity (Lempel, LB and Ziv, J (1976) On the complexity of finite sequences. IEEE Trans. Inf. Theory IT-22, 75-81), the grammar complexity (Ebeling, W; Jimenez-Montano, MA (1980) On Grammars, Complexity and Information Measures of Biological Macromolecules. Mathematical Bioscience 52, 53-71), the algorithmic complexity (Chaitin, 1990) and the conditional entropy.

Secondly, said primer molecules are also characterized in that every possible combination of any two primer molecules, in the set, has a melting temperature below a

specified threshold temperature. That way the accumulation of dimers caused by the binding of two primer molecules to each other in said reaction mixture is excluded. The number of primer pairs used in that step can be any
5 between one and n, leading to one or n amplificates respectively (n being a natural number).

As mentioned in the text the word "dimer" refers to a secondary structure formed by the hybridization of two
10 primer molecules to each other.

As referred to in the text 'melting temperature' refers to the temperature at which 50% of the nucleic acid molecules are in duplex and 50% are denatured under standard
15 reaction solution conditions.

Some primer design tools disqualify a primer if, besides the target sequence, a second identical sequence can be found in the template. However, due to the higher probability of a bisulfite primer to mismatch with non-
20 identical bisulfite treated DNA, it is an embodiment of this invention that only those primers are allowed to be used in said amplification method, for which no sequence homology can be found, to the extent that even those sequences that are different and/or mismatching in several
25 nucleotides are excluded. However, this would exclude primer molecules unnecessarily. Therefore they are only excluded if two primer molecules match to the template in a distance allowing for the amplification of an unwanted product. This test is performed by means as, for example,
30 the Electronic PCR. Electronic PCR (e-PCR) is an in silico virtual PCR carried out in order to assess the suitability of primer molecules prior to in vitro PCR. In the scope of this invention this testing will be called
35 'virtual testing' and it will be referred to as "virtually tested" or "virtually testing".

Thirdly, the primers used in step 3 of this invention are characterized, in that every possible combination of two primer molecules, in said reaction mixture, does not lead 5 to the amplification of an additional unwanted product, when virtually testing for amplification using the treated and the untreated nucleic acid sample as template, even under conditions allowing for at least one base but not more than 20% of the total number of bases 10 per sequence mismatching per primer. In the scope of this invention it is to be understood that those primer molecules are considered to bind to the template for which a template sequence exists that is in at least 80% of its nucleotide sequence identical to the target sequence the 15 primer originally has been designed for. For example, a primer molecule of 50 nucleotides length is considered to still hybridize to a template sequence that differs in less than 11 nucleotides (= is identical in at least 80% of its nucleotide sequence) from the according target sequence. If a match is considered to be possible it has to 20 be tested whether this match would lead to the amplification of an unwanted product. This can be done with the use of a program similar to e-PCR (see below).

Especially preferred is an embodiment of said method 25 wherein the ability of said primer molecules to amplify an unwanted product is tested by means of in silico PCR, taking as template nucleic acid the coding strand of the treated sample, the non-coding strand of the treated sample and both of the strands of the untreated sample. It 30 is especially preferred to perform the virtual testing with a tool like electronic PCR on the pretreated, preferably bisulfite treated, template sequence consisting of the treated sense and the treated anti-sense strand, and 35 on the unconverted template.

Furthermore it is preferred that this treatment is bisulfite treatment and hence the nucleic acid template is the bisulfite converted coding strand of the human genome, the bisulfite converted non-coding strand of the human genome and both of the strands of the untreated human genome. Preferred is an embodiment of said method wherein the ability of said primer molecules to amplify an unwanted product is tested by means of electronic PCR, hereby taking as template nucleic acid the bisulfite converted coding strand of the human genome, the bisulfite converted non-coding strand of the human genome and both of the strands of the untreated human genome.

It is preferred that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 20% of the number of nucleotides of the primer.

It is also preferred that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 10% of the number of nucleotides of the primer.

It is especially preferred that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 5% of the number of nucleotides of the primer.

It is a preferred embodiment of this invention that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than seven.

It is especially preferred that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than five.

5

It is another preferred embodiment of this invention that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than three.

10

It is especially preferred in the scope of this invention that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is one.

15

It is also included in the scope of this invention to consider such primer molecules as being sufficiently similar to facilitate their binding to the template sequence, for which a template sequence can be found that differs in the number of nucleotides but is otherwise identical to the target sequence. When the alignment of the primer and the template sequence leads to a gap of up to 20% of the nucleotides of one sequence, preferably of the primer sequence, this shall still be considered to be sufficient for binding and hence potentially leading to the amplification of an unwanted product. Therefore these primers also need to be tested with the means of virtual PCR (for example with a program like e-PCR). Only if this test reveals the virtual amplification of an unwanted product caused by the combination of two primers, the according primer pairs are excluded from the set of selected pairs.

It is preferred that the number of nucleotides creating one gap, in one of the sequences, when aligning the primer molecule sequence with the template sequence, allowed

for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 20% of the number of nucleotides of the primer molecule.

5

It is also preferred that the number of nucleotides creating one gap, in one of the sequences, when aligning the primer molecule sequence with the template sequence, allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 10% of the number of nucleotides of the primer molecule.

10

It is preferred that the number of nucleotides creating one gap, in one of the sequences, when aligning the primer molecule sequence with the template sequence, allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 5% of the number of nucleotides of the primer molecule.

15

Both of these situations, mismatching due to an alternative nucleotide or no-matching due to a missing nucleotide, are meant to be covered in the expression describing those primer molecules that will eventually be selected : "said primer molecules are characterized in that every combination of two primer molecules, under conditions allowing for one or more base mismatches per primer, does not lead to the amplification of an unwanted product when virtually tested using the treated and the untreated sample nucleic acids as template".

20

It is also preferred that the primer molecules that exceed a pre-specified melting temperature when binding to the template have to be virtually tested for amplification of unwanted products using the treated and the untre-

25

30

35

ted sample nucleic acids as template according to step 3
c) of the method.

The basic problem of finding a primer specific enough to
5 give only one product on the little complex bisulfite
DNA, is finally solved by testing each potential primer
pair for hybridization across the whole bisulfite con-
verted human genome. This requires translating the whole
human genome sequence information virtually into its bi-
10 sulfite treated version before performing a similarity
search against the primer pairs, which is based on a
method like the so called e-PCR (Schuler G.D. (1997) Se-
quence Mapping by electronic PCR. Genome Research 7(5):
541-550). However, as the bisulfite conversion results in
15 two no longer complementary strands this virtual hybridiza-
tion test needs to be done against both bisulfite con-
verted strands. In addition in most cases the template
DNA is contaminated with unconverted genomic DNA. To also
20 exclude unwanted amplification on the unconverted DNA as
template, the same hybridization test has to be performed
a third time using the whole human genome sequence as a
template.

Therefore it is a preferred embodiment of this invention
25 that the ability of said primer molecules to amplify an
unwanted product is tested by means such as electronic
PCR.

In the last step of the method said amplified target nu-
30 cleic acid gets detected by any means standard to one
skilled in the art.

In a preferred embodiment of this method the set of
primer molecules is comprised of at least two primer
35 molecules but not more than 64 primer molecules, given

the number is a multiple of 2; in other words, the set is comprised of 1-32 primer pairs.

5 In another preferred embodiment of this method the set of primer molecules is comprised of between 2 and 32 primer molecules, given the number is a multiple of 2; in other words the set is comprised of 1-16 primer pairs.

10 In a preferred embodiment of this method, said primer molecule comprises at least one nucleotide within the last three nucleotides from the 3' end of the molecule, wherein said nucleotide is complementary to a nucleotide of the target sequence that, as a result of the treatment performed in step 2) of the invention, changed its
15 hybridization behavior.

20 It is a preferred embodiment of this method, that said primer molecule comprises at least one nucleotide within the last three nucleotides from its 3' end that is complementary to a nucleotide of the target sequence that was converted by the treatment performed in step 2 of the method to another base exhibiting an alternative base pairing behavior.

25 In an especially preferred embodiment said nucleotide is a cytosine prior to the treatment that converts unmethylated cytosines. In a preferred embodiment said treatment is bisulfite treatment. Said primer molecule comprises at least one nucleotide within the last three nucleotides
30 from the 3' end of the molecule, wherein said nucleotide is complementary to a cytosine, that was converted by bisulfite treatment to another base exhibiting the base pairing behavior of thymine.

35 This is to exclude binding of said primer molecules to the remaining untreated or un-sufficiently treated nu-

cleic acids, which might still serve as template nucleic acid in the PCR.

Furthermore it is a preferred embodiment of this invention that said primer molecules do not form loops or hairpins on their own or with each other.

In another preferred embodiment of the method said primer molecules do not form dimers with each other.

10

In the text the word 'hairpin' is taken to mean a secondary structure formed by a primer molecule when the 3' terminal region of said nucleic acid hybridizes to the 5' terminal region of said nucleic acid forming a double stranded stem structure and wherein only the central region of the primer is single stranded.

As described in the text the word 'loop' refers to a secondary structure formed by a primer molecule when two or more nucleotides of said molecule hybridize thereby forming a secondary structure comprising a double stranded structure one or more base pairs in length and further comprising a single stranded region between said double stranded region.

25

The binding of a primer molecules 3' end to any part of a second primer molecule in the set needs to be avoided. Otherwise the polymerase would extend the first primer using the second primer as template, which would lead to a new unwanted product, an extended primer, or rather a primer-hybrid, which would serve as the preferred template for the next round of the polymerase chain reaction and thereby prevent a sufficient amplification of the wanted product.

35

Therefore it is another preferred embodiment of this method that each of said primer molecules is characterized in that the last at least 5 bases at the 3' end of said primer molecule are not complementary to the sequence of any other primer molecule in the set.

It is also preferred that said primer molecules do not bind to nucleic acids which prior to treatment of step 2 contained a 5'-CG-3' site. This would lead to a binding of the primers to bisulfite treated nucleic acids, specifically depending on their cytosines methylation status. A CG corresponding primer would bind to the treated methylated version only, whereas a primer corresponding to TG would bind to the treated unmethylated 15 version of these nucleic acids only. It is therefore preferred that said primer molecules do not contain nucleic acid sequences complementary or identical to nucleic acid sequences which prior to treatment of step 2 contained a 5'-CG-3' site.

20

In a preferred embodiment of this method said primer molecules are of a specified size range.

It is especially preferred that these primers are comprised of 16-50 nucleotides.

In a preferred embodiment of this method said primer molecules do not comprise sequences that are complementary to regions of the target nucleic acids that contained specified restriction enzyme recognition sites prior to the treatment that altered the unmethylated cytosines base pairing behavior. It is preferred that said primers are complementary to target sequences which prior to the treatment performed in step 2 of the invention did not contain specified restriction enzyme recognition sites.

By selecting for the right primer molecules also the amplificates sequence is determined. That is why it has to be taken into account to only use those primer molecules that lead to amplification of nucleic acids containing a reasonable high number of CpG sites to be analyzed. Due to the treatment of step 2 of this invention these CpG sites, depending on the methylation status of the cytosine, are converted and will therefore either appear as CG dinucleotides or as TG dinucleotides in the amplificate.

It is preferred that said primer molecules amplify regions of nucleic acids that prior to bisulfite treatment comprise of more than eight 5'-CG-3' sites also referred to as CG dinucleotides.

It is also preferred that said primer molecules amplify regions of nucleic acids that prior to bisulfite treatment comprise of more than six 5'-CG-3' sites also referred to as CG dinucleotides.

It is also preferred that said primer molecules amplify regions of nucleic acids that prior to bisulfite treatment comprise of more than four 5'-CG-3' sites also referred to as CG dinucleotides and finally it is especially preferred that said primer molecules amplify regions of nucleic acids that prior to bisulfite treatment comprise of more than two 5'-CG-3' sites also referred to as CG dinucleotides.

Said primer molecules lead to amplificates within a specified size range.

It is a preferred embodiment of this sequence that said primer molecules lead to amplificates which are comprised of at least 50 bp but not more than 2000 bp.

- 5 Especially preferred are primer molecules that lead to amplificates which are comprised of at least 80 bp but not more than 1000 bp.

Furthermore a method is preferred wherein said primer
10 molecules lead to amplificates of treated nucleic acids
which prior to the treatment which altered the unmethylated
cytosines base pairing behavior did not contain restriction
enzyme recognition sites. Said primer molecules
lead to amplificates that are amplified regions of the
15 treated nucleic acids which prior to the treatment performed
in step 2) of the method did not contain specified
restriction enzyme recognition sites.

A further subject of this invention is a method on how to
20 produce said primer molecules. The main step of producing
a primer molecule is determining its sequence. In the
following the phrase "primer design" will be used instead
of primer production, whenever it is referred to the step
of determining said specific primer sequences. Designing
25 primer molecules is a process which as such is well known
to scientists skilled in the art. The programs usually
used for this purpose are such as PRIMER3 or OSP (Rozen S
and Skaletsky H (2000) PRIMER3 on the WWW for general users
and for biologist programmers. Methods Mol Biol 132:
30 365-386; Hillier L and Green P (1991) OSP: A computer
program for choosing PCR and DNA sequencing primers. PCR
Methods and Applications 1: 124-128). Other primer design
systems (like described in EP-A 1136932) are often based
on those commonly known programs.

An embodiment of this invention takes advantage of using a program like PRIMER3 first, to then add a number of steps that finally result in an advanced method of designing primers that are specifically useful for amplifying sequences of low complexity.

In the first step of this method for designing specific primer molecules for nucleic acids of low complexity, primer pairs that amplify single products are selected by applying standard tools of primer design known in the art, like for example the program PRIMER3 (Rozen, S and Skaltsky, H (2000) Methods Mol Biol 132: 365-386).

In the second step of the method said primer pairs are tested whether or not one of its primer molecules when hybridizing to any other primer molecule in the set exceeds a specified threshold melting temperature TM. If this is the case the primer pair that comprises of said primer is excluded from the set of potentially combined pairs.

In the third step of the method the number of previously selected primer pairs, is reduced to a smaller number by implementing as new criteria a measure for the primer sequence's complexity. Primer pairs that consist of a primer molecule which does not meet said criteria are excluded.

The basic problem of finding a primer specific enough to give only one product on the little complex bisulfite DNA, is finally solved by testing each potential primer pair for hybridization across the whole bisulfite converted human genome. This requires translating the whole human genome sequence information virtually (as in "in silico") into its treated, for example bisulfite treated, version before performing a similarity search against the

primer pairs, which is based on a method like the so called e-PCR (Schuler G.D. (1997) Sequence Mapping by electronic PCR. Genome Research 7(5): 541-550). However, as the bisulfite conversion results in two different versions of the double helix whose sense and anti-sense strands are no longer mutually complementary, this in silico amplification needs to be performed on both bisulfite converted versions of the genome. In addition in most cases the template DNA is contaminated with unconverted genomic DNA. It cannot be excluded that single cytosines or longer runs of DNA remain unconverted or are only converted incompletely by the bisulfite treatment. To also exclude unwanted amplification of the unconverted DNA as template, the same hybridization test has to be performed a third time using the whole human genome sequence as a template.

As this is quite some effort and requires time (CPU time) this is the fourth and last step of this design method, that is absolved prior to the final testing in a "wet", lab based, experiment.

In addition to improve the specificity of said primer molecules the stringency of the selection criteria is increased: Some standard primer design tools disqualify a primer if in the template sequence, a second identical sequence, besides the target sequence, can be found. That way mispriming at rather stringent hybridization conditions is avoided. This mispriming would not necessarily lead to an additional unwanted product, but would lead to the dilution of the primer molecules available for amplification. This selection has been performed in step one already (for example by PRIMER3). However, due to the higher probability of a bisulfite primer molecule to mismatch with non-identical bisulfite treated DNA, there is still a chance for said primer molecules to misprime even

when up to 20% of the nucleotides of the primer sequence differ. Therefore it is claimed in this invention to only use primer molecules for which not even a weak sequence homology can be found. However, this would exclude primer
5 molecules unnecessarily. Therefore they are only excluded if two primer molecules match to the template and amplify an unwanted product. This test is performed by means as, for example, the Electronic PCR. Electronic PCR (e-PCR) is an in silico virtual PCR carried out in order to asses
10 the suitability of primers prior to in vitro PCR.

In the fourth step of the method on how to design these primers it is therefore tested whether there are any regions of the template nucleic acid, said template being comprised of the sense and the anti-sense strand of the treated and the untreated nucleic acids, that are identical in sequence with the primer molecule to more than 80% and if those primer molecules are able to amplify an unwanted product. If this is the case, the primer pair
15 comprising said primer molecule is excluded from the selection.
20

The template nucleic acid is comprised of the treated template nucleic acid and the untreated template nucleic acid. The treated nucleic acid in itself is comprised of a two strands which after treatment are not complementary to each other anymore. This virtual testing for example can be performed as described by Gregory Schuler in his article (cited above) about sequence mapping by "Electronic PCR". The primer pairs remaining can be used to specifically amplify regions of nucleic acids of low complexity, which is the aim of this invention. Hence step 4 of the design method is the virtual testing of each possible primer pair combination, under pre-specified conditions
25 at a stringency allowing for one or more base pair mismatches, as to whether no unwanted nucleic acids are
30
35

amplified. Said virtual testing is carried out upon both untreated and treated nucleic acids. The wording "possible combinations" refers to all combinations that are possible within a set of primer pairs to be used in one
5 amplification reaction vessel.

In a preferred embodiment an additional step is added following the virtual testing, which is testing in a lab based single PCR assay all those pairs that remained,
10 whether the desired amplicate can be obtained or not. If that is the case, the chosen pairs can be used to specifically amplify those regions of nucleic acids of low complexity according to the method as described before.

15 In a specially preferred embodiment the first step of the design method is characterized as selecting a pool of possible primer pairs per amplicate by means of a standard PCR primer design program using said nucleic acids as template that have been masked for repeats and SNPs
20 considering the following factors:
length of amplicate, length of primer, melting temperature of the primer molecule, dimer formation parameters, loop formation parameters, exclusion of unidentified or ambiguous nucleotides in the primer sequence, exclusion
25 of restriction enzyme recognition sites.

In a preferred embodiment of this invention this measure of complexity is a measure of linguistic complexity as defined by Bolshoy et al. (see above). Those primer pairs
30 are excluded from the previously selected ones, which comprise of one primer that doesn't reach a set level of this linguistic complexity.

35 In another preferred embodiment of this invention this measure of complexity is a measure of Shannon entropy (as described before).

In an especially preferred embodiment of this design method, prior to performing step d) the additional step of excluding primer pairs from the remaining primer pairs which consist of a primer molecule that comprises of at least one CpG site, is carried out.

In an especially preferred embodiment of this method according to the design of said primers, prior to performing step d) the additional step of excluding primer pairs from the remaining pairs when one of its primer molecules does not contain at least one nucleotide within the last three nucleotides from the 3' end of the molecule wherein said nucleotide is complementary to a nucleotide of the target sequence that was converted to a different nucleotide by bisulfite treatment, is carried out.

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step, of excluding primer pairs from the remaining primer pairs which amplify a nucleic acid that did not prior to treatment with bisulfite contain a minimum of two CpG sites, is carried out.

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding primer pairs from the remaining primer pairs when one of its primer molecules contains more than 5 bases at its 3' end that are complementary to any other primer molecules sequence in the set, is carried out.

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding from the remaining primer pairs those pairs, which comprise of one

primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of the amplification method under conditions allowing for a number of 5 mismatching nucleotides of 20% of the number of nucleotides of the primer molecule, is carried out.

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding from the 10 remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of the amplification method under conditions allowing for a number of 15 mismatching nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, of up to 20% of the number of nucleotides of the primer molecule, is carried out.

20

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding from the 25 remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of the amplification method under conditions allowing for four or less mismatching base pairs, is carried out.

30

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding from the 35 remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when

virtually testing according to step 3 c) of the amplification method under conditions allowing for two or less mismatching base pairs, is carried out.

5 The following example is intended to illustrate the invention :

Example

10 Here we present experimental data that shows that multiplex PCRs designed with a tool according to this invention are more successful compared to multiplex PCRs not designed in this manner.

15 It is the aim of the experiment to amplify 40 different nucleic acids. The genomic regions of interest are given in the sequence protocol (SEQ ID 41-80). These genomic sequences were translated into their bisulfite converted versions and served as templates for amplification of
20 specific regions with the primer sequences described as follows.

Primer molecule pairs used for single PCRs were originally designed with the use of the standard primer design
25 program PRIMER3 (as mentioned in the description). The criteria used in that step will not be discussed in detail. This selection however provides several possible primer pairs per amplicon. Following the present invention these primer pairs were selected further, according to the following criteria:

- 30
- The restriction enzyme recognition site to be excluded from the genomic nucleic acid (which subsequent to bisulfite conversion becomes the template for the PCR amplification step) is : GTTTAAAC.

- The minimum length of the primer molecule is 18 nucleotides. The maximum length is 27 nucleotides. Ideally the primer consists of 22 nucleotides.
- 5 • The minimum required measure of linguistic complexity is 0.2.
- The minimum melting temperature of a primer molecule is 54°C and the maximum melting temperature is 57°C.
- 10 The ideal melting temperature however is 55°C.
- The minimum length of an amplificate is 100 bp and the maximum length is 500 bp.
- 15 • The minimum number of CpG sites, that were present in the region of the nucleic acid, prior to bisulfite treatment, that was amplified is 4.
- The number of mismatch bases allowed for when virtually testing the primer pairs according to the invention for amplification of an unwanted product with the help of e-PCR (Electronic PCR) is 2.
- 20

The use of this invention, that is the use of either the design method, being the subject of the invention, and/or performing the steps of said method as described above (assuming a set size of 1) leads to the selection of the following 40 optimized primer molecule pairs:

30 TABLE 1:

primer sequence	amplificate identifier	SEQ ID	number indicating primer in the bisulfite converted sequence of the ROI	starting position of primer
AATCCTCCAAATTCTAAAAACA	2025	81	0	1816
AGGAAAGGGAGTGAGAAAAT	2025	82	1	2138

primer sequence	amplificate identifier	SEQ ID	number primer direction	starting position of converted sequence of the ROI
GGATAGGAGTTGGGATTAAGAT	2044	83	0	2070
AAATCTTTCAACACCAAAAT	2044	84	1	2483
AACCCTTCTCAAATTACAAA	2045	85	0	1340
TGATTGGGTTTAGGGAAATA	2045	86	1	1687
TTGAAAATAAGAAAGGTTGAGG	2106	87	0	1481
CTTCTACCCCAAATCCCTA	2106	88	1	1764
TGTTGGGATTGGGTAGG	2166	89	0	2226
CATAACCTTACCTATCTCCTCA	2166	90	1	2437
TTTAGATTGAGGTTTAGGGT	2188	91	0	101
ATCCATTCTACCTCCTTTCT	2188	92	1	598
GGAGGGGAGAGGGTTATG	2191	93	0	133
TACTATACACACCCCCAAACAA	2191	94	1	506
TTTGGGAATGGGTTGTAT	2194	95	0	1628
CTACCCCTAACCTCCATCCTA	2194	96	1	1996
TTGTTGGGAGTTTTAAGTTT	2212	97	0	1711
CAAATTCTCCTCCAAATAAT	2212	98	1	2063
GTAATTGAAGAAAGTTGAGGG	2267	99	0	1709
CCAACAACAAACAAACCTCT	2267	100	1	2004
GGAGTTGTATTGTTGGGAGA	2317	101	0	1110
TAAAACCCAATTTCACTAA	2317	102	1	1388
TTTGTATTAGGTTGGAAGTGGT	2383	103	0	1
CCCAAATAAATCAACAACAACA	2383	104	1	285
GATTTTGAGAGGAAGTTAAG	2387	105	0	789
AAAACAAAAACCAAAACCCATA	2387	106	1	1169
TGGGGTTAGTTAGGATAGG	2391	107	0	1353
CTTAAAAACACTAAAACCTCTCAA	2391	108	1	1750
TTTTGTATTGGGGTAGGTTT	2395	109	0	547
CCCAACTATCTCTCCTCTATAA	2395	110	1	1094
ATTAGAAGTGAAAGTAATGGAATT	2401	111	0	381
TCAATTCCAAAAACCAAC	2401	112	1	795

primer sequence	amplificate identifier	SEQ ID	number indicating primer direction	starting position of primer in the bisulfite converted sequence of the ROI
GGGATGGTTATTAGTTGTAAA	2453	113	0	1867
CCTTCACACAAACTACAAAAAA	2453	114	1	2139
TAATTGAAGGGGTTAATAGTGG	2484	115	0	1861
AAAACCAAAACCAAAACTAAAAA	2484	116	1	2252
AGTGGATTTGGAGTTAGATGT	2512	117	0	1016
AACAAAATAAAACTTCTCCCA	2512	118	1	1446
TAGGGGAAAAGTTAGAGTTGAG	2741	119	0	1413
CCCATTAAACCCACAAAAAA	2741	120	1	1888
ATTTTAGTTGTGAAATGGGAT	2745	121	0	1685
TCTTAACCAATAACCCCTCAC	2745	122	1	2097
GTGGGTTTGGGTAGTTATAGA	2746	123	0	1679
TAACCTCCTCTCCTTACCAA	2746	124	1	2163
TAGGATGGGGAGAGTAATGTTT	2747	125	0	972
ACAACTTATCCAACCTCCATT	2747	126	1	1448
TCCCCACAAAAACTAAACAATT	2749	127	0	1370
AGGTTTAGATGAAGGGGTTT	2749	128	1	1789
TTTGGAGGGTTAGTAGAAGTTA	2751	129	0	88
CCCAATAATCACAAATAAACAA	2751	130	1	567
ATACAACCTCAAATCCTATCCA	2752	131	0	228
AGGGAGAAGGAAGTTATTGTT	2752	132	1	712
GGAAGATGAGGAAGTTGATTAG	2755	133	0	1000
CCTACAACCTATCCTCTAAAAA	2755	134	1	1371
TTAGTAGGGGTGTGAGTGTTTT	2831	135	0	1313
CAAACAAAATTCTATCTCAACC	2831	136	1	1499
TTATAGGGTTGAGTTGGGAT	2850	137	0	2100
TAAACAAACAACAAATCTTCCA	2850	138	1	2400
TGAAAATGAAGGTATGGAGTTT	2852	139	0	1262
TTAAAACCATATAATCCCTCCA	2852	140	1	1583
TATGTTGGTTTGTGAGA	2859	141	0	1093
AACCCCATCACTTTATTTCTT	2859	142	1	1491

primer sequence	amplificate identifier	SEQ ID	number primer direction	starting position of converted sequence of the ROI
GGGTGTAGAAGTGTAGGTTT	2861	143	0	2385
TTTCTCCCTTACAACAATAAC	2861	144	1	2732
TCCCCCTCCAACATATCTCTC	2864	145	0	884
TGAGAGTGTAGGGAAAGTTT	2864	146	1	1175
AAAACCAAAACATAAACCAAAA	2867	147	0	1312
GATTAGGAGGGTTTGAGAT	2867	148	1	1701
AATGGTTGATGATTTGGTTT	2961	149	0	2039
ACTCTCTCCCTATAACCCCTAA	2961	150	1	2311
AGTTAGAAGAGGAGTTAGGATGG	3511	151	0	1340
TAATTTCCAATACCCATTTC	3511	152	1	1711
TGTTAGTAGAGTTAGGGAGGTT	3532	153	0	1135
ACACTACCTATCCTTACCCCAC	3532	154	1	1592
TTTTTGTGTTTATGGGGTGTAT	3534	155	0	1909
TTAAATATCCCTCCTAACCA	3534	156	1	2385
TGGGTAGTATTTTGTGGTTT	3538	157	0	956
CCTAAAAACTCTCATCCTCA	3538	158	1	1414
AGTGGTTAGGAGTATTTGGTTA	3540	159	0	659
AACTCCCTCCATCTACAATATC	3540	160	1	1064

These primer pairs lead to the amplification of specific regions (amplificates Seq IDs 1- 40) of the bisulfite converted sequences of the genomic ROIs (Seq IDs 41- 80) of interest. The ROIs can be identified by the four digit number that specifies the ROI and the corresponding amplificate - as indicated in the following table.

10 TABLE 2:

SEQ ID	Class	Identifier	Kind of DNA	SEQ ID	Class	Identifier	Kind of DNA
1	amplificate	2025	bisulfite sequence	41	ROI	2025	genomic sequence

SEQ ID	Class	Identifier	Kind of DNA	SEQ ID	Class	Identifier	Kind of DNA
2	amplificate	2044	bisulfite se- quence	42	ROI	2044	genomic se- quence
3	amplificate	2045	bisulfite se- quence	43	ROI	2045	genomic se- quence
4	amplificate	2106	bisulfite se- quence	44	ROI	2106	genomic se- quence
5	amplificate	2166	bisulfite se- quence	45	ROI	2166	genomic se- quence
6	amplificate	2188	bisulfite se- quence	46	ROI	2188	genomic se- quence
7	amplificate	2191	bisulfite se- quence	47	ROI	2191	genomic se- quence
8	amplificate	2194	bisulfite se- quence	48	ROI	2194	genomic se- quence
9	amplificate	2212	bisulfite se- quence	49	ROI	2212	genomic se- quence
10	amplificate	2267	bisulfite se- quence	50	ROI	2267	genomic se- quence
11	amplificate	2317	bisulfite se- quence	51	ROI	2317	genomic se- quence
12	amplificate	2383	bisulfite se- quence	52	ROI	2383	genomic se- quence
13	amplificate	2387	bisulfite se- quence	53	ROI	2387	genomic se- quence
14	amplificate	2391	bisulfite se- quence	54	ROI	2391	genomic se- quence
15	amplificate	2395	bisulfite se- quence	55	ROI	2395	genomic se- quence
16	amplificate	2401	bisulfite se- quence	56	ROI	2401	genomic se- quence
17	amplificate	2453	bisulfite se- quence	57	ROI	2453	genomic se- quence

SEQ ID	Class	Identifier	Kind of DNA	SEQ ID	Class	Identifier	Kind of DNA
18	amplificate	2484	bisulfite se- quence	58	ROI	2484	genomic se- quence
19	amplificate	2512	bisulfite se- quence	59	ROI	2512	genomic se- quence
20	amplificate	2741	bisulfite se- quence	60	ROI	2741	genomic se- quence
21	amplificate	2745	bisulfite se- quence	61	ROI	2745	genomic se- quence
22	amplificate	2746	bisulfite se- quence	62	ROI	2746	genomic se- quence
23	amplificate	2747	bisulfite se- quence	63	ROI	2747	genomic se- quence
24	amplificate	2749	bisulfite se- quence	64	ROI	2749	genomic se- quence
25	amplificate	2751	bisulfite se- quence	65	ROI	2751	genomic se- quence
26	amplificate	2752	bisulfite se- quence	66	ROI	2752	genomic se- quence
27	amplificate	2755	bisulfite se- quence	67	ROI	2755	genomic se- quence
28	amplificate	2831	bisulfite se- quence	68	ROI	2831	genomic se- quence
29	amplificate	2850	bisulfite se- quence	69	ROI	2850	genomic se- quence
30	amplificate	2852	bisulfite se- quence	70	ROI	2852	genomic se- quence
31	amplificate	2859	bisulfite se- quence	71	ROI	2859	genomic se- quence
32	amplificate	2861	bisulfite se- quence	72	ROI	2861	genomic se- quence
33	amplificate	2864	bisulfite se- quence	73	ROI	2864	genomic se- quence

SEQ ID	Class	Identifier	Kind of DNA	SEQ ID	Class	Identifier	Kind of DNA
34	amplificate	2867	bisulfite sequence	74	ROI	2867	genomic sequence
35	amplificate	2961	bisulfite sequence	75	ROI	2961	genomic sequence
36	amplificate	3511	bisulfite sequence	76	ROI	3511	genomic sequence
37	amplificate	3532	bisulfite sequence	77	ROI	3532	genomic sequence
38	amplificate	3534	bisulfite sequence	78	ROI	3534	genomic sequence
39	amplificate	3538	bisulfite sequence	79	ROI	3538	genomic sequence
40	amplificate	3540	bisulfite sequence	80	ROI	3540	genomic sequence

5 The second task in this example is to select from these
10 40 primer pairs those pairs which can be combined in five
 multiplex PCRs to amplify eight targets simultaneously.

The following steps, as disclosed in the invention, are
10 performed for selection of those subsets:

10

- The melting temperature of any combination of two of those primer molecules hybridizing to each other taking part in one multiplex experiment must be below 20°C.

15

- The last seven nucleotides from the 3' end of every primer molecule in a subset is used to check if those are complementary and/or binding to any other primer molecules' sequence used in the set.

20

- The number of mismatch bases allowed for when virtually testing the primer pairs for amplification of an unwanted product is 2. For this step every possible combination of 16 primer molecules in one subset is checked for its ability to amplify an unwanted product. This is done by means of e-PCR (electronic PCR).
5
- 10 Having performed all these steps results in the selection of three different optimized sets of primer molecule pairs that can be used in multiplex PCRs. These sets are in the following described as a set of numbers. Each number refers to a specific amplicon and therefore also
15 to a single primer pair (out of the list given above) which proved to be able to specifically amplify said nucleic acid in a single PCR experiment.

TABLE 3:

optimized set 1								
8plex1	2194	2191	2391	2025	2961	3540	2861	2188
8plex2	2484	2106	2401	2850	3532	2044	2512	2852
8plex3	2453	2741	2867	2755	2267	2387	2864	2317
8plex4	2859	2383	2752	2747	2751	3511	2212	2746
8plex5	3534	2395	2745	3538	2749	2166	2831	2045
optimized set 2								
8plex1	2166	2212	3511	2383	2745	2859	3534	2861
8plex2	2749	2191	2751	2395	2961	2512	2831	3538
8plex3	2850	2025	2188	2317	2391	2852	3540	2194
8plex4	2106	2387	2867	2864	2401	2747	2746	2453
8plex5	2044	2484	2267	2755	2752	2741	2045	3532
optimized set 3								
8plex1	2194	2391	2191	2749	2745	3538	2861	2961
8plex2	2166	2188	2859	2212	2864	2746	2383	2752
8plex3	2484	2401	2850	2852	2512	2755	2106	2044
8plex4	2867	2453	3532	2025	2741	2267	2317	2387
8plex5	3511	3534	2751	2747	2395	3540	2831	2045

Without the use of said invention, the selection would have been performed randomly and tested for successful application later. Three randomly chosen subsets are shown here.

TABLE 4:

random set 1								
8plex1	2191	2194	2267	2741	3534	3511	2749	2747
8plex2	2391	2484	2867	2852	2453	2512	2025	3538
8plex3	2746	2212	2755	2045	2044	2188	2961	2864
8plex4	2831	2383	3540	2859	2861	2395	2401	2317
8plex5	2106	2751	2387	2745	2752	3532	2850	2166
random set 2								
8plex1	2045	2106	2212	2745	2044	2749	2752	2391
8plex2	2025	2831	2401	3540	2395	2484	2453	2961
8plex3	2194	2859	2746	2512	2267	2864	2861	2751
8plex4	2383	2166	2747	2387	3532	2741	2867	2852
8plex5	3534	2755	2850	2317	2191	3538	3511	2188
random set 3								
8plex1	2484	2850	2741	2747	2755	2745	2025	2746
8plex2	2383	3534	2861	2751	2749	2391	2188	2191
8plex3	2194	3538	2512	2961	2864	2867	2831	3532
8plex4	3511	2045	2387	2212	2166	2267	3540	2401
8plex5	2395	2317	2859	2453	2852	2106	2752	2044

5 The sequences of all of those amplificates and the according primers are given in the sequence protocol (primers SEQ IDs 81-160; amplificates SEQ IDs 1-40). SEQ IDs refer to the internal numbers used in these tables as is shown in TABLES 1 and 2.

10 To show if the use of the design method described herein was superior to the common method of selecting primers for simultaneous amplification randomly said multiplex PCRs were performed. This example hereby demonstrates the advantage of the method which is subject of the invention:
15 tion:

A total of 40 amplificates (with lengths ranging from 187 - 499 bp) were partitioned into five 8-plex PCRs using either of two strategies.

5 First: the grouping was based on the invention using said "optimised sets" ("designed group").

10 Second: the grouping was done without using the selection criteria established by this invention using the "random sets" ("control group").

15 Whether such grouping can improve the success rate of mPCRs was subsequently tested experimentally by comparing the number of true and false positives and false negatives for each of the two classes.

Each of the five mPCRs (multiplex PCRs) contained 8 primer pairs specific for 8 amplificates with one primer of each pair being labeled with a Cy-5 fluorescent tag.

20 Only fragments that performed successfully in sPCR (singleplex PCR) using bisulfite-modified human DNA from whole blood were included in this study. Isomolar primer concentrations were used in a 20 μ l PCR reaction volume and cycling was done for 42 cycles using a 96-well micro-
25 titer plate thermocycler.

30 Group assignments for the "optimized" and "random" groups were done in triplicate and all mPCRs were run at the same time such as to minimize experimental variation in PCR performance.

35 A mixture of the amplificates that were expected to be generated in a specific mPCR reaction but were generated in eight corresponding sPCR reactions was called sPCR-pool. Electrophoresis of sPCR-pool amplificates and mPCR amplificates was done simultaneously using the ALFexpress

system (Amersham Pharmacia). In order to obtain the best comparability for mPCRs with their respective sPCR standard, these products were electrophoresed next to each other on the gels.

5

Figures 1 and 2 show examples of these results as electropherograms, given as ALFexpress output files.

Success or failure scoring for each mPCR was based on assessing the number of generated or absent fragments compared to their respective pool of sPCR fragments. Only fragments with peak areas equal or larger than 8% of the largest peak within one electropherogram were included into the analysis.

15

Figure 1 illustrates a result of an 8-plex PCR based on a primer combination from the "optimized set". The top graph in the figure shows peaks of size standards only. The second graph in the figure shows the electrophoresed mixture of the products from 8 singleplex PCRs. The third graph shows the products resulting from a multiplex PCR employing one of the optimized sets of primer combinations. By comparing these graphs it becomes visible that, in this specific example, there is only one false negative (FN) and three false positives (FP), whereas there are eight true positives (TP).

30

Figure 2, however, illustrates a result of an 8-plex PCR based on a primer combination from the "control set". The top graph in the figure shows peaks of size standards only. The second graph in the figure shows the electrophoresed mixture of the products from 8 singleplex PCRs. The third graph shows the products resulting from a multiplex PCR employing one of the randomly chosen sets, as is the state of the art. This graph clearly shows that, there are eight false negative and six false positive

35

peaks, whereas there is only one true positive. Hence, for this specific example we have demonstrated the superiority of the design method.

5 A more comprehensive view on the results is given in **Figures 3 and 4**.

10 By applying the Wilcoxon rank sum test for the determination of false positives or false negatives as follows, it becomes evident that the optimized set resulted in a more reliable amplification experiment:

```
data:      False negatives (FN)
p-value = 0.02602 rejection of null hypothesis
15 null hypothesis (H0): true if median of designed set
equal or greater than of control set alternative hypothesis (H1): true if median of designed set less than of
control set

20 data:      False positives (FP)
p-value = 0.06711 rejection of null hypothesis
null hypothesis (H0): true if median of designed set
equal or less than of control set
alternative hypothesis (H1): true if median of designed
25 set greater than of control set

data:      True positives (TP)
p-value = 0.02146 rejection null hypothesis
null hypothesis (H0): true if median of designed set
30 equal or less than of control set
alternative hypothesis (H1): true if median of designed
set greater than of control set
```

35 Figure 3 illustrates a summary of several such comparisons (as described in detail above). Six diagrams are shown, that illustrate the numbers of false positives

(FP), false negatives (FN) and true positives (TP) for a number of 18 experiments. In the top row of figure 3 the results for experiments that employed the design method are shown whereas in the lower row results from experiments are shown, that did use the conventional method of random selection.

At the x-axis the occurrence of an event (like a false positive) per 8plex is given whereas the values of the y-axis indicate the frequency of an event like this occurring within the number of experiments performed.

For example, in the diagram title FN, a y-value of 0 indicates that the event did not occur in a single experiment, a y-value of four indicates that the according number of occurrences given as the x-value was found in four experiments (out of the 18 experiments considered for these analyses). The x-value indicates what kind of occurrence is counted; a x-value of three in this diagram indicates the occurrence of three false negatives. A data point with an x-value of 0 and an y-value of 9 means, that in the set of mPCR results considered, nine experiments showed 0 false negatives.

Figure 4 gives all of the data from the 18 multiplex PCR experiments of this example in one table. The letter A, heading the four columns presented on the left side, is indicating the results from multiplex PCRs of the designed group using the five optimized sets of primer pairs that have been designed and selected according to the invention. The letter C is indicating the results from multiplex PCRs of the control group using the five randomized sets of primer pairs.

The first column lists the identifying numbers of the experiments, the second column gives the numbers of true

positives (TP) within this experiment, the third column gives the numbers of false positives (FP) and the last column gives the numbers of false negatives (FN).

- 5 The average false negative rate ($\bar{\theta}$ FN) of the optimized group is significantly lower than in the control group. Complementary the average true positive rate ($\bar{\theta}$ TP) is significantly higher. The average false positive rates ($\bar{\theta}$ FP) of the two sets do not differ from each other significantly.
- 10

This is due to the high deviation of false positives observed between individual ALFexpress analysis runs. Those 36 sets of amplicates have been analyzed on two separate gel runs. These runs were not designed to simply duplicate the results, but could be used to analyze whether the average TP, FP and FN rates are similar, independent of the run, and the sets chosen. Only three of those sets have been duplicated, as indicated by the letters a and b for sets 11, 21 and 23. It turned out that the rate of true positives as well as the rate of false negatives averaged over 18 sets per run were highly reproducible, 6.83 versus 7.33 and 1.44 versus 1.39 respectively. However, the rate of false positives was determined as 4.11 in the first run and 7.61 in the second run.

15

20

25

Taken together, it could be concluded that the overall success rate of amplifying 40 fragments within 5 groups of 8plex PCRs was significantly increased when the primer grouping was based on the method being subject of this invention compared to an arbitrary primer grouping. The improved success rate of only 11% failures versus 24% in the random control group clearly becomes relevant when much larger numbers of mPCRs have to be established as is the case in a high throughput laboratory.

30

35

Claims

1. A method for the amplification of nucleic acids comprising the following steps

- 5 1) isolating a nucleic acid sample,
10 2) treating said sample in a manner that differentiates between methylated and un-methylated cytosine bases within said sample,

15 3) amplifying at least one target sequence, within said treated nucleic acid, by means of enzymatic amplification and a set of primer molecules, wherein said primer molecules are characterized in that

- 20 a) each primer molecule sequence reaches a predefined measure of complexity,
25 b) every combination of any two primer molecules in the set has a melting temperature below a specified threshold temperature,
30 c) every combination of two primer molecules, under conditions allowing for one or more base mismatches per primer, does not lead to the amplification of an unwanted product when virtually tested using the treated and the untreated sample nucleic acids as template,

and

- 35 4) detecting said amplified target nucleic acid.

2. A method according to claim 1 wherein said primer molecules do not contain nucleic acid sequences com-

plementary or identical to nucleic acid sequences of the target sequence which prior to treatment of step 2 contained a 5'-CG-3' site.

5 3. A method according to claims 1 and 2 wherein said set
is comprised of at least one but not more than 32
primer pairs.

10 4. A method according to claims 1 and 2 wherein said set
is comprised of at least one but not more than 16
primer pairs.

15 5. A method according to claims 1 to 4 wherein the
primer molecules are reaching a specified value of
linguistic complexity.

6. A method according to claims 1 to 4 wherein the
primer molecules are reaching a specified value of
Shannon entropy.

20 7. A method according to claims 1 to 6 wherein the nu-
cleic acid sample is isolated from a bodily fluid, a
cell culture, a tissue sample or a combination the-
reof.

25 8. A method according to claims 1 to 7 wherein the nu-
cleic acid sample is comprised of plasmid DNA, BACs,
YACs or genomic DNA.

30 9. A method according to claims 1 to 7 wherein the nu-
cleic acid sample is comprised of human genomic DNA

35 10. A method according to claims 1 to 9 wherein said sam-
ple is treated by means of a solution of a bisulfite,
hydrogen sulfite or disulfite.

11. A method according to claims 1 to 10 wherein said primer molecule comprises of at least one nucleotide within the last three nucleotides from the 3' end of the molecule wherein said nucleotide is complementary to a nucleotide of the target sequence that was converted to a different nucleotide by the treatment performed in step 2) of claim 1.
5
12. A method according to claims 1 to 10 wherein said primer molecule comprises of at least one nucleotide within the last three nucleotides from the 3' end of the molecule wherein said nucleotide is complementary to a nucleotide of the target sequence that was converted to a different nucleotide by bisulfite treatment.
10
15
13. A method according to claims 1 to 12 wherein each of said primer molecules is characterized in that the last at least 5 bases at the 3' end of said primer molecule are not complementary to the sequence of any other primer molecule in the set.
20
14. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 20% of the number of nucleotides of the primer molecule.
25
15. A method according to claims 1 to 13 wherein the number of nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, allowed for, when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 20% of the number of nucleotides of the primer molecule.
30
35

16. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 10% of the number of nucleotides of the primer molecule.
5
17. A method according to claims 1 to 13 wherein the number of nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, allowed for, when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 10% of the number of nucleotides of the primer molecule.
10
18. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 5% of the number of nucleotides of the primer molecule.
15
19. A method according to claims 1 to 13 wherein the number of nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, allowed for, when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 5% of the number of nucleotides of the primer molecule.
20
20. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than seven.
25
21. A method according to claim 20 wherein the number of mismatches allowed for is less than five.
30
- 35

22. A method according to claim 20 wherein the number of mismatches allowed for is less than three.

23. A method according to claim 20 wherein the number of
5 mismatches allowed for is one.

24. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to
10 step 3 c) of claim 1 is determined by a pre-specified maximum melting temperature.

25. A method according to claims 1 to 24 wherein said primer molecules are used to amplify nucleic acid sequences that prior to treatment of step 2 comprised of more than eight 5'-CG-3' sites.
15

26. A method according to claims 1 to 24 wherein said primer molecules are used to amplify nucleic acid sequences that prior to treatment of step 2 comprised of more than six 5'-CG-3' sites.
20

27. A method according to claims 1 to 24 wherein said primer molecules are used to amplify nucleic acid sequences that prior to treatment of step 2 comprised of more than four 5'-CG-3' sites.
25

28. A method according to claims 1 to 24 wherein said primer molecules are used to amplify nucleic acid sequences that prior to treatment of step 2 comprised of more than two 5'-CG-3' sites.
30

29. A method according to claims 1 to 28 wherein the ability of said primer molecules to amplify an unwanted product is tested by means of electronic PCR.
35

30. A method according to claims 1 to 28 wherein the
ability of said primer molecules to amplify an un-
wanted product is tested by means of electronic PCR,
taking as template nucleic acid the coding strand of
5 the treated sample, the non-coding strand of the
treated sample and both of the strands of the un-
treated sample.

10 31. A method according to claims 1 to 28 wherein the
ability of said primer molecules to amplify an un-
wanted product is tested by means of electronic PCR,
taking as template nucleic acid the coding strand of
the bisulfite converted human genome, the non-coding
strand of the bisulfite converted human genome and
15 both of the strands of the untreated human genome.

20 32. A method according to claims 1 to 31 wherein said
primer molecules are used to amplify nucleic acids
which are comprised of at least 50 bp but not more
than 2000 bp.

25 33. A method according to claims 1 to 31 wherein said
primer molecules are used to amplify nucleic acids
which are comprised of at least 80 bp but not more
than 1000 bp.

30 34. A method according to claims 1 to 33 wherein said
primer molecules are comprised of 16 - 50 nucleo-
tides.

35 35. A method according to claims 1 to 34 wherein said
primer molecules do not form dimers with each other.

36. A method according to claims 1 to 35 wherein said
primer molecules do not form loops or hairpin struc-
tures.

37. A method according to claims 1 to 36 wherein said primer molecules are complementary to target sequences which prior to the treatment performed in step 2) of claim 1 did not contain specified restriction enzyme recognition sites.

5
38. A method according to claims 1 to 37 wherein said primer molecules amplify regions of the treated nucleic acids which prior to the treatment performed in step 2) of claim 1 did not contain specified restriction enzyme recognition sites.

10
39. A method for designing primers according to claim 1,
15 comprising the steps of

20
a) selecting a pool of possible primer pairs per amplificate by means of a standard PCR primer design program using said nucleic acids as template

b) excluding those primer pairs which comprise of a primer that in combination with another primer molecule in the same set exceeds a threshold melting temperature

25
c) excluding those primer pairs which comprise of a primer that does not reach a specified level of complexity

30
d) excluding those primer pairs which comprise of a primer that in combination with another primer molecule in the same set, under conditions allowing for one or more base mismatches per primer, amplifies an unwanted product when virtually tested using the
35 treated and the untreated sample nucleic acid as template.

40. A method for designing said primer molecules according to claim 1 and 43, adding the step of

5 e) excluding from the remaining confirmed primer pairs those pairs which in said amplification step do not result in the amplification of the intended product when performing a single PCR experiment.

10 41. A method for designing primers according to claims 39 and 40 , wherein said template nucleic acids are masked for repeats and SNPs before designing said primer molecules and wherein said standard PCR primer design program considers one or more of the following factors

15 length of amplicate, length of primer, melting temperature of the primers, dimer formation parameters, loop formation parameters, exclusion of unidentified or ambiguous nucleotides in the primer sequence,

20 exclusion of restriction enzyme recognition sites.

25 42. A method according to claims 39 to 41 wherein said measure of complexity is a measure of linguistic complexity.

30 43. A method according to claims 39 to 41 wherein said measure of complexity is a measure of Shannon entropy.

44. A method according to claims 39 to 43 wherein the following step is carried out prior to performing step d)

35 excluding from the remaining primer pairs those

pairs, which consist of a primer molecule that comprises of at least one CpG site.

45. A method according to claims 39 to 44 wherein the
5 following step is carried out prior to performing
step d)

excluding from the remaining primer pairs those
10 pairs, which consist of a primer molecule that does
not contain at least one nucleotide within the last
three nucleotides from the 3' end of the molecule
wherein said nucleotide is complementary to a nucleo-
tide of the target sequence that was converted to a
different nucleotide by the treatment performed in
15 step 2) of claim 1.

46. A method according to claims 39 to 45 wherein the
following step is carried out prior to performing
step d)

20 excluding from the remaining primer pairs those
pairs, which consist of a primer molecule that con-
tains more than 5 bases at its 3' end that are com-
plementary to any other primer molecules' sequence in
25 the set.

- 26 A method according to claim 39 to 46 wherein the fol-
lowing step is carried out prior to performing step
d)

30 excluding from the remaining primer pairs those
pairs, which amplify a nucleic acid that did not,
prior to the treatment in step 2 of claim 1, contain
at least two CpG sites

48. A method according to claim 39 to 47 wherein the following step is added before performing step d)

5 excluding from the remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of claim 1 under conditions allowing for a number of mismatching nucleotides of 10 20% of the number of nucleotides of the primer molecule.

49. A method according to claim 39 to 47 wherein the following step is added before performing step d)

15 excluding from the remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing 20 according to step 3 c) of claim 1 under conditions allowing for a number of nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, of up to 20% of the number of nucleotides of the primer molecule.

- 25 50. A method according to claim 39 to 47 wherein the following step is added before performing step d)

30 excluding from the remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of claim 1 under conditions allowing for four or less mismatching base pairs.

51. A method according to claim 39 to 47 wherein the
following step is added before performing step d)

excluding from the remaining primer pairs those
5 pairs, which comprise of one primer molecule that in
combination with another primer molecule in the set
amplifies an unwanted product, when virtually testing
according to step 3 c) of claim 1 under conditions
allowing for two or less mismatching base pairs.

Sequence listing

<110> Epigenomics AG

5 <120> Method for amplification of nucleic acids of low complexity

<160> 160

<210> 1

10 <211> 322

<212> DNA

<213> Artificial Sequence

<220>

15 <223> 2025

<400> 1

aatcctccaa attctaaaaa cataaaaata acgcaaccca aaaacaaaaa acccctccgc 60

20 ccattaatta ctatacacta acgaaacttt cccgaccac aacgacgaaa ataaaaacaa 120

tcgcttaacgc taaaaaacat caaaaacact acccaaccca aatatcgccg ccgttccac 180

aaaactctac taaacgccgc cgccgccgct accaccgcct ctaatccaaa ccacctcccg 240

ccaaataaac cccgaaatcc taactcaaat atatatctct ccctccctct ccctccattc 300

gtcattttct cactcccttt cc 322

25

<210> 2

<211> 413

<212> DNA

<213> Artificial Sequence

30

<220>

<223> 2044

<400> 2

35

ggataggagt tgggattaag attttcgggtt agtttcgtat tttttcgtat ttttttagtat 60

cgtttcgtat ttttcgtatt tttttcggg ttattacgtt ttttatgtga ttcgtttggg 120
taacgtcgaa tttagtcgcg tagcgttga gtgaattttt tttttaaatt gtaataagtc 180
gtttttaag gtaattacgt ttttttgtt ttttttaa aaaataaaaa taaaaaattt 240
atagaaaaaa attcgcgagt ttagaaaaaa gaagtaattt gtagaaggtt ttaattaagg 300
5 taaagagttt taaggcgaag ttaagaaaat gtaggttattt aaaaaatgtt ggtttaattt 360
ataagggttt ttggggagag gtatataag ggatttttgtt gttgaaaaag att 413

<210> 3

<211> 347

10 <212> DNA

<213> Artificial Sequence

<220>

<223> 2045

15

<400> 3

aacccttct tcaaattaca aaccttctta ccttcaaacc togactccaa caccaatccg 60
acaaaaaaac ccaatctaataa aaaatacgct cccttcctac cattctctat tccattaacc 120
20 tatttcgtaa taaacgtaaa actaatccctt caaaatttacc ttattaaattt acttacatata 180
ttattatcta tctatcccac caaaatacaa atttccgaaa aacaaaaattt taaaaaaaatc 240
tattttatttcc tatataattt tcccatatcca aacaccgtac ccgacacaaaa cttaaatccc 300
aatacacatc tcgaaacgaa aaaaccgtat ttccctaaaa cccaaatc 347

25 <210> 4

<211> 283

<212> DNA

<213> Artificial Sequence

30 <220>

<223> 2106

<400> 4

35 ttgaaaataa gaaaggttga ggttagagagg ataataatgtt tttagtttat ttttttagtat 60
tttgttaatt ttttttaatt tttagttata aattcgcgat ataacgtttt ttttttaag 120

aggtcgcgtt ttttttgtgg tggtttttag ggattcgttt tagttttttt ttcgtttta 180
gttttatata ttgggattat taggtattta agatttattt ttttaggtgg tatTTTtagc 240
gttagttgtt atttagttt ttttaggga ttggggtag aag 283

5 <210> 5
<211> 211
<212> DNA
<213> Artificial Sequence

10 <220>
<223> 2166

<400> 5

15 tgTTTggat tgggttaggt tATCggggTT gggggggcgg ggtttgtggg taaggcgggc 60
ggaggcgtgg atTTTCgtt cGATGATAgg gttggaggag gaAGGGGcgg gttGAAGAAG 120
ggGAAGGTgg gaAGAGTTA gTCggggTTA taaATTgggt gaAGCGTTga gtttttagta 180
ttTCgttg aggAGATAGg taaAGGTTat g 211

20 <210> 6
<211> 497
<212> DNA
<213> Artificial Sequence

25 <220>
<223> 2188

<400> 6

30 ttttagattg aggttttagg gttAAaggat tATTTTTTt tttAGCgttg gttcggaaa 60
ggtaAGTTc gggcgggagc gtacgtcgcg tttcaagt ttggTTTTTc cgTTACgttt 120
atTTTTgtt ttTATTCgc gtttttttag gtttttttc ggtGAATcgg atgtttgtt 180
agTTTTTAT ttTgcgtttt cggTCgcggT tcggTTTTTc cgtaAAAGTcg ttgttatttc 240
ggagggttta gttAGCgggt tttcggaggt tggTCgggta ggcgtggTgc gcggttaggag 300
35 ttgggcgcgt acggTTatcg cgcgtggagg agatattgtt ttgtcgcgt gggggTTcgg 360
ggcgttttt tacgtcgtag gtaAGCgggg cggcggTTgc ggtatttgtt tATCgggagt 420

ttttttttt ttttttgtt gttgttgtt tgtathtagt tcggggagg atagaagaaa 480
aaggaggtag aatggat 497

<210> 7

5 <211> 373

<212> DNA

<213> Artificial Sequence

<220>

10 <223> 2191

<400> 7

ggagggaga gggtatgcg attttattt tggtagggt cggggaggtt tttgttttc 60
15 gggagtttg ttcgggttt ttggcgttag gtttgtggg ttttaggtag gaacgagagg 120
gtgaggtta tatgtggttc ggccgttag ggcggttgt agcgtttta ttgttcggt 180
tgttaggggt tgcggcgacg cggttagtta gtacgagtt tagtcgcgt agattttatt 240
gatgagttt gattttagt atttttta agttaagaag agtttagcgt attttcggt 300
tgaaaaattt tagttttttt gtttagttt tttagttta tttttttcg tttgtttg 360
20 gggtgttat agt 373

<210> 8

<211> 368

<212> DNA

25 <213> Artificial Sequence

<220>

<223> 2194

30 <400> 8

tttggaaat gggtgtatc gagaggctcg attagttta gggtttagt gagggggtag 60
tggaaatttag cgagggattt agagtttat agtatgtacg agtttgatgt tagagaaaaaa 120
gtcggagat aaaggagtctc cgtgttatta aattgtcgta gtagtcgtag ttatthaagt 180
35 gtcggatttg tgagtatttt gcgttttag tttcggata gaagttggag aattttttg 240
gagaattttt cgagtttagga gacgagattt ttaataatt attatTTT tttgcgttt 300

ttatgtcg ttcgttggga taaacgata gatgtttt ttgacgata ggatggaggt 360
taaggta 368

<210> 9

5 <211> 352

<212> DNA

<213> Artificial Sequence

<220>

10 <223> 2212

<400> 9

ttgttggag ttttaagtt ttgtgagaat ttggagtt ggtgatgtta gattagttgg 60
15 gttatgtaa ggttagtagt tcggtaggg ttatcgaaa gtttattcgt atatattagg 120
taatattaatt ttttatttg tttgtatagaa gtagtaggaa gtgagttgtt tagaggtagg 180
agggtttatt ttttgttaaa ggggggatata gaattttttt atgcgagttt tttgaggatt 240
gggatgtcga gaacgcgagc gattcgagta gggtttgtt ggatcgatc gggtaggat 300
tcggaacgta ttcggaaagg tttttaag tatttatttg gaaggagaat tt 352

20

<210> 10

<211> 295

<212> DNA

<213> Artificial Sequence

25

<220>

<223> 2267

<400> 10

30

gtaatttgaa gaaagttgag gggaggcggt agatgtttt atttatttagg gaaaacgtgg 60
acgttttttgg tttttttttt gtgaatttgtt tgatattgtt tatttttagt taaatatttg 120
gagcgaggaa tttttgatgtt gtgtggagg gcgggtgggg gtagttgaaa gtcggataaa 180
gttttccggag gggttgggtt aggaaatatg attggtagtt acgagagagt taggggttgg 240
35 acgtcgagga gagggagaag gtttcgggc ggagagaggt ttgttttagt tggttgg 295

<210> 11
<211> 278
<212> DNA
<213> Artificial Sequence

5

<220>
<223> 2317

<400> 11

10

ggagttgtat tgttgggaga tttgggtgta gatgatgggg atgttaggat tattcgaatt 60
taaagttgaa cgtttaggta gaggagtgg a gttttgggaa attttgagtc ggtttaaagc 120
gtat tttttt gtatatttt tcggtgttgg gcgtaggaa tttttgaaat aaaagatgta 180
taaagtattt aggtttgaga tttttggatt tcgaaatatt gagaattttt agttgtat 240
15 ttttagagttt atggtagttt agtgaaaatt ggggaaaa 278

<210> 12

<211> 285
<212> DNA

20 <213> Artificial Sequence

<220>
<223> 2383

25 <400> 12

tttgttattag gttggaagt gtcgttagtt ttctgttaa ttttattttt tggaaaagt 60
gaatttagttt gtttttttgc gctgttttgc tgagggttgc ttttaatagt tttaaagaagt 120
aaatggatg ttat ttttgc ggggttgc ttctgcgagg tttttatttc gtat ttttttgc 180
30 tgtaaaacga gggagcgtaa ggaaggaaatt cgttttgtaa agttatttttgc ttttttttgc 240
agttttattt taatgttttc gtgtatgttgc ttttttttgc 285

<210> 13

<211> 380

35 <212> DNA

<213> Artificial Sequence

<220>

<223> 2387

5 <400> 13

15 <210> 14

<211> 397

<212> DNA

<213> Artificial Sequence

20 <220>

<223> 2391

<400> 14

25 tggggtttagt ttaggatagg cgttcgggg acgcgtgtt ttatittacg gggacggtgg 60
aggagagta gcgagggttc gaggggttagg tatttaacg aatggtttt ttgggtttt 120
ttgcgtttcg tcggtttatt tttttttta taaaacgggt ttagtttta gtatttatTTT 180
ttcgTTtatta attaggTatt tcgggagatt agttcgTTcg aaagtTTTG cgttattTCG 240
cgggttttt taggtggTTT ttttagTTc gtttttttc gggatgtttg ttgattttt 300
30 cgagttcgcg tggcgtaaga gtacgagcgt cgagttcgtg cgcgttaagg ttgcgtggc 360
ggatatcgat tttttqaga agtttaqtq tttttaa 397

<210> 15

<211> 547

35 <212> DNA

<213> Artificial Sequence

<220>

<223> 2395

5 <400> 15

	tttttgtatt gggtaggtt tcggtaggtg tatgggagga agtacggaga atttataagt	60
	ttttcgattt ttagtttag acgttgttg gttttttcg ttggagatcg cgttttttt	120
	aaattttgt gagcgttgcg gaagtacgcg gggttcggtt cgttgcgt tgtaagatag	180
10	gggaggagt cgggcgggag agggaggggc ggcgtcgccc cgggtttga tatagagtag	240
	gcgtcgcggg tcgttagtata gtcggagatc gtagttcgga gttcgggtta gggtttattt	300
	gtttcgttag cgtcggttgcg cgttttttg tcgtagttat cggtagtgcg cgcgttttgcg	360
	agattttcg gtcggatgcg cggcggtttt agtttcgag cgtttgtttt tttcggttttgcg	420
	ggttgttcgg gttttttggg ttttcggcg gttgtacggg gttaaaggcg ttcgtttcgg	480
15	gcgttttgcg cgggtgtcga ttttaggttgcg tcggagttcg gagtttatacg aggagagaga	540
	tagttgg	547

<210> 16

<211> 414

20 <212> DNA

<213> Artificial Sequence

<220>

<223> 2401

25

<400> 16

	attagaagtg aaagtaatgg aatttcgatg taaatataat attatttttt tgtaggtta	60
	ttttgagtat aataaatttg aattgtgtta atgttggag aaaaaattta aaagaagaac	120
30	ggagcgaata gtatttttt cgttcgttga ttagaaatag taggacgata tttttcgat	180
	tggaggagag cgtttgcgtt cgtatTTAGT tggcggtcg tttttgttt ttttttagt	240
	cgtttttttt ttttttttc gcgttttagt tattcggaa ggtattgcgg tagtgggtt	300
	ttgattggtt gttttgaaag tttacgggtt attcgattgg tgaattcggg gtttttttagc	360
	gcggtagtt taaaattgtt cgtatTTAGT tttaaatgtt gttttggaa attg	414

35

<210> 17

<211> 272
<212> DNA
<213> Artificial Sequence

5 <220>
 <223> 2453

 <400> 17

10 gggatgggtt attagttgta aatcggtggaa tttttttga tataatgaaa agatgagggt 60
 gtataagttt tttagtaggg ttagtatata aaaagtatc ggagtattt ataaggta 120
 aattttaga gatagtagag tatataagtt tttagataa gagtttagaa gaaattatcg 180
 gaaggaaatta ttttattgtg tgtaaatatg attttaagt tggtcgtgg tttttggta 240
 gttttttga tttttgttgt tttgtgtgaa gg 272

15 <210> 18
 <211> 391
 <212> DNA
 <213> Artificial Sequence

20 <220>
 <223> 2484

 <400> 18

25 taattgaagg ggttaatagt ggaatttggt tgggtgttg ttaaattttt ttttttgggtt 60
 ttgttttggg ttttttttg aagggatttt tttcggttt tgtaataaga tttttataaa 120
 agtatagatt ttttatttttta ttccgcggta ttgtatcgg gttttattgg ttttaggagt 180
 tgaatattttt ttttaggtata tatagggtggg atataaataa gggttttgga attattattt 240
30 ttttattacg atagtaattt aaaaatgttg ggaagatggt cgtgatttt ggagttttaa 300
 atatattttg gataatgttt gtagtttgta agttatttt ttttatttg tttaaatgtt 360
 agtatttaat ttttagtttg gttttgggtt t 391

35 <210> 19
 <211> 430
 <212> DNA

<213> Artificial Sequence

<220>

<223> 2512

5

<400> 19

	agtggatttg gagtttagat gtaatataat gattgatatt ggtatagtat atttatTTTg	60
	tttttgtaaa taaaatggta tatgtatgt tttttttgt ttttttgtat ataaaataat	120
10	atTTgtttt atttattatg tatttatgtt tttatTTTgt atgttaggag ttaagtatTT	180
	tgtatgtatt aatttattttt gttttataaa taatTTTtat atgttaggaat tattatagTT	240
	atTTTatgaa tgagtcgagg aaggtattga gacgttaagt aatttgtta agttacgta	300
	gttagtaagt ggttagagtaa gaattattat ggTTTataaa gtttagaaaa aagTTTgaaa	360
	gaattaaaat gttaatagcg gggatTTtaa ggaagtattg aagaggTTat gggagaagtt	420
15	tttattttgt	430

<210> 20

<211> 475

<212> DNA

20 <213> Artificial Sequence

<220>

<223> 2741

25 <400> 20

	ttttataatt tatttagggg ttttttagt gttgtttt agcggttcg gtgtttattt	240
	attagtgtg tttttttt ttcgtaagat tgcgttttag ttttagttt tttttcgcg	300
	gggtttttt aaatcgttt attatttcg gggttaggg ggcggaatcg tgttgtttt	360
	tccgttttt taagaggcgt cggtttattt ttttttagag tcgcggttt acgcgagatg	420
	atagtaacga gttcggatag tttatgtaaa taagcgttt ttgtgggtt aatgg	475

35

<210> 21

<211> 412
<212> DNA
<213> Artificial Sequence

5 <220>
<223> 2745

<400> 21

10 attttagttt gtgaaatggg atttaggatt tagtagagg tgcgtttcg gtttggggat 60
cgagtagttt gtgcgtttcg gtaacgtagg aagatagcgt tattgatatt ttagagatta 120
gcgggtatcg tttggaggcg ttttattat ttggcggtt cgggttcgcg ttttatcgcg 180
ttataagatt tacgttcgaa ttacgtgatt agggtcgtgg ttgcgtttcg ttttcgcgtc 240
gcgcgtcgtt ttccgttaggg gcggaaagcg gaagtgtggg agggtttgcg gggcggttt 300
15 aggagggtcg cgggaggatg gagtagtgag cgggtttggg cgggttgcg tagcgttatg 360
gagacggtat agttgaggaa ttgcgtcgtt cgggtgagggg ttattggta ag 412

<210> 22

<211> 484

20 <212> DNA
<213> Artificial Sequence

<220>

<223> 2746

25 <400> 22

gtgggtttg ggtagttata gaagttatcg cggtggcggtt gaggaggggg atcgatcg 60
tttatgtttc ggtagttttt attttttttgc ttgcgaagg gttttgttc ggcggggagga 120
30 gagaggcgcg ttttattcgg gttttttat atttgcgtc gttgggtcg atttcgcggg 180
tttcgttcgg cgtttttagtc gatttcggtt tagttcggg tttatggcg cggtagtag 240
ggcgggttag ggcggcggtt cgcgatattg ggaggaagtgc cgggtcggtt gttcggcg 300
gttaaggaag ttgtttaaaa tgaggaagag tcgcgggttc ggcgggttag gttatttcgg 360
cggcggttagg agagcgagga ggagcggttgc gttcgtcggtt cgcgtttattt 420
35 tggcgtaggt aggtgtggtc gcgtttttta ttccgtcggtt atttttgtt aaggagagga 480
gggtt 484

<210> 23

<211> 476

<212> DNA

5 <213> Artificial Sequence

<220>

<223> 2747

10 <400> 23

taggatgggg agagtaatgt tttcgagtag aatagggtgg ggaaaaaaga ttataaaaaa 60
ttttttatag ttgggtttat tttatcgatt ttataaaagt tttttggga gtataaaaaa 120
gaagagttac gtttaggtcg ggaaaaaagg gtttgggtta cggcggaaatt tttatgtat 180
15 cgtttcgtac gtcgggtta aagtatgtt agtgaaggag taggtatata ttgttagatg 240
gagttatata tttagatttt gggttttttt ataacgtatgg ttatgtttgg tatggaaat 300
tttttagaaat ttaatagtag gaaataaggg ttaatagtat ttaattgtgg agtaaggtt 360
aaattttagt ttgttattt aatcgtttcg aatttgttt ttatgttag aggccaaaag 420
gttaatatta ttttatttcg gagggttatc gtggagaatg gaagttggat aagttg 476

20

<210> 24

<211> 419

<212> DNA

<213> Artificial Sequence

25

<220>

<223> 2749

<400> 24

30

tccccacaaaa actaaacaat tattacaaat tcacaaaaacc ccgaccaatt tttcaaaaaat 60
tttcctccct ctttcccccc taaaactcgt aatacttttta ctctactttc aaaatacatt 120
aaatctccca ctttataact actttaaac caacaaatac tctaataata ataatccaa 180
ttatacaat ttcacgaata aatttaatct tatttttaa attataaa aaacaaataa 240
35 tatttaaaaa aatattaact tataattatt tcacccttt tactttaaac atttttatata 300
cttctcgacc tttaactaa aatcaaataat atactttaaa catttttaa aataaaaata 360

tccttttaat ttaataaaaaa aacaaaattc tacataaaaa aacccttca tctaaaacc 419

<210> 25

<211> 479

5 <212> DNA

<213> Artificial Sequence

<220>

<223> 2751

10

<400> 25

tttggagggt ttagtagaaag ttatTTTtagg ggagggttcg ataggaagga aggttaggtt 60

gtcgaggGGG tatataggag tttttttttt cgTTatagtG tttagggtta attgttttag 120

15 ttttaggtt gggtaatAG gATGGGATAG ttTAGGCGGA AGGAAATTG TGGGGAGGGA 180

tATTCGTAG ATAGAAGTAG GGATATGGGG TGGGGAGAGG TAGGAAGAGT TGTCGGGTTG 240

ttgagttggc gTTTTTTAG tagATTTAGG AGGGGCGGTG ATAGGAGGTt ATTtTTTTT 300

tATTTCGTA GTTTGGTT ttttggTT tggtaatAG tattattatt attattattG 360

ttgttgtcG ttAGTTGGG ttttagatAT attAGAAAAA aattatCGGA AGATAcGTat 420

20 agtattggta gTTTTaaaaa gaattaattt ttttttgT tttatTTTGT gattattgg 479

<210> 26

<211> 484

<212> DNA

25 <213> Artificial Sequence

<220>

<223> 2752

30 <400> 26

atacaacctc aaatcctatc caaACCCCCA aaACATCACA CTCGAAACTT ATTCTACATA 60

ttttacttt tacCTCCAC taatactaAT tCTTCCGtaA aacaACCTAA ATCCCTTCAA 120

atacttaata tttttctca aatactacca taaaACCAAA TCTCCACCgt CTAAAACAT 180

35 tccttttaa AAATAAAAAA tatatacgc TCCTTTATA TAATTTACAT TCTATCTAA 240

ataatttaac catCACCGTA ATTCAATTAA ATCCTACCCA TCTCAACTTC 300

aatccatttc attcttttaa atctaatcga caattacctc caacaacttc atcacaaatc 360
actcacaaaa ataacacctt aaacacactt actaaatata 420
taacaaatat acaaaaaaca caaaaataaaa caacaaatct aaaaacaaat aacttccttc 480
tccc 484

5

<210> 27
<211> 371
<212> DNA
<213> Artificial Sequence

10

<220>
<223> 2755

<400> 27

15

ggaagatgag gaagttgatt agatattaag gatgagcgga tgatttaata ggtttttttg 60
ttaagattt gttgggttagg taaaagataa agtcgaggag tggttatggt gtggtataga 120
agaagggtta gaggacgggtt tttgttattt ttttatgtt gagttttttt ttttgtaaaa 180
tggggataat aagagtcgtt atataggaa ttgttggtag gattaaatga gataatgtat 240
20 gtgaaacgtt ttgggtttagt gtttttttagt aaatgggtac gatttgcggg gtggggattt 300
gaatttacgt ttggcgggat gtttaagttt ttattttagt ctttagggag ttttagagga 360
tagggttgtat g 371

<210> 28

25 <211> 186
<212> DNA
<213> Artificial Sequence

<220>

30 <223> 2831

<400> 28

tttagtagggg tgtgagtgtt ttgatttagaa ttatttttt ttgttagaat ttgatgtat 60
35 tcgaatgtt ttatttttgt ttgaagggtt taaataataa attaggtttt gtcgtgttat 120
tatgggggtg gtttatatttt gtattnagga aataggtacg gtaggggtga gatagaagtt 180

ttgttt 186

<210> 29

<211> 300

5 <212> DNA

<213> Artificial Sequence

<220>

<223> 2850

10

<400> 29

ttatagggtt gagtttggga tcgaggttag agtcgtcggg ttgggagtga gggagatggg 60
aataaggctcg tcggtgtggcg aggggagtcg agggaaattcg ggggattggg aggtttgggg 120
15 cggcgcggtt tggtcgggtt gggatcggtt ttgcgttta gacgttcgcg atgttggtat 180
tttttgttat tttttatgg ggttttaggg gttcgttttt gggttagttt gatgtttcg 240
aggtgggagg atcgggcgga ggtggaggaa gttttttt ggaagattt gttttttttt 300

<210> 30

20 <211> 321

<212> DNA

<213> Artificial Sequence

<220>

25 <223> 2852

<400> 30

tgaaaatgaa ggtatggagt ttgggtttaa aagaaatttt ttttaaaaat taaataataa 60
30 tattagagta aagtttttag ggcgagataa ggagttgtaa taaaataaagc gaaattcga 120
gaagcgttaa tgttttaaag ggttaatgtatataat ttacgtgttt aacgtgttaa 180
aatatattaa cgtatTTTT ttTTTaaat aaagtaggaa agcggatTTT gtatgagggg 240
cgggttgtcg atttagtagt ttTTTcgga tagttcgttt tgatTTTT tggttggtcg 300
tggagggatt atatggttt a 321

35)

<210> 31

<211> 398
<212> DNA
<213> Artificial Sequence

5 <220>
<223> 2859

<400> 31

10 tatgttttgtt tttgtttga gatagagttt cgttttgtcg tttaggttgg ttaaaagata 60
gggttttagt cgggtgcggt ggttacgtt tgtaattttta gtatttggg aggtcgaggc 120
gggcggatta tttaggttc ggagttcgag attagtttggtt gttaatatgg cgaaacgttg 180
tttttattaa aaataataaa aattatttag gcgtggtggc gcgtatttgtt aatttttagtt 240
attcgggagg tttaggttagg agaattttttt gaatttagga ggttagacgtt gtatgtggc 300
15 gagatcgctt tattgttattttt tagtttggc gatagagggaa gatttcgtttt taaaaaaaaagg 360
aaaaaaaaaaa aaaagaaaaag aaataaaaagt gatgggggt 398

<210> 32

<211> 347

20 <212> DNA
<213> Artificial Sequence

<220>

<223> 2861

25 <400> 32

gggtgttagaa gtgttttagt ttttttcgt tggggttggg agtttggta gtttagttt 60
atttttttta agttcgttt tggtttcgg gtttagtttgc gtttattatgtt tttcgtaga 120
30 ttatTTTGT gggTTTtagt tgTTTggatt tggggagggaa aaagaatgat cggttcggttc 180
gataggttaa ggttaatacgg ttgttggat tttcggtttg tagtttaag atTTTgaaa 240
gcgggTTTgt agtggattta tttaataga tggggagggaa ttgagtttga ttaaagagtt 300
agaaatgatt ggagaatgta tttttgtta ttgttgaag gggagaa 347

35 <210> 33
<211> 291

<212> DNA

<213> Artificial Sequence

<220>

5 <223> 2864

<400> 33

tccccctcca actatatctc tcacccaaaa ataacttcta acttcgtat tcatctaaaa 60
10 ctcctcccttc catataccaa caattaacta taaccctcc aaaaacgctc catctccaaa 120
tatactccca catccaaacc acgaaccctt cacccgatca catacttcat acacctataa 180
ctccgcactc cccaaatata cctctaacct acaacttatta cccctcccc cgattataac 240
cctataactc gccacataca actataacta aaacttccct aaaacactct c 291

15 <210> 34

<211> 389

<212> DNA

<213> Artificial Sequence

20 <220>

<223> 2867

<400> 34

25 aaaaacaaaa cataaaccaa aaaccaaact cgaaccgaaa acaataaccg caacgccccga 60
aaactaaacc cacgacgcgc taacaacgcg aaccgaacta cggaaacgat cacgtcaacg 120
tccgttccaa accgactaac aatctccgtt ctacattaac gtcaacactc ccgttaaaaa 180
taatacatct ctcccataacc aaaaaaactt aaatactact aaaaaccaac cctccgaata 240
ctaccaaacc gacgctcacc cgccacccctt atcttccctt ctcccttacc ccaaaacaac 300
30 cgaaaaatata taattaaatt cccccctaccc ataaaaaaaaac caaaaataaaa aaactaacga 360
cctactcgat ctcaacaaac cctcctaatt 389

<210> 35

<211> 272

35 <212> DNA

<213> Artificial Sequence

<220>

<223> 2961

5 <400> 35

aatggttgat gattttgggtt ttttttcgtc gtcggagagc ggtgttcgg aggccggcgga 60
ggaggattcg gcggtcgttt ttttggttta gttaggagagc gagattgtag gtatagagaa 120
cgacgagggt ttcggggtat ttgtcggtag ttatgcggtt ttcgcgtagt cgggttttac 180
10 gagtggggggt gagtttagcgc ggggtttgga gaggggttta gggcgcgtat tcgggggatt 240
tcggtcgggg ttttaggggta taggaaagag ag 272

<210> 36

<211> 371

15 <212> DNA

<213> Artificial Sequence

<220>

<223> 3511

20

<400> 36

agttagaaga ggagtttagga tgggtttcgg gtagtttaat agtatagttg aagttttaat 60
tattatgtta atagtttttt ggttttatat attttatggg aagaggaaaa taaaaaggta 120
25 tttatgtta tattttttta tttttgatata aagaagtata atttttttta tatgattttat 180
gtttatattaa tacgttattt tgaaattttat taataaaattt ttttaagcgt tagaaaattg 240
ttagtggttt tttttatttt tttttatttt tttttgtgtt attaattttt 300
ttagaagggtt gtcgaaatag taaatattta ttgatatgtt ataattttt gaaaatgggt 360
attggaaaat t 371

30

<210> 37

<211> 457

<212> DNA

<213> Artificial Sequence

35

<220>

<223> 3532

<400> 37

5 tgtttagaga gttttaggga ggttttattt tttattttta tttaaagttt tatttgg 60
ggtgggggtt ttgtttggaa ggggaaggtt taaggttgtt tttagcgtgt ttttttattt 120
tgattgtttt tggcgccccg ggggtgtttt tgttattttag ttgtataacg gtaggaagg 180
gtttaaatta ttttttagggt taatttaagg tcgtttttt ggtttgtata tttttgtgtt 240
gagtgcggat cgggagaggt tggtaagat aggagggat aaatggggga cgaaggggtt 300
10 cgagggaggg gattgaagga ttgggttaa gtcggagtt ttgcaggccg ggttaaaaac 360
gtatttggat ttgttagtt ttaaattttt gtttattgt tgtaagttt ttagatcgag 420
gatttcggg ttgaggggtgg ggttaaggata ggtatgt 457

<210> 38

15 <211> 476

<212> DNA

<213> Artificial Sequence

<220>

20 <223> 3534

<400> 38

25 tttttgtttt tatggggtgt atatttaagt agttaaaata gatagtaat aaataaaaaa 60
ggataataat tttaaataat aatgatgtt tcggtaggt gtgggtgtt atgtttataa 120
ttttagtatt ttgggaagtt aagttaagcg gattatttga ggttaggagt ttaagaataag 180
tttggtagt atggtaaat tttatttta ttaaaaatata aaaaatttagt tagatatgg 240
ggtatatatt tgtaattttta gttatttggg aggttgacgt aggagaattt tttgagttcg 300
ggaggtggag gttgttagtga gttaagattt gataggttt tagtattttt gtattttaga 360
30 ttgggtgata gagcggagatt ttgttaaaaa aaaaaaaaaat ataaatagat tttaataggg 420
taatatgata gggagggagg gataggggag taggggtggt aaggaaggaa tattta 476

<210> 39

<211> 458

35 <212> DNA

<213> Artificial Sequence

<220>

<223> 3538

5 <400> 39

	tgggtagtat	ttttgttgtt	tttttttat	attataaggt	tacgttagagt	tggcgagg	60
	ttatggttt	atttatgtta	ggtgtttta	atttggtaag	gaaatgtaat	ttacgtgaat	120
	tttaataggt	agtgaagtat	cgttttttt	tgattttagg	tagggtaag	aaaatggat	180
10	agtagtacgg	ggtgcgggta	taaacgtata	attttgtttt	tttagacgta	gagttgtgg	240
	gttgtgagaa	tgttaggagg	aggtaagaaa	gggcggttt	atggggggtt	tgtagggtgg	300
	gataagtttta	agaggttttt	atattaggt	ttgggtgggg	aggtgagttt	ttggtttac	360
	gagggggttt	ttttttgttt	tcggaaatat	tgtagttttt	attttatacg	ttttttcg	420
	gcggggattt	aggggcgtga	ggatgagaga	gttttttag			458

15

<210> 40

<211> 405

<212> DNA

<213> Artificial Sequence

20

<220>

<223> 3540

<400> 40

25

	agtggtttag	gagtatttgg	ttatttcgg	aaaaaatcg	tttggtaaag	gttttttcga	60
	gggtacgcgt	ttttcgata	gtgaggtagg	attnaaat	tttcgttaat	attatat	120
	tctgtttttt	gtagtgtttg	tatttttagg	ttttatttatt	tttcgtatt	ttttagggag	180
	aattttcga	cgttttattt	tttttggaaag	ggtgttgttt	ttagagattt	ttaggttaat	240
30	ggtttaattt	tagtgtttt	aggggagagg	gggggtttaga	aaaatagttt	gggttataaa	300
	agagggtcga	gggttgtgag	atttcgagg	tatcgacggg	aagcgagacg	gagaatagga	360
	gggttaggacg	gggttggaggt	gggggatatt	gtagatggag	ggagt		405

<210> 41

35 <211> 2501

<212> DNA

<213> Homo Sapiens

<400> 41

5	ccagttccag tcccgggtcc tgtggccgcc ctgccccgca ccctgcggag agcgagtctt	60
	agatacccg tccccagccc cgagttgtta ttccctcgct gtagttaaga aggaggagat	120
	caattaagg catcttagaa gttaggcggt cccgctgect ccttgagca cggaggccac	180
	caaccccccta gggggaagag atgtagcgcg aggcaagggt gtctgctaa gaaatttcga	240
	cgcttctggg gactgaggac aaaggtgcgg acacgacccc ggggtacctg gagttccgt	300
10	actcgccca cggacggcac acctaggggc taatttctgc tctgcctcaa agaacctcaa	360
	gctagagtcc ttgcctccgc ccacagcccc gggatgccgc tgctgcgctc accgcacagg	420
	cagcgccccgg accggctgca gcagatcgcg cgctgcgcgt tccaccggga gatggtgtgg	480
	acgctgaaaa gcttctttct tgccactctg gacgctgtgg gcccgaagcg ccttagtccc	540
	tacctctgct gagctgaacg ctcaggcaca gtggaactga aaccgggttc tgccggatgt	600
15	gagagctgtt gaggtcacgc gtaattgggt gtgatggagg gcccgttgc tgatgtgt	660
	cagggttcat gcaaggcaggc catcgctgt cgagtgtgt gatgcgaccg cccgagagac	720
	tcggaggcag gcttgggaca cgttttagt aacacccatg gatactcttcc tggccagttat	780
	ctgtttttta gtgtctgtga ttccagagtgg gcacatgttg ggagacagta atgggtttgg	840
	gtgtgtgtaa atgagtgtaa ccggaaagcga gtgtgagctt gatctaggca gggaccacac	900
20	agcactgtca cacctgcctg ctcttttagta gaggactgaa gtgcgggggt ggggtacgg	960
	ggccggaata gaatgtctct gggacatctt ggcaaacagc agccggaagc aaaggggcag	1020
	ctgtgcaaac ggctcaggca ggtgatggat ggcaggtagt gaagggggag gtccagagg	1080
	ctggatggag gcttccgcat ctgtaccttgc caactcaccc ctcaggccca gcaggtcattc	1140
	ggccccctcc tcacacatgt aatggatctg aagagtaccc cggcagatc cggggagatg	1200
25	gagattcggaa aagtatccat ggagatctta cagaatcccc tgtgcggacc aggaaactct	1260
	tgttagatccc tgccttatctg agggccaggc gctgggctgt ttctcacaat attccttcaa	1320
	gatgagatttgg tggtccccat ttcaaagatg agtacactga gcctctgtga agttacttgc	1380
	ccatgatcac acaaccagga attgggccaatgttcaatttgc actctgtct aacaaatgttca	1440
	ttgctcccaag ctccgtctct tgtttccac gagccctggc cctctgtggg taataccagc	1500
30	tactggagtc agatttcttgc ggcccagaac ccacccttag gggcattaaac ctttaaaatc	1560
	tcacttgggc aggggtctgg gatcagagtt ggaagagtcc ctacaatctt ggaccctttc	1620
	cgcacaaatcg taaaaccagg ggtggagtttgg ggcagggtt caaaaccagg ccggacttag	1680
	aggtgaaatt caccatgacg tcaaactgccc ctcaaaattcc cgctcacttt aagggcgttca	1740
	cttggatggatc ccccccacat ccccccacat ttccatcaat gacctcaatg caaatacaag	1800
35	tgggacggtc ctgtggatc ctccagggttc tggaagcatg agggtgacgc aaccgggg	1860
	caaaggaccc ctccggccat tgggtgtgt gcaactggcg aactttcccg acccacagcg	1920

	gcgggaataa gagcagtcgc tggcgctggg aggcatcaga gacactgcc agccaaatgt	1980
	tccggccgc ttccacagg ctctgctgga cggccgcgc gcccgtgca ccgcctctga	2040
	tccaaggccac ctccccccag gtgagccccg agatcctggc tcaggtatat gtctccctt	2100
	ccctctccct ccattcgtca ttttctcaact ccctttccctc ctctccctct ctctccgtta	2160
5	gtctcttcat cagatagtct ctgttagtcc gcgatttata ccaggctcgt gccctaggtt	2220
	ggatcggaca gtctcaatcc cccggctcgc tcttcctgtc cggctggga ctccagtctt	2280
	actctctcgc actgcacaca ggcttaggcc agtctcgga cactcaggct ccccaaggac	2340
	cgcgcacaga gcctgaggca agagaaaactt tccgcagacg gtgcgtatcg ggacggcgtc	2400
	tggagcccaag cagtcccaagg gaaattggtt cagaacctgg aacagagcgg atgggtggca	2460
10	aataaqqcacq acgactgagg qacaaggcgc cctaaactgc a	2501

<210> 42

<211> 2501

<212> DNA

15 <213> Homo Sapiens

<400> 42

20	agatttactc aaatttaaga atgagaatac aaatccacat cttgaagtgt ttcacagaaaa ggtctatctt aatgtctgga gtatatattt caatgaacat tcattttatt ttatttctct ccattcctga atcaagcaat cttaaatcta aagttgtat gatttagact gaaaagacca ctggactatt aatttgtgtga ctggggaca gtaactttct gcaccttagt ttgtttacat gttatacatg aagggttgaag tctgattctg ctctgtgact atcattctaa acatctgatg aaatcaaatt tcagtgttg gaatggtagt acaataaatt tactaagaat aaataattca ctgcaaaaac acattgattt ccaaattgtg taactgacag ttatattact gcagaggc gataaaaac aaaagaaaatg aaagatgcac atggtgagaa ctgaaaattat cctgacaagt cttctacctg tttatcattt aaaaatcaatg accatgctga atgcctacaa attacaaaat ataaaaagaaa tcttataat ggcgtatgtac aggagtctaa gttactaaaa gttttaaagc ataagtttaa accaaactaa tcaaagaatg tgagggaaa aattggctt catctttaat 30	600 660 720 780 840 900 960 1020 1080
35	cactactgtt ttgagggcct atgtttata taatttctt agtagaggct tcagagagaa gagttgtgag gatactttca tattttgtgtaa gaaggaaaag tttgccatcc attcttagat cccttagtgtt atactgatgt gcaccccttggaa tttatTTTGT tcctattgtt taaaactcata cttgcattca aagaaaagga aaatccaaag tccctctttt ctaaggggac agaaatcctt tgtgtcaact gtttgcacctt tttctctgtt aggtccttatt ggaaatcttt tgtaacacaa tgcaggggac tcttccatgt gttgatgttgc tttacacagt ggggtgggccc tgactgaaga aaaaaaaaatcg catatacgca tggaaagatta tggtcttatt tccggaaagc atgaaagggtg	120 180 240 300 360 420 480 540 600 660 720 780 840 900 960 1020 1080

	attgatactt ccaagaagtc cctgttactc aggaaaatta tcaaataattc tactcagaga	1140
	tacttggaaa gactgaagga aaggaagaac gaagaaagea gaatctagac ttatgtgggg	1200
	agagatttg ggcagaggaa aagtattctc tttgaatccg acaaggatt tgccctgggg	1260
	aatttcctgt ccagcctttt attaccaggg tctttgaag ccgggctccc cattgggcag	1320
5	ttccctggga gtgcagtggg gaattcttac actttccctc taggtccccg aaggatctcg	1380
	ttttctcagt gtctctttca ggttggcagg agccttgagc ctgacacttc cctttatgg	1440
	gacaggcaag ctctgtggc gcgttaaacac gctgttaacca agttcttgc tgatttaca	1500
	gttttgtgtg ctcccgagaa gaagtgtatcg tactcaatttgc tctattgtcg gcctgcccc	1560
	taagagcctg ggggctcctt tcccctaacc cagaactagc tgcacgggg gcggggaaat	1620
10	gggggtgggg aaggagtggg agggcagtgg tttccgcag cagacgtatg ttactgatgt	1680
	agtccctgaa tggggagcgc tgctgtcccc aagccgatttgc ttaggaagaa	1740
	acgccaagag gtggggagtgc ctggggaggg aggccggcgg tccctaccgc aggccgggg	1800
	agctgcctt ccgccccctcc gcctgcttc caagcctgga ctcttaggag tggctgaagc	1860
	tgcggagcgc ttttggagcc tgtgaatgaa ccctcctcct cttcttcctcg	1920
15	ctgagtcctcc tcctcggtc tgacggtaca gtatataat gatgtatgggt gtcacaaccc	1980
	gcatttgaac ttgcaggcga gctgccccga gccttctgg ggaagaactc caggcgtgcg	2040
	gacgcaacag ccgagaacat taggtgttgtt ggacaggagc tggccaaag atcttcggcc	2100
	agcccccgcac cttccgcac cgtccgcac cctccgcac cttccccggg	2160
	ccaccacgct tcctatgtga cccgcctggg caacgcggaa cccagtcgcg cagcgtgc	2220
20	gtgaattttc ccccaaaact gcaataagcc gccttccaag gtaatcacgt ttcttttgtt	2280
	ccccccctaa aaaacaaaaa caaaaaactt ataaaaaaaa acccgcgagc ttagaaaaaa	2340
	gaagcaatttgc ttagaaggct ttaatattagg caaagagctg taaggcgaag ttaagaaaaat	2400
	gtagggactt aaaaaatgca ggttaacttc ataagggttt ttggggagag gcatacagag	2460
	ggaccttgggt gttaaaaag attcagacaa aagaaaccca g	2501
25	<210> 43	
	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
30	<400> 43	
	tgtgggtcat taatgcaatg ttatTTAAGA ctaggatttg gctggcgca gtggctcacg	60
	cctgttatcc cagcactgtg ggaggccgag ccgggaggat cacctgaggt caggagttca	120
35	agaccgcct gaccaacatg gtgaaaccac gtctctacta aaaatacaaa attagccggg	180
	catagtcaca tgcctgtat cccagctact ggtagcctg aggcaggaga atcgcttcaa	240

	cccgggaggc ggaggcggag tttgcagtga gccaagattt cacaactgca ctccagtctg	300
	ggccacaaga gcgaaaaccc gtctcaaaaa aaaaaaaaaag actaggattt gacataaggc	360
	ctgagggta ttctttgtt ttgtttgcc ttgtttcaa gaggccaaaa tcacctcacatg	420
	tgaaaatttc tggtgaacca cagagattt aaccaactca gtttagaaag cctggggatt	480
5	tgaacaacgg tatggatcg aaatctttc atctgtcagt ttcatcatt ctggcagta	540
	aaatagattt ccctttagga gctttcacc gtttggggtt ctccagcagt gggatgtgg	600
	gaatcaaccc ttcttcgtct ccacccaaac attaggtggg agcaagggtt gggaaatgaga	660
	gaaagtggat agaggtctcc agtggatatg ggatcttgcgtt gtagaccagc acagtcctca	720
	gaaatctcat gcaagcaaca taggtactgt tatattttctt agtggccacc tttaaaaaag	780
10	taaacaggtg aggccggcg cggtcgac gcctgtatacc ccagcacttt gggaggccca	840
	ggccggcgga tcacgaggc aagagatgga gaccatcctg gtcgacacgg taaaaccccg	900
	tctctactaa aaatacaaaaa attagctggg catggtgacg cgccactgtta gtcctagcta	960
	ctggggaggc cgaggcagga gaatcacttgc aaccctggag gtggagggtt ccacgctcca	1020
	ctacactcca gcctggcgac agagtggagac tccgtctcaa aaaaaagaaa gtaaacaggt	1080
15	gaaattaatt ttaataatatttta acccaacgta tccaaaatac tatcatttga	1140
	aagtgtaatg aatataaaaaa tattcatgag atattttca ttctcatatc catactgtct	1200
	tggactctaa tgtgtatattt acacttacag cacaattaat ttgggacttag ctacatttca	1260
	gctcaacaat acccaataggc atatggata ggcacaataa actctgcgtc tctgttgc	1320
	ctttgggtctt cggagaccc aaccctttctt tcagattgca aaccccttgc cttcaagcc	1380
20	tcggctccaa caccagtccg gcagggaaac ccagtctaat gaggtacgct cccttcgtc	1440
	cattctctat tccattaacc tggttcgtgg taaacgttagg actgatcctc caaaattacc	1500
	ttattatattt gcttacatattt tattatcta tctgtcccac cagaatgcag gtttccggaa	1560
	ggcagggatt taaaaaaatc tggtttgttc tatgtgattt tcccatacca agcaccgtgc	1620
	ccggcacaag ctgggatccc agtacacatc tcgggacgga agaaccgtgt ttccctagaa	1680
25	cccaagtccaga gggcagctta gcaatgtgtc acaggtgggg cgcccgctt cggggcgac	1740
	gcactggctc cccggccggc gtgggtgtgg ggcgagtggtt tgggtgcggg gtgtgcgcgg	1800
	tagagcgcgc cagcggcccc ggacgcggga gctgggagga gcagcggcgc cggcgcagaa	1860
	cccgccagcgc cggcctggca gggcagctcg gaggtgggtg ggcgcgcgg ccagccgc	1920
	tgcagggtcc ccattggccg cctggccggcc gcctccggcc caaaaggccgg caaggagccg	1980
30	agaggctgtc tcggagtggtg aggaggacag cggaccgag ccaacgcgg ggactttgtt	2040
	ccctccgcgg aggggactcg gcaactcgca gcccggcggg ctggggccgg cgcctggag	2100
	ggatctgcgc cccccactca ctccctagct gtgttccgc cgcgcggccg ctgtctccg	2160
	ggcgtggcgc ctatggtegg cctccgacag cgctccggag ggaccggggg agctcccagg	2220
	cggccgggtg agtagccagg cgcggctccc cggccggcc gaccccccgc gccagctttt	2280
35	gctttccag ccagggcgcc gtgggttttgc tccggcagt gcctcgagca actgggaagg	2340
	ccaaaggccgg gggaaacttg gttcggggaa gaagtgcgt cgcagccgg aggcttcccc	2400

25/112

agccccgcgg gccgggtgag aacagggtggc gccggcccga ccaggcgctt tgtgtcgggg	2460
cgcgaggatc tggagcgaac tgctgcgcct cggggggccg c	2501

<210> 44

5 <211> 2501

<212> DNA

<213> Homo Sapiens

<400> 44

10

gatgtgaaaa gagaataat tgaaaaagac tggagtacat atactatcta cagtgtctgt	60
tttaaagaaa caacattcta gcacacctt ctacccttga ctaagattac tgtaatgaga	120

gcaccagtac ccctgagtaa ccgaaaggc attttgaaa ctgagcttt ggtgtttata	180
--	-----

tgaacattct gtcttcagg acctgcctt atttattcaa gactcatact gctgtatatg	240
---	-----

15

gtgttgtata cattaggggt agttggtag cagtaactga tatagaaaat tttaaatgta	300
--	-----

aaaaacactg gggagtgaac ctttccatta tatatatata tatatatata tatatatata	360
---	-----

tatatatata tatatatata tataaattca catcaggatg agttctgtt taggcaatgt	420
--	-----

tggaaaacgc tatttccatt tttttttt aacaatatt taacaacat ttataaggca	480
---	-----

cttaaatcca tgctggctct tacaaatgtt gactcattc tcataaccac cttggggtag	540
--	-----

20

aaacggagag gctaaacaat ctgcaggcga tgcttcacta ctaatgcag gtggcagcc	600
---	-----

tgcctgtgtt ctctgcttgg ctaggaacac aggtcttacc tattgagctg ggctgtgtag	660
---	-----

aactctgttgg tggagacatc tgccctggg gcagaagcct ctgcttttc cccctcctcc	720
--	-----

catcttaactc catgtctcag agagctctga atcccacttgg gagaatcaca cttaaacccct	780
--	-----

ctaaaaacct aatgatgaat aaaaataagt tctctagaac ttctggagaa aaaagtaata	840
---	-----

25

aagctaccag gttaaatgac tgaaattcct gagagaaaac aacatgtgtg tgtttctcta	900
---	-----

gaaagggggc ccaatactga ataccaggaq gtcctataagt aaatggaatg tgactctatg	960
--	-----

tgggatccgg cggtccttatt tcatccgaat gcatgtctgc tgcttcagtg ggaagggtgc	1020
--	------

ttgcacacca ggtacccact ccctgggtgc atgtctatg cagtc当地 acaaccag	1080
---	------

gaatggtgag cccatgagcc tgctggaccc agccctccg aggtccggag tgacaaccag	1140
--	------

30

tgccgtatccctagatcaaa cctgaacccc tctcacaggg aaaagatttc caggggattt	1200
--	------

tgaaagttcc aacattttac agggagaagaa gaagataagc aggatatgaa agaagagttc	1260
--	------

atgttataca gccctggctt ccactgacgc taacacttggat ttcagttttt gacactgata	1320
---	------

atctgttgcc accaaatggaa aaacgtaaac aagatattct aagtgtggtt agagaatatg	1380
--	------

caacacaagg aacaaggcaga acattcttct ctggaatctg acataatggaa ctgtactttc	1440
---	------

35

acagacagca ctgtatgttag atgtacgtga aataggctaa actgaaaata agaaaggctg	1500
--	------

aggcagagag gataatatacgatccagcata tctcccagca cttgttaat ttctctcaac	1560
--	------

	ctccagccac aaatccgaga cacaacgctc ttccctccaaa gaggtgcgc cttctctgtg	1620
	gtggttctca gggatccgcc ccagctcctt ctccgttccc agccccacac actgggatca	1680
	ccaggcaccc aagatccac ctctcagggtg gtatttcag cgaggctgc cactcagccc	1740
	ccctccaggg atctggggca gaaggcgaat atccagagt ctcagagtcc acaggaggta	1800
5	ctctgaaggg cgaggcgccg gctgcatacg tggaccccca caccccaccc gcaccccaag	1860
	cgctccaccc tggggcgccc gccgtcgct tcctccggta ctcgggatcg atctggaaact	1920
	ccgggaattt ccctggcccg ggggctccgg gcttccagc cccaaccatg cataaaagg	1980
	gttcgcggat ctcggagagc cacagagccc gggccgcagg cacctcctcg ccagctttc	2040
	cgctctctc acagccgcca gacccgcctg ctgagcccca tggccgcgc tgctctcc	2100
10	gcccgcaccc gcaatccccg gtcctgcga gtggcgctgc tgctctgtct cctggtagcc	2160
	gctggccggc ggcgcagg tgggtacccgg cgcctgggg tcccccggcc ggacgcggct	2220
	ggggtaggca cccagcgcgg acagcctcgc tcagtcagtg agtctttct tccctaggag	2280
	cgtccgtgc cactgaactg cgctgcctgt gcttcagac cctgcaggaa attcacc	2340
	agaacatcca aagtgtgaac gtgaagtccc ccggacccca ctgcgccaa accgaagtca	2400
15	tgttaagtccc gccccgcgt gcctctgcca ccgcgggggt cccagaccct cctgctgccc	2460
	caaccctgtc cccagccga cctcctgcct cacgagattc c	2501

<210> 45

<211> 2501

20 <212> DNA

<213> Homo Sapiens

<400> 45

25	ggcgacagag caagactccc tcttaaaaaa aaaaaaaaaa aaagattctg agtcaaagt	60
	ctcaagttga atgcattttt tcatccacaa gacaaatcggtt gttacccct tttatctata	120
	aaatagat aacaatagtt cctgttcta ggggttgtt gggatataa	180
	gacttagaat aatgttcagc ctctaatcag tgcgtcaca actgtctgtat acaattgtat	240
	tatatttgtt tactttgtt attgatatta aatcataactt ttaaaaatag gtgttataatg	300
30	ttccactcaa ttaccttaaa acatgtttaa ttatgtctct atcctactct tataacactt	360
	ctataaaaac tttttacata tagcgtccac tttggttca gtttcttagg aaaataactt	420
	tgagagtcag ctatctgaac caaagaaaca ttaacattac cagacttatg tggattttt	480
	gagactggct tttatcaatt cttagctac gggctttgtt catcatctctt accagtgacc	540
	taagtgtcaa acccaaatgc ctgtatctg tccctttaaa gagatgcagc atctgctct	600
35	ttcttactgt ttccattttcc tctgccatgc ctccctttac aaccataaat atccaggatct	660
	cttaggtttt aaacggggca tctctcaacc cccacattct tttcccttggt tattcccttc	720

	cctccaaacag ttcaattcac ctagatcccc acgcctgaaa ttatcctaga tgccttagag	780
	gcgccatc attacaatgg tacattttc tccactcctt tacatgtcac gccagcttc	840
	aaactaaaaa tctgagcgtt catccctggt gcatcacctt taaattccag atctccaaaa	900
	tccagggtca tgtaacctta aaaaattttt accctcttt ctccactgcc cttgttcagg	960
5	ccttatctct tccagcagct gttccaaagg cctactctgt tttcccttcg gagtgctaacc	1020
	ctccacccgaa gcctccaccc agttgccaat tctgccccat gcctgataat ttgctcgtgc	1080
	gttgacatac ataaaaatttc taagacaaaa atttttaat aatggtaat gaaccttggg	1140
	aactgcatac agatcataca gatccataat aagagaaaaag gtcccagatt aacacggaaa	1200
	actttccatt taactaacat ttgcactggt aaacttcatac aagcaagacc ctacttaatc	1260
10	ccacattacc ttctactgaa gaggttgtgg tcattctcg gaaatatctg aattcattcc	1320
	tacaagttag agaaacagcg ttactcgaaa cattatecct tgggctcgag ctctaaggca	1380
	cctgacaaac ggagcgctgt gggtaggggt gaggtttt ctcagggct gggactttgc	1440
	cctggcgag ggcggcgag ggcaaagacc tcacccggca gcagaatccg ggcagaaatc	1500
	agcaactggg ctcggcgcc agcagaaaaag gggaaatccag tcggggccca cccttcctgc	1560
15	cagcgcagac cgcaagtctg gccccatcct ctgcggggaa gtccggctgg cgccgtccgc	1620
	ccaggtaccc cgaccgtggg cagcctgcgc ccgtttgggt cccatcgccc cggccggca	1680
	gataacctgag cggtgccag ggccaggccc cgttcttgc gatgccatg ttctggaca	1740
	cagcgcacat gcagtttagc gaaccaacca tgacagcagc gggaggaccc cccggccgc	1800
	tcgttacagc agaacgcgcg gtcaagtttgcgcgaaatt gtggccggcc cggccctcg	1860
20	tccctatttg tgcaggcgag gccccggccc cccggccgg cgcacgcagg gtccggcggt	1920
	gctcgccccc gcagacgcct gggactgcg gccgggggtt cgccgtccctc gccggggccct	1980
	gccggccggc tgccatcctt gcccgcatt gtctggccgg aagcctgcgt cggggggccct	2040
	cgctgcctcc agctcagcccc ctgcggggca agcggttttgcgcgattct tccagtctac	2100
	gggaaggctg aaatccaccc ctcctccac aggtgcagcc gaccagggtgg accctggcg	2160
25	tgcaggcgcc gcagcgcccc cagcgccccgc cttccggccc cagctggccgc cgacgttagt	2220
	aggttctgtc tgggactggg cagggccatc gggctgggg gggcgccggct tggggtaag	2280
	gcggggcgag gcgtggaccc tccggccatc gataggcgtg gaggaggaag gggcgccgt	2340
	aagaaggggaa aggtggaaag agcccgccg gggctacaaa ttgggtgaag cgctgagggtt	2400
	ttagtacttc cgtttggagga gataggcaaa gtttatgcag gtttttaatg gcaggcctga	2460
30	gacaggaact caggtctcct gactccatt ctgatgaggg g	2501

<210> 46

<211> 1092

<212> DNA

35 <213> Homo Sapiens

<400> 46

aagcttcccc ttcatcatcc aagaaggcat tcaggtcttt ctgtgcttagg ccccaggtaa 60
agtgctggac tacccagtaa ttgggttcag tagcaggatg gcctcagatt gaggtcccgag 120
5 ggccaaagga ccactctct cctcagcgct ggtccggaa aggcaagctc cgggcgggag 180
cgcacgcgcg gccccogaag cctggctccc tcgccacgccc cacttcctgc ccccatcccg 240
cgcctttcca ggtcttctcc cggtgaaccg gatgctctgt cagtctccta ctctgcgtcc 300
tcggccgcgg cccgggtccc tcgcaaagcc gctgccatcc cggagggccc agccagcggg 360
ctcccgagg ctggccgggc aggctgttg cgcggtagga gctgggcgcg cacggctacc 420
10 ggcgtggag gagacactgc cctgcccgcga tgggggcccggggcgtccct tcacccgta 480
ggcaagcggg gcggcggctg cggtacctgc ccaccggag ctttcccttc ctttcctgc 540
tgctgctgct ctgcattccag ctccggggag gacagaagaa aaaggaggtaa gaatggatcc 600
ccttggccctt cccctgtggt cggggggcggg ccagggtggg cgcgttgcc caggcagccc 660
tgccgtgttg ctaggcagcc tggtcgcggg cgtgggcgtat gccggcgtcg gggggggagc 720
15 cgcgagggtg ggaggccctg gggcgtttcc gggacgttggaa gtttagcagggtt ttcgtacttg 780
aaaaacgcacg gcaaaacgcgtg ttcttgactg cttctgagca cctcacaccc ttcaagaccca 840
gggcgccttt attcccaagct ggaagcccaag ctttagagcaa tggtgccact aaaagggttg 900
tgttggatgt gaaaatacccttttggaaagttttataagcc tgcaggaaat atttttccct 960
tattttctta ctctgcctcc ttcatatcccttattcaagaa gcaacagaac ctgtgcagag 1020
20 tgtgttttaa gttacactgtt atgtttatgtt tggtttatgt tgaactcggt gtatacttgt 1080
gagaataaagc tt 1092

<210> 47

<211> 2501

25 <212> DNA

<213> Homo Sapiens

<400> 47

30 cgaaatgaaa cctcggccag gaggccgcgg acctggacac ccggcgccac ctccattacc
tctgaccagg gtttcctccc ggcgcgtgcga gctccgggg aagggttaga gccggcagcc
ctccccagcc cggggagggg agagggttat gcgcacccac ctctggctag ggcggggag
gcctttgcct cccgggagcc ctgccccggc tccttggtcg cagggctgct gggtcccgagg
caggaacgag agggtgaggc ccacatgtgg cccggcgcc cagggcggct tgcagcgtcc
35 tcactgtccc ggctgccagg ggctgcggcg acgcggccag tcagcagcga gttcaggctcg
cgcagattt attgatgagc tctgactttc agcactttcc ctaagtcaag aagagtctag
420

	cgtacccttc ggctgcttca tttcagcctc cctgcctcag ctcttcagcc ctattcccc	480
	tgcgcctgtc ctgggggtgt tacagcagcc caggcctcc ttctccttcc cggctccgtg	540
	gcccgaagcc gccgagagag ctcggacag cgcaggacca ggcagccgct cgctctcctg	600
	tcaccttaac tgcaggctcc gaggggcgcc tttggagtgt actgaggtgt gtcctaatcg	660
5	tgccggcattc aacaaatgga cttctggtgt gtggtcagaa gagaaaagcc atttacttac	720
	tttccctcccc ggtttctgg caacagctga aggggagctg cttccgtgga ctgagcagac	780
	ccaggagagg gagtcgttgt goggagacac acgcaccaca cacagatgac cggtggcaca	840
	cacgacacac gctgacatac cgacatcgcc agtggacac acacacacac acacacacac	900
	acacacacac acacagagag agagagagaa tccctccag catggtcat ccgccccccc	960
10	acccaggcctt ccactcccccc tcccctctta tctccctgg cttccctcc tctccggcgc	1020
	tgcgaaaagc agccgcactt agtcaacaaa tggcacgtgg gagaagttgg tgagtgttt	1080
	gtgaggactc ttcaaggcctt ttcaacaagaa ccctctgtac acaaagtaag tggcgtgttt	1140
	actccggcct ctccagccag agctgtgcct ctgctccgct gcgcacccgcg gcttccgaaa	1200
	ggagaaaagga gagaagaaag ggcggggaga gcggggtgga ggatttggac aggccctgga	1260
15	ggcttggct ggggaggcct ctggcctcgt ttagttctcg gcccggcaac ctcctctcgg	1320
	cctaggcttc gccgcggcct ccgcagctgg aatggagctg ccaggaccca gtgacgctcc	1380
	cgcgccttcc ctcttcttcc aaggggccag gtgggctggg gtgcggccgc cgctgtgctc	1440
	tgtgtcttgg ggccccggct gggatggggt gggggcggc gggggcgggg cgccaggcca	1500
	cgctgtcctg gagttggcaa gaaaggacag cacagaaact tgcacccctcc gaggactggg	1560
20	agtcccgagt ccagcttagg gggagtgggg gcgcgacccc caaccccgaaa accttcactt	1620
	gaccgctcaa gttcgccgca gcagggcggg ccgcgcggaa tctcggcgtg cgccggagcgg	1680
	ggagatgcag gcgagcgcga gagcccgccc tcgggggccc tgcgcgggg agaggagccg	1740
	ggacccaccg gcggagccga aaacaagtgt attcatattc aaacaaacgg accaattgca	1800
	ccaggcgggg agagggagca tccaatccgc tggcgcgagg ccccgccgct gctttgcata	1860
25	aagcaatatt ttgtgtgaga gcgagcggtg catttcgtat ttgcggagtg attagtgggt	1920
	ttgaaaaggg aaccgtggct cggcctcatt tcccgtctg gttcaggcgc aggaggaagt	1980
	gttttgcgttgg agatgtatga cagaggtcag gttcgtctaa tggccagtg aggagcggtg	2040
	gaggcgcggc cgggcgcgg cacacacaca ttaacacact tgagccatca ccaatcagca	2100
	taggtgtgct ggctgcagcc acttccctca cccacactct ttatctctca ctctccagcc	2160
30	gctgacagcc cattttattt tcaatctctg tctccctccc aggaatctga gaattgtct	2220
	cacacaccaa cccagcaaca tccgtggaga aaactctcac cagcaactcc tttaaaacac	2280
	cgtcatttca aaccattgtg gtcttcaagc aacaacagca gcacaaaaaaa ccccaaccaa	2340
	acaaaactct tgacagaagc tgtgacaacc agaaaggatg cctcataaaag gtgagtcgc	2400
	ttctttcttc tcgctttatt tttattgcaa tattcagaca ggtctcccccc ttccctcccc	2460
35	cttcccttcct cccctctcgc cggccccctc ccccaactgct a	2501

<210> 48
<211> 2501
<212> DNA
<213> Homo Sapiens

5

<400> 48

	tgtatggttgc acaactctga gtacatgaaa aatcaatgaa ctgatacttt gagtgagctg	60
	tatgatactg gaattacacc tcaataaaagc atggtaactg tttaagata ggctggaaag	120
10	agaaaggctg aaaacaacaa taatgatatt aataaattag ttacttctc tagtctcata	180
	tacttctgtg cccacacttg ctccctgtctt attcataatg gtcggccatc agttgccata	240
	ttatatcctg ccatttgatg cccggtaac attctatacc tgcttcccag aattctctt	300
	acctttcctc tatctgccta acttccacat atctaaaatt aatcagagta aactattac	360
	tagaacaacc aactccaaat cctagtaacc taacatgata aaggtttgtt tctcactcat	420
15	atagccccctc cccagatgat cgaggggtcc aggctcctta cctctagtgg ctccccacc	480
	ttctggagtc ttctgcattc ttatatacatg gttgagataa actatgagtc attagcacag	540
	ctagaccttg aggtcctaca agaaaatttg caaatcatc actctgtttt gaacaaggta	600
	tatattaatgatgatggaaaa tacccaatgg tcttgggtca aatacagttt atgactgtgt	660
	atctaaaata tatattgcaa tattctccc tttttctact gacttcatga atttagcggg	720
20	gatccatttt ataagctcaa agataattac ttttcagact aagaatattt agggtaaaaa	780
	gtactgttca acatctctac tgaggatgtt atgatgtgc acactgtata agctggagct	840
	aaaggaaact ttccttaaag tgctatttac taaaaattgg aacacattcc ttaagacaaa	900
	tgcaggatgtg gcacacaaca tc当地acttc catcatagat acagaggtgt taccatctcc	960
	cactccaaa tttctttgtc acgctgagga tactcaagag gaggcaggaca tggtggcgc	1020
25	agcaggagaa acttggaaagc atttactttt atggactca taagggagag aatttcttat	1080
	tttagtatcg tc当地gatac atttatttattt taaaagata atgtagccaa atgtcttcct	1140
	ctgtgttaaa tctttacaaa actgaaatct taaaatggta aaaaaatttc tacttctgat	1200
	agaatctatt cattttcca attagatagg gcataattct taatggcaaa aacaaaacgt	1260
	aatatgctta tgagggttcca tccaaagaa cctgctattt agagtagcat tc当地ataac	1320
30	gggtggaaat gccaaactcca gagttcaga tc当地accgtt aattgggtta gggagggtc	1380
	tttggcgggg cctccctaga ggaggaggcg ttgttagaaa gctgtctggc cagtc当地acag	1440
	ctgtcactaa tc当地gggttaag ccttgggtta tttgtgcgtg tgggtggcat tctcaatgag	1500
	aactagcttc acttggcatt tgagtgaaat ctacaacccg aggcggctag tgctccgc当地	1560
	ctactggat ctgagatctt cggagatgac tgtc当地ccgc agtacggagc cagcagaatg	1620
35	ccgacccttc ctggaaatgg gctgtaccga gaggtccgac tagccccagg gttttatgtga	1680
	ggggcagtg gaactcagcg agggactgag agcttcacag catgcacgag tttgtatgcca	1740

	gagaaaaagt cgggagataa aggagcccg tgcactaaa ttgcgtcgc agccgcaggcc	1800
	actcaagtgc cggacttgc agtactctgc gtctccagtc ctggacaga agttggagaa	1860
	ctcttttggaa gaactccccg agttaggaga cgagatctcc taacaattac tacttttct	1920
	tgcgtcccc acttgcgcgct cgctgggaca aacgacagcc acagttcccc tgacgacagg	1980
5	atggaggcca agggcaggag ctgaccagcg ccgcctccc ccgcggccga cccaggaggt	2040
	ggagatccct ccggtccagc cacattcaac acccaacttc tcctccctct gcccstatat	2100
	tcccgaaacc ccctcttcttcc tcctcccttg gagacggggg aggagaaaaag	2160
	gggagtcagc tcgtcatgac tgagctgaag gcaaagggtc cccgggctcc ccacgtggcg	2220
	ggcggccgc cctccccga ggtcgatcc ccactgctgt gtgcggcagc cgccaggatcc	2280
10	ttcccgaaaa gccagaccc ggacacccctt cctgaagttt cggccatacc tatctccctg	2340
	gacgggctac tcttcctcg gcccgtccag ggacaggacc cctccgacga aaagacgcag	2400
	gaccagcagt cgctgtcgga cgtggaggc gcataattcca gagctgaagc tacaagggt	2460
	gctggaggca gcagttctag tccccagaa aaggacagcg g	2501
15	<210> 49	
	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
20	<400> 49	
	tacttcata aaaggatctt tgacttgta agtgtgtgcg atgcatactt ttcatgttac	60
	accacaagtgc ccacttagca actccactag acagggcagt gttcagcat ggggtgggt	120
	gccccctgac aggctttaa aaggccccga tgccaatgca cattccaaca ctatccacaa	180
25	aaaggagact ggagcagtgc tcttcctgc attggcaag gagactctcc ctccctgct	240
	aaccacttgc ctgcctgtt ttgtggaga attacaagta aatgctacag aggcaagtgg	300
	gaaaaaaaggg tgtttaatt cctctccaga gtttcctta ttgtatgtat gttgcaccc	360
	ttaaacaagt tgtgc当地 ggctgcagg tagattggct ctcccttta aagctctcca	420
	tccggctggg tttatgtta aatactgcat ctatcccttct tagtggggatggctg	480
30	gaaagactct tcttcctgta ggttgggtca gtgtgagaga tctaaaaat cattttccct	540
	taaaaattact gtatTTTaaat aaaaggattg ggcaggggct ggaatgagag aaaactggc	600
	cttcaaaatg taaaactgtc atacttaaac cagttacaa aatatgcgtt taattatgt	660
	gtggggatgtg tgtaggtgtg ttagtggaga ggcaaccaac atggctattt ggggtgc当地	720
	gatgtggaa caggcaagta atttcacat tggactttca tccttagggag ctgggttcta	780
35	gtcacagctc tgagctgtgt gacccgggtt aggtctcata tcctccgggtt tttgtttcac	840
	cagttgaaca gtatgaggat gagtcacagc taacatttgc tccatgtat ttacccagca	900

	ccataacaagt gttatttctg tcctcccagt taacactgac gtgggtagta ttatatgcc	960
	atttacaga tgaggaaact gaagcctgaa gaagttaat acttatccca gaacacacag	1020
	ctggtaagt gcagacctgg aattggaatc tagttcagtt tgattccccca acccatgctc	1080
	ttgaccacta tactgtttt tcaagtccag atctgaaatc tcattttctg tgtggctgt	1140
5	tgttggac agggtaacc aattcctgac tactctatat gctgcatacg acctggagag	1200
	gattttcaa agtaaatgaa tctcgaaagc tggattgcag agcaaacgag tgcagtcaat	1260
	tcagccaggg gcttgcaga gggagaaaga gaaaaagact gtggaatgga aagtttccca	1320
	acccaagcct ttcccaaggg gtagccattc tctgttctac agtttagggc ttgcattgtgc	1380
	ttttctgga gtggaaaaat acataagtt taaggaattt aacagacaga aaggcgcaca	1440
10	gaggaattta aagtgtggc tggggggcga ggccgtggc gggaggcag cgccgcagg	1500
	cggAACACCG ttttccaagc taagccccc caaataaaa ggcgtaaagg gagagaagtt	1560
	ggtgctcaac gtgagccagg agcagcgtcc cggctccatt cctgctcatt taaaagcac	1620
	ttctgttatt gtttttaagg tgagaaatag gaaagaaaac gccggcttgt gcgctcgctg	1680
	cctgcctctc tggctgtctg cttttgcagg gctgtggga gtttttaagc tctgtgagaa	1740
15	tcctggaggt tggtgatgtc agactagttt ggtcatttga aggttagcag cccgggtagg	1800
	gttcaccgaa agttcactcg catatattag gcaattcaat ctttcattct gtgtgacaga	1860
	agtagtagga agtgagctgt tcagaggcag gagggtctat tctttgc当地 aggggggacc	1920
	agaattcccc catgcgagct gtttggggcag tggatgccg agaacgcggcg cgatccgagc	1980
	agggtttgtc tgggcaccgt cggggtagga tccggAACGC attcggaaagg cttttgc当地	2040
20	gcatttactt ggaaggagaa ctggatct ttctggaaac cccccc当地 ggctggattt	2100
	gccgagcaag cctggaaaat ggttaatgt cattggatc aattacaggc ttttagctgg	2160
	cttgtctgtc ataattcatg attcggggct gggaaaaaga ccaacagcct acgtgc当地	2220
	aaaggggcag agtttgc当地 agttgggtgg acttttctat gccatggcc tccacaccta	2280
	gaggataagc acttttgc当地 acattcagtg caaggagat catgtttgac tgtatggatg	2340
25	ttctgtcagt gagtctgg caaatcctgg atttctacac tgctggatccg tcttc当地	2400
	tgctccagga gaaagctctc aaagcatgct tcagtggatt gacccaaacc gaatggcagc	2460
	atcggcacac tgctcaatgt aggttattt tttcccttc t	2501

<210> 50

30 <211> 2501

<212> DNA

<213> Homo Sapiens

<400> 50

35

ggaggataga aatataaatt aaagaatgac acaaataatt ataaagttac agctgttaaa	60
---	----

agaaaaggcat atgggtccaa gagaacgtgt aatacacaat ctactcatgg aggtgaggga 120
aagcttgccc atcaaagaag ttatgattca atccacgaag accaggagtt ggctgggtga 180
agaaaaaaag gtcagagggaa ggaagtccac actggggaaag gctctaagca taaagggttag 240
gaggattaca gaggcatatt cacgaaattt ggagaaggct ttcaagtaagc aaggagaagc 300
5 caaatgaaag tttacgggag agttggaggc ttgaagacac gttcaaggat ctggtttta 360
tcttctttt atctcaagag cagtgaaaag ccattaaatg attttaatca gagggttgtt 420
ataactagtt ttgtatTTTaaaagctgaa ttcaagcttc gtttgagaaa ctgagtgaaa 480
gagcccagaa cgcccggtgc tgaggggtac tcgtggaga ctccctacaca agccatggca 540
10 gtggcatggg ctgggtggcag aagaggaaat agggagaaga tttggaaactc aatcttcctc 600
cattgacaaa gtcactccag ctttggcaag gcaattaatt ggtggaaag aagatgccta 660
gccctccctga tttcactgca ctttctgcat cttcaacatg agtactggga agtggcaaaa 720
catccagagg cagcttgggt gctaggtgga gcatgagitta aaattccagg atgaagcaaa 780
tgaacactta gaatgacagg 'aaagattttgg gagttgggtt tggggggaggc ctatttacct 840
ttattccctg gagaccctgg cacaaccct tgcctctgca atcttcctct caggtaaagg 900
15 aattcattaa atgaatttgc agaagatcta ctgaccagag ggctgtacag aatcatatct 960
ttgagagtgg gaagtaggtt gatcacatag tttattatcc aatcaggaca tatctgaaag 1020
agaaaggggg ttctattaat atttaaacta caaaacatgt acaccaggaa tgtcttggc 1080
aaatctgggtt gccctagcaa gaaaggaaat ttgaaagttt atactgttct gctccatgt 1140
tacccctgtt gcacatgaga gggtaagtat tctttctt caccgtcatt aagggaaataa 1200
20 aagcacaagc attcagggtga ctcccaaccc acttttaatt ttacagtttc tgctatactc 1260
tatacattct gaaaattaca tttccacca ctatcaattc gtgataagggt atcatttaca 1320
attactcaat gactcagtcc cgggaagggg cgggtcaaaa tgggacgctc tatccagggt 1380
ctcatttagaa atgcagaatc tctgcctgcc tcctagacct actgaatttag aatctgcatt 1440
tttaataag atttccagggt gatcaatatg tacattaaaa cttgagaaaa acctctagac 1500
25 ttcgacctaa agaaaaacat tttacaactt gacagtgtat gcacatacat acatgcata 1560
agacacaact gaagcacaat tttatgaag tagaatttac cgttactatt ttatttggga 1620
aagaaatgtg ctcgcactc aatagattgg agtattcaat cctggatctc aacttgcata 1680
ttgaaaacgc atctctaaag cacctaggag caatctgaag aaagctgagg ggaggcggca 1740
gatgttctga tctacttaggg aaaacgtgga cgtttctgt tggtaacttgc tgaactgtgt 1800
30 gcacttagtc attcttgagt aaatacttgg agcgaggaac tcctgagtgg tggggagg 1860
cggtgagggg cagctgaaag tcggccaaag ctctcgagg ggctggctca gggaaacatga 1920
ttggcagcta cgagagagct aggggctgga cgtcgaggag agggagaagg ctctcggcgc 1980
gagagaggc ctgcccagct gttggcgagg agtttctgt ttcccccgca gcgctgagtt 2040
gaagttgagt gatcactcg cgcgcacgga ggcacgcacac ccccgccgt gcaccgcctc 2100
35 gggacaggag ccggactctt gtgcagcttc cctcggccgc cggggccctc cccgcgcctc 2160
gccggcctcc aggccccctc ctggctggcg agcggggcgc acatctggcc cgcacatctg 2220

	cgctgccggc ccggcgcgaa gtccggagag ggcgcggcgc ggaggcgcag ccaggggtcc	2280
	gggaaggcgc cgtccgctgc gctggggct cggtctatga cgacgcgcgg ggtctgccc	2340
	gggtcgaaaa ctgctcaggc gcctgtggc gctgcacatc gtcctgtgga cgcgtatcgc	2400
	cagcacgatc ccaccgcacg ttcagaagtc gggtgagtgg tccccagccc gggctcgccg	2460
5	gggcgcggg ggtttccctg gggtccccgc ctctccgctg c	2501
	<210> 51	
	<211> 2500	
	<212> DNA	
10	<213> Homo Sapiens	
	<400> 51	
	ttcccatcaa gccctaggc tcctcggtgc tgctggagt ttagtctga acgttttat	60
15	cttggcgaga aegcgcctacg ctccccctac cgagtcccgc ggttaattttt aaagcacctg	120
	caccggggcc cccggccctg cagagggcgc agcaggtctt gcaccccttc tgcatactat	180
	tctccaggct tcagacctgt ctccctcatt caaaaatat ttattatcga gctttactt	240
	gctaccaggc actgatatacg gcactcgag atacaacaat gaataagata gtagaaaaat	300
	tctatatcct cataaggcctt acgtttccat gtactgaaag caatgaacaa ataaatctta	360
20	tcagagtgtat aagggttgtg aaggagatta aataagatgg ttagtataa agtatactgg	420
	agaaaaacgtt agggtgtat attacggaaa gccttcctaa aaaatgacat tttaactgat	480
	gagaagaaaag gatccagctg agagcaaacg caaaagctt cttccttcca cccttcata	540
	ttgacacaat gcaggattcc tccaaaatga tttccaccaa ttctggccctc acagctctgg	600
	cttgcagaat tttccacccc aaaatgttag tatctacggc accaggtcgg cgagaatcct	660
25	gactctgcac cctccccc aactccattt ccttgccttc ctccggcagg cggattactt	720
	gcccttactt gtcatggcga ctgtccagct ttgtgccagg agcctcgca ggggtgatgg	780
	gatgggggtt ttcccccccc atgtgtctaa gactggcgct aaaattttgg agtttctcaa	840
	aagtcttagag ccaccgtcca gggagcagg agctgtggg ctccggggac actttgcgtt	900
	cgggctggga gcgtgccttc cacgacggtg acacgcttcc ctggattggg taagctctg	960
30	actgaacttg atgagtccctc tctgagtcac gggctctcgg ctccgtgtat ttctagctcg	1020
	ggaaaaatcgc tggggctggg ggtggggcag tggggactta gcgagttgg gggtgagtgg	1080
	gatggaaatctt tggcttagagg gatcatcata ggagttcat tggggggaga cctgggtgtat	1140
	gatgtatgggg atgttaggac catccgaact caaagttgaa cgcctaggca gaggagtgaa	1200
	gctttggggaa accttggacc ggcctaaagc gtacttctt gcacatccac cccggctgg	1260
35	gcgttagggaa tccctgaaat aaaagatgca caaagcattt aggtctgaga cttttggatc	1320
	tcgaaacatt gagaactcat agctgtat ttttagagccc atggcatcct agtggaaaact	1380

	ggggctccat tccgaaatga tcatttgggg gtgatccggg gagcccaagc tgctaaggc	1440
	ccacaacttc cgacacccggc tccttcctgg agcgatctt ccaggcagcc cccggctccg	1500
	ctagatggag aaaatccaat tgaaggctgt cagtcgtgga agtgagaagt gctaaaccag	1560
	gggtttgccccc gccaggccga ggaggaccgt cgcaatctga gaggccccgc agccctgtta	1620
5	ttgtttggct ccacatttac atttctgcct cttgcagcag cattccgggt ttctttttgc	1680
	cggagcagct cactattcac ccgatgagag gggaggagag agagagaaaa tgtccttttag	1740
	gccgggttccct cttaacttggc agagggaggc tgctattctc cgctctgcatt tctttttctg	1800
	gattacttag ttatggcatt tgcaaaggca ggggtatttgc ttttgcata aacctaatac	1860
	cctccccccttc tttaatgggt gtgcaccacc cccgggtcg cctgcaacct aggccggacgc	1920
10	taccatggcg tagacaggga gggaaagaag tgtgcagaag gcaagcccg aggcaacttcc	1980
	aagaatgagc atatctcatc ttcccgaga aaaaaaaaaa agaatggtac gtctgagaat	2040
	gaaattttga aagagtgc aa tgatgggtcg tttgataatt tgtcggaaa aacaatctac	2100
	ctgttatcta gctttggctt aggcatttcc agttccagac gcaggctgaa cgctgtgaag	2160
	cggaaggggc gggcccgca gctccgtgt ggtccctcg gcagccctcg gcccggccg	2220
15	gttcttcctg gttaggaggcg gaactcgaat tcatttctcc cgctgccccca tctcttagct	2280
	cgcgttgtt tcattccgca gtttcttccc atgcacccgc cgcgtaccgg ccactttgt	2340
	ccgtacttac gtcatctttt tcctaaatcg aggtggcatt tacacacagc gccagtgcac	2400
	acagcaagtg cacaggaaga tgagtttgg cccctaaccg ctccgtgatg cctaccaagt	2460
	cacagaccct ttcatcgatcc caagaaacgt ttcatcacgt	2500
20	<210> 52	
	<211> 286	
	<212> DNA	
	<213> Homo Sapiens	
25	<400> 52	
	tttgacttag gctggaaatgc gcccgtgcaaa ttccattctc tggaaaaatgc	60
	gaatcagctg gcattgccccca gctgtatttgc tgaggctgag ccccaacagt ccaaagaagc	120
30	aaatggatgc ccacccgc ggggctcgct cctcgcgagg tgctcaccccc gtatctgc	180
	tgcaaaacga gggagcgtta ggaaggaatc cgtctgtaa agccattgggt cctggtcatac	240
	agcccttacc caatgtttc gtgtatgcgtc tgctgtatcta tttgggg	286
	<210> 53	
35	<211> 1400	
	<212> DNA	

<213> Homo Sapiens

<220>

<221> unsure

5 <222> (1371)

<223> unknown base

<400> 53

10	ttccagctgt caaaatctcc cttccatcta attaattcct catccaaacta tggccaaaa cgagaataga aaatttagccc caataagccc aggcaactga aaagtaaatg ctatgttgc ctttgatcca tggtcacaac tcataatctt ggaaaagtgg acagaaaaga caaaagagt aactttaaa ctcgaattta ttttaccagt atctcctatg aagggttagt aacccaaaata atccacgcat cagggagaga aatgcctaa ggcatacgtt ttggacattt agcgtccctg	60 120 180 240 300
15	caaattctgg ccatcgccgc ttcccttgc catcagaagg cagggaaactt tatattggtg accctggag ctcacattaa ctatttacag ggttaactgct taggaccagt attatgagga gaatttacct ttccgcctc tctttcaag aaacaaggag ggggtgaagg tacggagaac agtatttctt ctgttggaaag caacttagt acaaagataa attacagcta tgtacactga aggtacgtat ttcattccac aaaataagag tttttaaa agctatgtat gtatgtgctg	360 420 480 540 600
20	catatagagc agatatacacg cctattaagc gtcgtcacta aaacataaaa catgtcagcc tttcttaacc ttactcgccc cagtcgtcc cgacgtgact tcctcgaccc tctaaagacg tacagaccag acacggcggc ggcggcggga gaggggattc cctgcgcccc cggacctcag ggccgctcag attcctggag aggaagccaa gtgtccttct gccctcccc ggtatcccat ccaaggcgat cagtccagaa ctggctctcg gaagcgctcg ggcaaagact gcgaagaaga	660 720 780 840 900
25	aaagacatct ggcggaaacc tgtgcgcctg gggcggtgga actcggggag gagaggggagg gatcagacag gagagtgggg actacccct ctgctccaa attggggcag cttcctgggt ttccgatttt ctcatttccg tggtaaaaa accctgcccc cacccggctt acgcaatttt tttaaggggaa gaggaggaa aaatttgtgg ggggtacgaa aaggcggaaa gaaacagtca tttcgtcaca tgggcttggg tttcagtctt ataaaaagga aggttctctc ggttagcgac	960 1020 1080 1140 1200
30	caattgtcat acgacttgca gtgagcgtca ggagcacgtc caggaactcc tcagcagcgc ctccttcagc tccacagcca gacgcctca gacagcaaag cctacccccc cgccgcgcc tgcccgccgc tgcgatgctc gcccgcgcc tgcgtgtgc cgccgtccctg ncgtcagcc atacaggta gtacctggcg	1260 1320 1380 1400
35	<210> 54 <211> 2501	

<212> DNA

<213> Homo Sapiens

<400> 54

5

	gataatcttt tcataacaaga tgcattctgc ttttgtggc ctcttcgc cctcaagccc	60
	ccatctgatt tgtacacaat gatccagtttgg gccagaggag cccagagcca tgagcggccc	120
	atccctccaa gaactatttc tgactgtcca gtatcatgga gcaagtggaa agaagaaaaaa	180
	aaaaaacccaa ttacttttcg aagagcaaga tgaatgtgt agaaggagaa ggaaggggag	240
10	ggagatggat ggggccat tccagaatct tcagatctgc ttggatgaat cattacctat	300
	gatttgcggg acaagaatct gattttatttc atcaaccagt agaaaactttt ctttctgcct	360
	cccaacatct gaaatccaac aaacatgtgc ctttaggaaca taccggcat ctttttagagg	420
	cattttatat acatatttgag taactagaaa acacttttc cgtaatacac acacacacac	480
	acacacacac acaccatctt gtcatacaac actcccacgc aagaaaagcg aaactgctgt	540
15	tttgatgaatg taaacacttg gctgtttgca gcagtcggga gtctgcgcag gtttaagtgc	600
	taagatggga ggtgaacccc aggggtttcc ccctgcccgt gctgagatcc ttatggc	660
	aagcttctac ctatgcctg gcctcgaggc gagcccgata gcgcgtggatc acagcagagg	720
	gagcgaggcg gctgacgtcc catcccgaaag agatgaatgg aattccagga agctagagtc	780
	atgctggcctt gggacagtgg cttggagacc agacttcaat gacagaagca ctggcagcg	840
20	gcactcatgg caatgtgtgc acccacagaa atgtaaccca cacccctgggt tcaggagccg	900
	aaaaatgaaa agaacgttta gggaggaaaa agggaaatac aataataggc agagagtaat	960
	ttatttactct atgggtctgc tctgtaaata gctgaagact ctggagccag atggttctgc	1020
	aaattctcca aacaggagtc acgttaagaa gcacgagtgg gcacaaaaac tggggccaa	1080
	gacacaattt caatttggct tggaaact ggatacgt aagttccctt aaaattcag	1140
25	tagaaagcag ctgttctccc cggccccctt gatgagaata cgccacaccgc ccccaagcgg	1200
	ccggccgagg gagcgcgcgcg gcagcgggag aggctctct gtggggccccc tggcagccgc	1260
	ggcaggaaag ggcccgaaagg cagcgaaggc gaacgcggcg caccacccctg cccggcccg	1320
	cgacgcgcgcg ctcacccccc tccggggcgg gcgtggggcc agctcaggac aggctgcgtt	1380
	gggacgcgtt ccctcaccaccc acggggacgg tggaggagag tcagcgaggg cccgaggggc	1440
30	aggtacttta acgaatggct ctcttgggtt cccctgcgc cccgtggccc attttcttt	1500
	ttacaaaacg ggcccagtct ctgttatcca cctctcgcca tcaaccaggc attccggag	1560
	atcagctcgc ccgaaagccc ctgcgcacc cccgcggccc tccttaggtgg tctccccagc	1620
	cccgccccctt ttccggatgc ttgtgatca ccccgagccc gcgtggcgca agagttcgtt	1680
	cgccgagccc gtgcgcgcga aggctgcgtt ggcgggcacc gactttctg agaagttcta	1740
35	gtgctcccaa gccccgaccc cccggccctt cactttcttag ctggaaagtt gcgcgcagg	1800
	cagcgggggg cggagagagg agcccaactt ggcggccacc tcccgcttcc tgccggccgc	1860

	ccgcccattg gccggaggaa tccccaggaa tgcgagcgcc ccttaaaag cgcgccgctc	1920
	ctccgccttg ccagccgctg cgccccagct ggccctgcag ttcaaggcgtc ctgtcgctct	1980
	ccaggagcaa cctctactcc ggacgcacag gcattccccg cgccccctcca gccctcgccg	2040
	ccctcgccac cgctcccgcc cgccgcgcgc cggtacacac aggttaagtgcg ccccccgggg	2100
5	ccgcccggaga ccaaagctgc cccggacatc cacctggagc gctgaggcgtt cagtcctct	2160
	ggtgtggacccc ggaacctaca ctctccccgc tcgcctaccc cagccgcgc tcctcagccg	2220
	ctggaggact cttcaggggca aggctccaga gccatcctct ccagccttga gttcacaaaa	2280
	ccaaactcatc aggacaccccc aagatttct tactctctga agtccctcctt aagcctttgt	2340
	atcagcactc cagggaaagag tctgtacttc ccctgccctc cctgcaaccc caaactacag	2400
10	ttccctgatct tgctcacctt cgacttccca aaagccccca aattgttggt cttgcgcccc	2460
	ccacacttta aaaccagcat ctcttcctc cacctctctc t	2501

<210> 55

<211> 7258

15 <212> DNA

<213> Homo Sapiens

<400> 55

20	ttcaatagga agcaccaaca gtttatgccc taggactttg ttccccacaat cctgtAACAT	60
	cataatcacga cacctaACCC aatccttATC aAGCCCTGTC AAAAACGGAC ttAAACCAA	120
	gctgcaaatt ttcaGTAATC tggcTTGCC tttccccCTC tgatAGCACC atCAAACAAA	180
	ccccCTTACT gCCGAAGACA ataAGCCCGG CTTTGTCCA TCCACTGGTT GTGTTGGTGA	240
	tatctgggga ctGCCACTGA acAGACGCAC AGAGGGAGCC CCTACAGGCA GGGGTTTTC	300
25	tgtctgtgtct tcttgggaga gtatgtctcg tacatTTGTC GCgtgtGAAGA GACTTCACAG	360
	ctccatCCAG CGACCAGACT cacAGCTCA TCCAGCTGCG GCAAGGGGGT CTGAGGCAGT	420
	cttaggcaag ttggggCCCA GCGGGAGAAG ttGcAGAAAGA ACTGATTAGA GGACCCAGGA	480
	ggcttcAGAG CTGGGCTGAG GTAGAGAGTC TCCGTGCGC CTTCTCTCT CTCTGCAATT	540
	cggggACTCC ttGCACTGGG GCAAGCCCCG GCAAGGTGCAt GGGAGGAAGC ACGGAGAATT	600
30	tacaAGCCTC TCGATTCCtC AGTCCAGACG CTGTTGGGTc CCCTCCGCTG GAGATCGCGC	660
	ttcccccaaa tctttgtgag CGTTGCGGA GCAcGCGGGG TCCGGGTGCG TGAGCGCTGC	720
	aAGACAGGGG AGGGAGCCGG GCGGGAGAGG GAGGGGCGGC GCGGGGGCGG GCCCTGATAT	780
	AGAGCAGGCC CGCGGGGTGAG CAGCACAGTC GGAGACCGCA GCGCGGAGCC CGGGCCAGGG	840
	TCCACCTGTC CCCGCAcGCc CGGCTCGCGC CCTCCTGCGC CAGCCACCGG TGAGTGCGC	900
35	GGTCCtGAGA TCCCCGGGCC GGATGCGCGG CGGGCCAGC TCCCGAGCGT CTGCGTCCC	960
	CGCCCTGGGC tGCCCCGGGT CCCTGGGTc CCCGGCGGCT GCAcGGAGTC AAGGCGCCCC	1020

	gtccggcg tccccggcgg gtgccgatcc aggctgccc gagtcggag cccatagagg	1080
	agagagacag ctggggagcc tggtcaccgc gggcatctcc cctgcgctgc agtcgcccgc	1140
	ctggcctgcc ttcccggttcc tccgcctttt gcctgactt ctcccttctt tgcagagccg	1200
	ccgtctagcg ccccgacctc gccaccatga gagccctgct ggccgcctg cttctctgcg	1260
5	tcctggcgt gaggcactcc aaagttagtg cgctcttgct ttgactgatg ctgcccagg	1320
	acctctgatc agcaccaggag gagaggagg gctgctcagg gagctgggt ctccggattc	1380
	catccacacgc agggccagac tctccccagg aaatggaca gggtggcgc ggaggcttga	1440
	gaaccacggg ggttggcaact ggctggcaag ggaggaagag ggccacccggg actgccccag	1500
	cctgcggca tctggtagat gaagcttaat ccatttctcc tggctggaaa ccatggtctt	1560
10	ccatttgaga actagatacg aacagggtga ggcgagagg agagggaaaga gtgggttttg	1620
	ggattgggc cagtttaccc tcaccctgga tccctggagc atggacatt tgatgaagcc	1680
	tcctccgaa tctttccag ggcagcaatg aacttcatca agttccatgt ggttatccac	1740
	ccctacaaca gttggctgca cagacaagtt gggaggctt cagggcacac tccctccct	1800
	gccctctgt gcacgcgtgcg ccacccctta ccacttccac tcccccctgc ttaccccacc	1860
15	tttgttctct ccagcgaact gtgactgtct aaatggagga acatgtgtgt ccaacaagta	1920
	cttctccaac attcaactggt gcaactgccc aaagaaattc ggagggcagc actgtgaaat	1980
	aggtatgggg atctccactg caactggag agaaatttg ggacagggag ggtatgggtgg	2040
	gaggcaagag caggcaggag ttaggagctg gaggtagggt gggtgacatc ttcatcccta	2100
	tgtgacaagc ataaacacac acacacgctc acgaaacagt ggccacacaa atgtgaggtg	2160
20	gggttggaaag gagaccctgt ccagtcttct ggcaggctg aaacgcacatc tttaaaatgt	2220
	ccgttggcag ccgggcattgg tggctcacgc ttgtatccc agcattttga gaggtcaagt	2280
	ttgagtggat catttaggc aggagttcaa gaccagctg gacaacatgg tggtaaccctg	2340
	cctctactaa aaatgcaaaa atcagcctgg catgggtgt gatgcctgta gtcccagcta	2400
	cttgggaggc tgaggcagga gaattgctt aacatggag gccagatctc agtgagctga	2460
25	gatcacacca ctgcactcca actgggcgac agagcaagac tccatctcaa aaaaaaaaaa	2520
	aaataaaagt tagttggaat gttcttctct ttctcatatt ctctcatctt cctgtccccct	2580
	tgtagataag tcaaaaacct gctatgaggg gaatggtcac ttttaccgag gaaaggccag	2640
	cactgacacc atggggccggc cctgcctgcc ctggactct gccactgtcc ttcagcaaac	2700
	gtaccatgcc cacagatctg atgctttca gctggcctg gggaaacata attactgcag	2760
30	gtgaggtggg ggcaacaagg accaaaaagcc ctccctacag ctccccagaa accttggta	2820
	catcccccttc tcccagaggc ctggccatag cacaagagaa gtgcggcctc tggttgagtc	2880
	ttccctgagg ggaggaggca gggaaaggccc tctgggttgg aatgacatcc cctattttc	2940
	tgtttgtgc caggaaccca gacaacccga ggcgaccctg gtgtatgtg caggtggcc	3000
	taaagccgt tggccaagag tgcattggc atgactgcgc agatggtag catcaactgac	3060
35	ctgctgatga caggtgggtg gaagggaca aacttacatg tcccttatt ccatcacagg	3120
	aggactgagg aggtgggggg tgcccgagag ggatgcttgc tcctacactgc ctccctaaga	3180

	catccctctg tttgtcctcc agaaaaaaag ccctcctc tc cagaaga attaaaattt	3240
	cagtgtggcc aaaagactct gaggccccgc tttaagatta ttgggggaga attcaccacc	3300
	atcgagaacc agccctggtt tgccgcac tacaggaggc accggggggg ctctgtcacc	3360
	tacgtgtgtg gaggcagcct catgagccct tgctgggtga tcagcgccac acactgcttc	3420
5	atgtacggcc ctgggtttct cctcttcgac tcttcgtccc caccccaagc acatccctt	3480
	ctccctccca gcaaagtgtt ccgcctcatt tctccctcat ctgccccgt ccatgcgcc	3540
	atggccttgg ggacaagtgc tgcttgagg cctctaggga gggaaaggaa aagtggcatg	3600
	atttcatggg actaagctgt ttgatgggtt tcttcattcca cagtattac ccaaagaagg	3660
	aggactacat cgtctacctg ggtcgctcaa ggcttaactc caacacgcaa ggggagatga	3720
10	agtttgaggt gaaaaacctc atcctacaca aggactacag cgctgacacg cttgctcacc	3780
	acaacgacat tggtgagggg gaacgccccgc gactactgtg gccataatgg cttggggaga	3840
	gtgggaccca gggagagact ggagctgagt tgaagctgcc ggtggggcag ggggtggggcg	3900
	aggacacctg aagcctcgat atacatgaca aaggatggca gggaaagagtt ccatgaagtc	3960
	tgaggggcct ggtgctcctc tggagagacc ctgaattcc ccaacaagta gcccctttgc	4020
15	gagttggaaac agccctgtgg gtatatggct tgggtggga aggccctgtt tatataattt	4080
	agaaaaagac acaccccttc tttgtggatg cagcctctgt ctgtgtctagg atatagaact	4140
	tggagaatgg agccttggga tggattccag cctaactacc tcagggggat cctcttaggt	4200
	gcagctggga gtttttgcag aaacgacactg tacagctgtt tgcagttggct ctggccatcc	4260
	aagccctttt caacacctgg aacaaagccc ttggggcatg gggcagggga ggtttccagg	4320
20	tgataagcga ccagcagacc tccctggatg actgacctag ggataggcat agctacttcc	4380
	tcggcacttg gaggggacag atggggaccg cctaaccagt agtgcattt ctcctctgac	4440
	cctctgtcct ccccccgcct tgctgaagat ccgttccaag gagggcaggt gtgcgcagcc	4500
	atcccgact atacagacca tctgcctgcc ctcgatgtat aacgatcccc agtttggcac	4560
	aagctgtgag atcactggct ttggaaaaga gaattcttagt aagtgcataat tgcgactgac	4620
25	ttagaaggtc ctgaggagtg ttttgacctg aaaatgagcc cagtgtgatc aaggaaagac	4680
	tgcagagtttta gaggtggag cactgaggcg gtggcagatg ggtccaggaa tggatgaaga	4740
	gtgttgttta gggagcgatg ggctgcaaag gtaaatagat ggtaggggct ataggtggag	4800
	gtaaatggct cagatttgc tggagagaga ataatggcc tctccctggg tgatgataact	4860
	ttatgggttc ccctctctgg cgagacgtcc cacgtggagg cagataaattt ttgatgcaaa	4920
30	cgcctccctg ttttctccac ctggccact atctctatcc ggagcagctg aaaatgactg	4980
	ttgtgaagct gatccac ccggagatgtc agcagccca ctactacggc tctgaagtca	5040
	ccaccaaaat gctgtgtgt gctgaccac agtggaaaac agattcctgc caggtgagtg	5100
	ttccaaagcat ctctctccac ctctccata tctccctaga gtcctgggc ttgttccagc	5160
	cagcttaagg gtgtctctct ctagccaaag ccctaagtag ccagaatcag gagctcaggt	5220
35	ctttgagggt ttaaaccagt ctttatgtgt ttggccagaca ttacaaaaaa aatcccagct	5280
	ctgcgctagt cacttcagac tggggggcagc agatcctaga aagaggaaac agtaaaagac	5340

	aatgttaactc agtgcggcagg gtgtgttg aactataat gatcagggtgt tcaggagagg	5400
	gaggtgagtg ccaacctgag ggtcaggggag gggaggcttt aaaggaaatg tgacttgata	5460
	ggcatttgaa gagggcagagg gaagaaagga aggtgttca gttgaaagat acaaaaactga	5520
	gaaggaggct ggcattttcc ggggtggggag gagaactagg gtctgggagt gtggatggaa	5580
5	tagtggcaga tgacagggtct tttaaagcca agcaggggat tttccaaactt cgatgtggta	5640
	gaaatggggc tgcgtcaggc acagtggctc atgcctgtaa tcccaaggcatt gggctaggcc	5700
	gtagtcgtatg gatcatttag gcccaggatg agaccggcct ggaccaacat ggtgaaacc	5760
	tgtgtctact aaaaaatgca aaaaaaaaaa tttagccaggt gtggtgggtc ctgcctgtaa	5820
	tcccaaggctaa tcaggaggct gagacatgga atcgcttgag cacaggaggc aagtttgacg	5880
10	tgagctgaga tcacgtcatt gcacgccagc ctggcgaca gagcgagatt ctgtcctccc	5940
	gccgaaaaaaaaaa gaaagaaaaat gggaaagtcgc taaggacttt gactggaaa ctcttcctcc	6000
	tctctggtat ggttgggtga tgggatcaga aatccctcc tcacttctct agggctcattc	6060
	ttttgtatct ttggcgtcac agggagactc agggggaccc ctctgtgtt ccctccaagg	6120
	ccgcattact ttgactggaa ttgtgagctg gggccgtgaa tgtgcctga aggacaagcc	6180
15	aggcgtctac acgagagtct cacacttctt accctggatc cgcagtcaca ccaaggaaga	6240
	gaatggcctg gcccctgtgg ggtccccagg gaggaaacgg gcaccacccg ctttcttgct	6300
	ggttgtcatt ttgcgttag agtcatctcc atcagctgtt agaagagact gggaaagatag	6360
	gctctgcaca gatggatttg cctgtgccac ccaccagggt gaacgacaat agctttaccc	6420
	tcaggcatag gcctgggtgc tggctgcca gaccctctg gccaggatgg aggggtggc	6480
20	ctgactcaac atgttactga ccagcaactt gtcttttctt ggactgaagc ctgcaggagt	6540
	taaaaaaggc agggcatctc ctgtgcattgg gtgaaggggag agccagctcc cccgacggtg	6600
	ggcattttgtg aggccccatgg ttgagaaatg aataatttcc caatttagaa gtgtaacagc	6660
	tgaggtctct tgagggagct tagccaatgt gggagcagcg gtttggggag cagagacact	6720
	aacgacttca gggcagggtct ctgatattcc atgaatgtat cagggaaatat atatgtgtt	6780
25	gtatgtttgc acacttgtgt gtggcgtgt agtgtaaatgt tgtagtaagag ctgggtgtctg	6840
	attgttaagt ctaaatatattt ctttttttttctgtgtt gatgccacac agagtggct	6900
	ttctggagag gttataggtc actcctgggg cctctgggt cccccacgtt acagtgcctg	6960
	ggaatgtact tattctgcag catgacctgt gaccagcaact gtctcgtttt cactttcaca	7020
	tagatgtccc tttcttggcc agttatccct tccttttagc ctgttcatc caatcctcac	7080
30	tgggtgggtt gaggaccact ctttacactg aatatttata tttcacttatttttattata	7140
	ttttttaat tttaaataaa agtgtcaat aaaatgtgtat ttttctgtatg acaaatactcc	7200
	ctgggtcttgc tatggaaagg agttggagta cataaaaagg agaaaataac aaaggtgg	7258

35 <210> 56

<211> 852

<212> DNA

<213> Homo Sapiens

<400> 56

5	cagctgcgct ggaggctgag gccgattgct tgagcccagg atttgaggc cagcatcgcc aacataatga gaccagtct ctaaatgcat gcctctctat atattaaaat tctgatgtga aaatattta aaatttaata catttcaaat gttttaatt gtataataaa caaatgtaa ataataaaat aatttaatat taaattcaaa aatgaggtag aaacaaagca cagcgatata aataataaaat ttcctttac attttgagg cggtctttg agtttggat ttccttctta	60 120 180 240 300
10	ggtcactgaa atgtgctct tggagccagc ccgcaaatca cgcatattaga aaaacataaac tatacactcc taaccctaag tattagaagt gaaagtaatg gaatctcgat gtaaacacaa tatcacttt ttgttagagct attttgagta taataaaattt gaactgtgcc aatgctggga gaaaaaaattt aaaagaagaa cggagcgaac agtagcttcc tcgtccgctg actagaaaaca gtaggacgac actctcccgta ctggaggaga gcgcttgcgc tcgcactcag ttggcgccccg	360 420 480 540 600
15	ccctcctgct ttttccttag ccgcctttc ctctttctt cgcgctctag ccacccggga aggcactgcg gtagctggc tctgattggc tgctttgaaa gtctacggc taccggattt gtgaatccgg ggcccttttag cgccgtgagt ttgaaactgc tcgcacttgg cttaaaagct ggctcttggaa aattgagcgg agagcgacgc ggttgttgta gctcgctgcg gccggccgg aataataaaqc cq	660 720 780 840 852

20

<210> 57

<211> 2501

<212> DNA

<213> Homo Sapiens

25

<400> 57

	tcttgtca ctcatgcactg tggccgtat gctaaatagt ttgagaaacc caaatggcc	60
	atgttcgcct acatttcatt gtcctgtact tcctgtcctg tactagcaaa gcagtcggcat	120
30	tggtctttct tctcctcatt aacaataaaag gtaacacttt tgatgtgtt tcttcagaaa	180
	accttcattc atcaaaaactg cctcaaagat catgtttgtt tgattccaga acttcctgtat	240
	attacctgtt attgtaaacac tcatacactgt atttactta cttgtgtAAC taattttcca	300
	tattctgcac tagacaacaa agtcctttaa gtcaggtact atatctattt acataggatt	360
	cacatctcct acaataaggg acatttagcag ataaacaaca catattaaat gaataatgaa	420
35	gtttctgaaa tactacagtt gaaaactata ggagctacat tatatagaat aaacatttac	480
	tttgctatacg aattcagtgt aaccaggca ttatTTTATC ctcaagtctt aggtgggttg	540

	gagaaaagata acaaaaaagaa acatgattgt gcagaaaacag acaaaccctt ttggaaagca	600
	tttggaaaatg gcattcccccc tccacagtgt gttcacagtg tgggc当地 cactgctctg	660
	tcgtactttc tgaaaatgaa gaactgttac accaagggtga attatttata aattatgtac	720
	ttggccc当地 gagaa gccaacagac ttttactatc ataagaaccc ttcccttggtg ctctttatct	780
5	acagaatcca agaccttca agaaaggctt tggattctt tcttcaggac actaggacat	840
	aaagccaccc ttttatgatt tggtaaaatt tctcaactcca tccctttgc tagtgc当地 cat	900
	gggtccctcag aggtcagact tgggtgc当地 ggataaaagag catgaagcaa cagtgccgtga	960
	accagagttg gaacccagat gctcttcca ctaagcatac aactttccat tagataaacac	1020
10	ctccctccca ccccaaccaa gcagctccag tgcaccactt tctggagcat aaacataccat	1080
	taactttaca acttgagtgg cttgaatac tggatgtgc tggatgtgc tggatgtgc	1140
	catcttc当地 tattgaagcc ctccttattcc tcaatgc当地 gctccaactg ccttggaaag	1200
	attctgctct tatgc当地 cta ctggaaattaa tggatgtgc ccacttgc当地 attctgctat	1260
	atagtccatc cttacattgc ttcttc当地 tggatgtgc aactctt当地 ggacaagttac	1320
15	ctagtc当地 ctatccatc atccccaca ttactcagaa agttactcca taaatgtttt	1380
	tggaaactgat ttctatgtga agcacatgtg ccccttcaact ctgttaacat gcattagaaa	1440
	actaaatctt ttggaaaagtt gtagtgc当地 ccctaagagc agtaacagtt cctagaaaact	1500
	ctctaaaatg cttagaaaaaa gatttatccc aaattacccccc cccaaataaaa tgatggctg	1560
	gcttatctc accatcatga tagcatctgt aattaactga aaaaaaataaa ttatgccatt	1620
	aaaagaaaaat catccatgat ctgttctaa cacctgccc当地 tctagacta tatctgtcac	1680
20	atggtactat gataaagttt tctagaaata aaaaagcata caattgataa ttcacccaaat	1740
	tgtggagctt cagtttttta aatgtatatt aaaattaaat tattttaaag atcaagaaa	1800
	actttcgatca tactccgtat ttgataagga acaaataggg agtgc当地 tgc当地 ctc当地	1860
	ccctgagggg atggcccatc agttgcaat cgtggaaattt cctctgacat aatggaaaaga	1920
	tgagggtgca taagttcttctt agtaggggtga tgatataaaa agccaccggaa gcactccata	1980
	aggcacaacac ttccagagac agcagagcac acaagcttctt aggacaagag ccaggaagaa	2040
	accaccggaa ggaaccatct cactgtgtgtt aaacatgact tccaaactgg ccgtggctt	2100
	cttggcagcc ttctgtatcc ctgc当地 ctgc当地 gtgtgaaggt aagcacatct ttctgacacta	2160
	cagcgttttccatgtctaa atgtgatctt tagatagcaa agctattttt gatgtttgg	2220
	taacaaacat ctttttattt cagaaacaga atataatctt agcagtc当地 taatgttaaa	2280
25	ttgaagattt agaaaaaaact atatataaca ctttaggaaag tataaagttt gatcaatata	2340
	gatatttctgc ttttataattt tataaccatgt agcatgc当地 tatttaacgt aaataagttaa	2400
	tttatagtat gtc当地 ttttgc当地 gaaccacggt taccttatattt atgttataat attggatgtga	2460
	gcaaggtaac tcagacaattt ccactccttgc tagtatttca t	2501
30		
35	<210> 58	
	<211> 2501	

<212> DNA

<213> Homo Sapiens

<400> 58

5

	gcaactgaag gggtaatag tggacttgg ctgggtgtct gttaaacttt tttccctggc	1920
	tctccctgg gttccccctt gaagggattt ccctccgcct ctgcaacaag accctttata	1980
	aacacagac ttcttatttc actcccggt atctgcacatcg ggctctactg gcttcaggag	2040
	ctgaataccccc tcccaggcac acacaggtgg gacacaaata agggtttgg aaccactatt	2100
5	ttctcatcac gacagcaact taaaatgcct gggaaatgg tcgtgatcct tggagcctca	2160
	aatatacttt ggataatgtt tgcaatgtt aagttatttc cttcatctg tttcaaattgt	2220
	tagcattcaa ttttagccct ggtttggct tcagtcagtt ttgcgatagt agtgaagtaa	2280
	agacactagg attttaaaca gtaggaaaag ttaatttagt ctaactttta atatgcaatt	2340
	gagtttgct atataccatt gtactgtcat agttagagct gaaaattgat gttttggta	2400
10	tcttttttc caaaggcaat tgagtaattt ggattctgtc tctagtcggc ctgtctttt	2460
	agtttcctat acttgacaat gaggtcaaac ttagcaaata a	2501

<210> 59

<211> 2501

15 <212> DNA

<213> Homo Sapiens

<400> 59

20	ataaaaaaaag acatgaaatg aatcgggaa aatatttgc acataactaa gaatgaaggc	60
	ccttaataaaa atctgtaaaa ctatacacac ttttaggaat gaatcaacaa ataatttcta	120
	tgaatttagaa aaaagtgaca atccaactaa aaaatgaata agggatataa gcaatgttt	180
	tcacagaaaa aataaaaaatt gacaatgaag ttatgaaaaa atgttcagtc tccttagtaa	240
	ttgcacaaaa caaactaaaa caatgagaca ttaccctaa gattagtaaa tgttaaagaa	300
25	aaataataat tggtgagggt gtggggaaagt gggactttac acctatgttt ggaaatataa	360
	attggtgcaa ctttataggg agagcaatct cacaacattt tccaaagact tacatgcaca	420
	accctatggc agagaaattt attccttttc caggattttt ttcccttcaa aaacagtgtat	480
	gtggatgaaa aacacatgtt cactactgca cagggataaa cagctgaaaa ctggaaacgaa	540
	taatactcac attcccttca gtagggaaat ggttaaataa attttacaag ccatctggta	600
30	gataccaggc atgagctaaa agttagggtc cagtttagaga tgaaaaggcac accagtaatt	660
	tgaaaggaa aatgtaatat gaagaattat taacttagaa aagaaggcta actgctaaag	720
	gtacaagagc actcaagctg tctgcagtc gcaggccccg gctggtgagc aggaagctgc	780
	ccgctggag gctgccaaag ttccctgaag gtgagcacca ctgggtctac aagctgctgg	840
	cagtcatggc gttaaagagca ggaagagaag caccagaacc cggaagagaa atccagtcc	900
35	ctgcttaggcc ttgcaccgtc cctctggcgc cctctactga caaagccagt aaaattgtgc	960
	cgctagcaaa ggagatcttt ttatggatg tagctggtg tcaccaaaga gaacagagtg	1020

	gacttggagc tcagatgcaa cacaatgatt gatactggca cagtatactt accctgctt	1080
	tgttaacaaa atggtatatg ttagtgtctt ctgttatataa aacaatattt	1140
	gtttctactt attatgtatt tatgtcttta ctctgcattc caggagctaa gtattttgc	1200
	tgttataact cattttgttc tcataataac cttcacatgc aggaatcatt atagctactt	1260
5	tatgaatgag ccgaggaagg cactgagacg ttaagtaact tgcccaaggcacgcagcta	1320
	gttaagtggca gagcaagaat tactatggct ttataaggct aggaaaaagt ctgaaagaat	1380
	caaaatgtta acagcgggaa cctcaaggaa gcattgaaga ggccatggaa gaagtttca	1440
	ctttgttaaa aaatcagtcc ttcaaataaa taaatacagt gaggcttccc cagaaggcaga	1500
	tgtcactatg cttcctgtac agcctgttga actgtgagcc agttaaacct ctttttttta	1560
10	taaattatcc agtcttaggt atttctttt aacagtgcata ggatgagctg atacagtttcc	1620
	ctacactgta acctaaggca atgccttgca caaaggatg agccagattt cttagtaatt	1680
	aaaacgc当地 tacaaaccac aagcatatcc attcatgaat tggggggctg ctttgtgtc	1740
	atagataagg tatattttttt aaaaaaatta ttttccaag aagaaaataa accagttaat	1800
	aaacgc当地 acacagtgc当地 aggaagttagtgc当地 aaacaagtgt gtgataaaacg gtggagaatg	1860
15	ggagcactct ccgcagtgccc cgggaggaga cgaggaggc gttccctggg gatggcagtt	1920
	ggttggagca aagggttggca ggaggtaagt catgtgtctt gagtttttgg ttctgtttc	1980
	accttgttgc tgagctggc tgaaggctgg ttgttcagac tgagcttccgcctgc	2040
	acccc当地 cagttcaga agaaggtagc tggggctgc ctgagggata ccagtggca	2100
	agagaattttag catttcttgg gcatctgtcg tctgtgagat taaggactat gtatattgt	2160
20	ttatttactc cccacagcaa ctttaccaag cagttttt ccacgtaaa agatggaggc	2220
	tgggtggagc aaaaggaggt atttagagtc ctcagcaagt gagaggcaga gctgggattt	2280
	gaatccagat ctgcctgata ctgaagtcta ggctggttcc acctctccgg actgctttcc	2340
	aggagtaga agacagatatttttacccat ctggctgtttt cttagaagtctt gaccctgt	2400
	gctcaaaacg acttttagttc cttgccaga ggctgcgggc tgcgggtcaa gacatcagta	2460
25	gaaggaggc ccagccagag aggctgacat gggcttctac t	2501

<210> 60

<211> 2501

<212> DNA

30 <213> Homo Sapiens

<400> 60

	cggcaggaa taatcactgc ctccccatccc cttaaacatg ccaagatgctt atccctag	60
35	gatgaggtga cttactccag gtaactccta ttgcctaacc actgaccaat tactctgccc	120
	tttagtctttt atgtcattaa atctgcatttta agaatttcat ggaataggcc cgccatggtg	180

	gctcatgcct gtaatcccag caccttggga gaccgagggtg ggaggatcac ttgaggtca	240	
	cagttcgaga ccagcctgga caacatggcg aaacccatc tctactaaaa acacaaaata	300	
	actagccagg tgtggtggtg ggcacctgta atccagcta tttgggaagc tgaggcagca	360	
	ggagaatcgc ttgaactggg gaggcagagg ttgcagttag tcgagatcgt gccagtgcac	420	
5	tccagcctgg gcgacagagc gagactctgt ctcaaaaaaa aaaaaaaaaa aaactcaggg	480	
	aatggatagc agcattgtat aatattgcgt ctggagagat cagatcactt gtcacttgtt	540	
	tccaggcaca gggcttacca agaggcagat tccagattta aataattctg taacagcaaa	600	
	gtccaagcta ttttcaactgc tttggagaaa agacccagac ccagagcttg aacctcactt	660	
	tgca	caccc cagttcta at ctttaagtt ttttttttt ttttttttt tttctgctgg	720
10	gcacgggtgt tcatgcctat aatcccagca ctttggaaag ccgaggggaa aggatcgctt	780	
	gaggccagga gttcgaaacc agtctggca acatggcaaa accccatctc tacaaaaat	840	
	acaaaaaatta ggcgcagatgt gtggcgca cctgtatgc cagctacgtg agaggcggag	900	
	gtgggagaat cgcttgaacc cgggaggcag aggttcaat gagctcagat cccgcactg	960	
	cactccaggt tggcgacag agcgataccc tttgtgaaac ttttttttt ttctccaacg	1020	
15	ggctttccag agaagtgtgt gtatgtgcgt gtgtgtgcgc gagcgtgcgtt gcttggcgtt	1080	
	aaactttctg tcgggccaca ctttcccaag tctttgcact ggctgttaggg tgggctttat	1140	
	cctcgggacg tccctctccc caagtccagc ctgcagctgg aagtcttcac tcatctccat	1200	
	ctctcctccc tcatctccgt ctctcctccc tgccgcctc aggactggga ggccgatctc	1260	
	tctctctgc ctcctccacc accagccccc tccagatgtatgtctccaa agacccccc	1320	
20	gtgcagagga tcatgtatga agatcctca gccagccccgg tggaaagtt tcgtgcctca	1380	
	caaaagcggag ggaaaggaa gggaaatggggaa gggttagggaa aaatgttagag ctgagaggct	1440	
	ggggcgccgac gagtctggac accggggcggg gaccaagct ctctccgcctc agccaataaac	1500	
	tgtgcctccc ttaggaaggc gtgaggaaat gctccatca atccctgcac tcctcccttg	1560	
	gaatttggc tttttttttt tattttactgc aaaccccaatacccccag gggtttcccc	1620	
25	agtgtttgcc tccagcggtc ccgggtgcctt tttacttagtgc tgcgtccctc tcttccgeaa	1680	
	gactcgctc cagtcctccgc ctccctctcc gcgggtgcct cccaaaccgt tctatcattc	1740	
	tccgggttcag ggaggcggaa tcgtgcctgc tctccgggttc cttaagagg cgtcggtcc	1800	
	accctctca gagtcgcggcgt ctgacgcggat atgacagcaa cgatgtcggtt atgtctatgc	1860	
	aaataagcgc cctttgtgg gccaatgggg agcggagggtg ccggaaaccac ggaccaatgg	1920	
30	ggcgccggcg ctggggctca ccatataagg agcggctcg ccataaaaagg aaacattgtatgt	1980	
	tctctttata tggggggaaat ggtcgccggaa tccctccgc cccagcgcgt ggtcccgcc	2040	
	ccctccaccc gccgtctcgcc cccggccag cagccctgc ccccccgggg acgctgacgg	2100	
	ccggccggcg cccgcctca gcagacggac agggggcgct ggcgcggcc tggggcaacc	2160	
	cgccggccacag gggcaggaaa gtgaggccc aggtcgccccc gggcgtgcag gggcccccggg	2220	
35	ttcgacggc cggccgcggc agcgatacgca gcaactacgtc cagcggagggttgc	2280	
	gcgggaaagc cgatggcgcc ggtcgccggc gtcgcatttc ctcgcgtact gcccgtccgc	2340	

cctcctgcat cgagcgccat gttaccgacc caagctgggg ccgcggcggc tctggccgg 2400
ggctcgcccc tggggggcag cctgaacgg accccogacgg ggccggccggg cggcggcggc 2460
. gggacacgca gggctaacgg gggccgggtc cccgggaatg g 2501

5 <210> 61
<211> 2501
<212> DNA
<213> Homo Sapiens

10 <400> 61

ggaaccctct gatagagagg gctgactgta tttattgaaa acaaaacaaa acaaaacaag 60
ggttgtattt gtggacccat gcagctcaa cccttgttgc tcccaggtca actgtatatc 120
cagagcttat aggaaaatac ctctccagt aaccctgctc accatttctc tcttaagcta 180
15 ttattatgt tagccacggt ttgctattt aatttaaatt taaaataaaaaa tgtggcctt 240
cagttatgtc agccacattt aaagtgcctca atagccatat gtggctaatg gttactattt 300
cgacacgac atattttagaa cattccatc atttcagaaa ttttcattgg gaacactctg 360
cgaaaaaagg gggccatcat aatgtgagtc catcttctgg aaaaatctg ggaaggggac 420
aaaggaggtc tgtttggcat tgtgtatgg taatttggta ttaattttc aaaaatgttt 480
20 acccaattcc tattcatca gccagggttgg tggctcttgc ctgtatccc agcactctgg 540
gaggccgagg tgggaggact gctgcagccc aggagttga gaccagcctg ggtaataata 600
gggagatcct gtttctacaa aacaccaaaa acaaaacaac aactttgtatgttggagtc 660
aggacagtcc tgggttaaaa cctttgtct ctttagctgt gtaaaccgtg ggtctcagct 720
ttcttatctg ttaacggtag gtacttcttc cttagggctgt tttgaggatt aagtgaaagt 780
25 ccaagattgt gtctggcaca cagtagcttc tcagcaatg tttccctct atgtcaggga 840
atggctcctt tatcccgttt tggcccatg ggtggccctg aagggtgggt gctcagggtgt 900
taagttctgt agatggcata tccttggaa aagcaaggca attaaaaaca gtgagaggtt 960
gctctggta agttttctcc tataacttcc cccatgggtc aattgggttag aatctgcac 1020
tttcctaata cttactgtatg gtgtggcat tcggaaagcac aatagctgaa gccggagctc 1080
30 tgagtggaga gaaaggcttg tttctcaggc ccaaaaagag gttacacacc catggctgtc 1140
cagtttggtg gtgcaggccc taaaatcaga ccaaaactgga tttaaatccc caaacctata 1200
ctctaagcta tttgacccctt ggctagatac ttccatctc tggcctttagt aagttaggaat 1260
aataataata ccgtctagggt tgtaggagt attaaatgag gtaaagcact gaaaacgttt 1320
aggactgtg taaaatcatt aaataaataa aaacggggat gaccttatcg gtttgacaca 1380
35 ggggattaaaa tgagataata tatgaagaca agtacacggc aaatgcttaa ttaatgttgc 1440
ttatTTTtat gtctgcaaac tgacttaaag gggaggcctt taagaaagac agtggggcaa 1500

	tttgcgcgtt gatgcattgt aggagaaaaat gtgcaggggg cccgttggga ccagagttca	1560
	accaggttaag cgccagaaaa ccacaaatac ctccaggcgt tcctggggca gcgccgcctc	1620
	cccaaatac cgcaaaaactt ggtttgctaa gaatttgttag ctcttctaaa ggaggcgctt	1680
	cacgcacatctc agtctgtgaa atgggaccga ggaccaggat agaggtgcgt tctcggcctg	1740
5	gggaccgagt attttgtcg ctccggtaac gcaggaagac aggccactg acactctaga	1800
	gaccagcggg caccgcctgg aggccgccttc accacttggc ggttccgggt ccgcgcggca	1860
	ccgcgcaca agactcacgc ccgaaccacg tgatcaggcgt cgtggctccg ccccgcctcc	1920
	gcccgcgcg ccgcgttccgg tagggggcga aagcggaaat gtggggagggt ctgcggggcgt	1980
	ggctcaggag gtccgcggga ggatggagca gtgagcgggt ctggcggct gctggcagcgt	2040
10	ccatggagac ggtacagctg aggaacccgc cgcgcgggt agggggccact ggctaagagg	2100
	acgggcattgg ggtcaggggga agaaaaggcg ggaactggtt gaggggatac acctgtgtgg	2160
	gagtcggccgg agctaaagcga cccagccat ggggcacctg ctgagtgtgg ggggggacgt	2220
	ctgggtgggt aggggtccggc tgaggggagc atctgctaag gaggttagac ttgggaccgg	2280
	ttagagggag cactcgctgt ggtgagactg tgctgaggaa cgtggggaca agttagggag	2340
15	agtacactgt gaggccgggc cactcggggg aacgcatacc aagcaggac tcacgggatgt	2400
	gggggcgaat gctgaagcag ggtgagaatc tgtgaggat ctcttaagg ggggtggatcg	2460
	agaactggcc aagaggaagg ccgggtggac tttctaagggt t	2501

<210> 62

20 <211> 2501

<212> DNA

<213> Homo Sapiens

<400> 62

25

	gcatggtggc tcacgcctgt aatcccagca ttttggagg ccaaggcagg cagatcaca	60
	ggtcaggaga tcgagaccat cctggcgaac acggtaaac cccgtctcta ctaaaaatac	120
	aaaaaaattag ccgggcattgg tggcggcgc ctagatccc agctactcgg gaggctgagg	180
	caggagaatg gcgtgagccc aggaggcaga gcttgcgggt agctgagatg atcggccac	240
30	tgtactccag cctggcaac agagtggggc tccgtctcaa aaaaaaaaaa aattactaca	300
	tgatactaag taatgcggaa ggtgactcaa agggggaaag gaacacagca gtgtaaaggaa	360
	aggaggttgt agatggatct agaatttccc cctcatttcc atcaggtgaa agcctgagaa	420
	aactgcaatc tttgtgcagg ctgggtttgc tttgtacaca ctgggtccct agtgttcatc	480
	tccaataatg ctgacaactc tgaaaaccat ctgtagacat tctgcaggat ccatctcagg	540
35	aacaatggct atttttcgg gtagttgaag caaaattaag tccaatgata agcaaataata	600
	accattatca aaatcttcca tttatgtttt ttaaagcaac ctaagtatga tctgagaagg	660

	actctgtatt ctatatttga gtccttggtgg atgaactgta acctagctta ataggcagac	720
	aagattgaaa acctaatttta ggagtatgt cctttaacaa tagctgagtc ttggccaatc	780
	ccagtgccca tacttcaacc attcatacac tgctgagtgt tcaaactgtg ttcaaagaag	840
	gcaaaagcca acctgttaacc aatccagttt tttcttgcc ttacctccaa tttctgtatg	900
5	tcacttccct tttttgtct ataaatatgt tctgaccatg aggcattccc ggagtctctg	960
	aatccgctgt gattctggaa gctgcccatt tcgcaatca ttcattactc aattaaactg	1020
	cattaaattt aattctgctg aagttttctt ttaacaggtt tagaaaaaaat aatggcaaaa	1080
	atgaatgaaa atccaataaac cctggaagca gaaaaggctg ggggctccaa taagtgtaaa	1140
	tagtcccatc cctatatttt ctccatggca attacaatcc agcacattat atatatattt	1200
10	ttttgcttct cgcattttgg cttagggtaa agcttttaa aacaggcact gccaaccagt	1260
	gttatcaaga aggtctggat gccgttttgt gggacattt taaagaggaa tgtccaaaag	1320
	gaaaaggggg atgggttggg agaagggtat caggcgggta tctcaaaacc attcttaggg	1380
	ctatacggtt aatttatttg gttgtggacg tcagacgggt catggtaaga aggaagcaaa	1440
	gcctttgtta ataattaaag cttcagaag cagcgtgccc cattgcccac tagtgcgccc	1500
15	tgaagtctgg tggcaccta cagggccct ctcagcactg cccaggcctc ccgagtgtc	1560
	cagcacagta gcttggagct tgggttttg gtgaccaaga tacactccag ggaatatgcc	1620
	atgcagtggc gtctttccc cggcactgca tagcaaaagg aaaggccgc tgggtgtctg	1680
	tgggtctgg gcagtcacag aagccaccgc gctgggggg aggagggggc cccatgcgg	1740
	ccatgtcccc ggcagccca ctttctctgc ctgcgaaggg cccttgcgc gcgggaggag	1800
20	agagggcgcgc cccacccggg ctcctctaca cctggccccc cctggggcga ttccgcgggc	1860
	ctcgcccgcc gttcagccg attccccc agctccggc tcatgggcgc ggtcagcagg	1920
	gcgggcccagg gcggcggggc gcgcacactgg gaggaagtgc gggccgcctg cccggcgcg	1980
	ttaaggaagt tgccaaat gaggaagagc cgcggccccc gcggctgagg ccacccggc	2040
	ggcggctgga gagcgaggag gagcgggtgg ccccgccctg cgcccccct cgcctcacct	2100
25	ggcgcaggta ggtgtggccc cgtccctac cggccggga ctttctggta aggagaggag	2160
	gttacgggaa acgacgcgct gcttcatgc ctttcttgt tctacattca tcggccgagg	2220
	taaaagtgt gaaaccatgt gaataaaaata caggtgggtt cgcgcagtt cgctctgaa	2280
	cctacccgcg ctcggatcc agaagctgcg cgggagaga ggggctcagg cctggccgga	2340
	ggggacggag gtcagaccgt gcggaaagtgc acccgccac cccaggcgcg ccaggcccc	2400
30	agggagcgcg gaaagtgcgg tcgcggcccg gccctcggtt gacgcggat tggatcagg	2460
	cacagcgcga ggaagtcgat cttggagctttaa gaacattttc c	2501

<210> 63

<211> 2501

35 <212> DNA

<213> Homo Sapiens

<400> 63

	ccaaaagat acaaagggt ataaggtaa aaattattct aaccatccc tcagtacct	60
5	agttcccttc ctctgaggta accaatttct tggtatctt tcctgagata atctatacat	120
	atagcaccat atacaagcaa atgaaatatg ttttattttt tttttgaga ctgggtctca	180
	ctctatcccc caggctggag tgcaagtgaca ccatttggc tctccgcaac ctctgcctcc	240
	tgggctcagg tgatccccc accttaacct ccagagtagc tggactaca cgctcacacc	300
	accacaccca cctaattttt gttttttgt agagacgggg tticaccatg ttgcccaggc	360
10	tggctctaaa ctcctgagtt caagtgatct gcccacctcg gcctccaaa gtgctgagat	420
	tacaggcgtg agcctccacg cccggccca aaatctgttt taaaagcaga catttcttgg	480
	tgattctaat aaaggggggtt ctcagacata tttggaaaaa tatatcccta cttttatgcc	540
	agaccctgtg ctgggtcccc gggctgtgtg acctgacact gcacagtccct gcttagaaatg	600
	cttaaagaga gttataagg taccacccctc tatgccatag gccccggagca aaggggctcc	660
15	agtggccct gccttaggagg cctgaagcta gagctgctga gggcagggt gtgctgaaaa	720
	gaaaatgtct gagagctgca ggcgtttcat cttctgtcat cagctgtggc acctggcaga	780
	cactggatag gctttagac aaagacctgg taactcaagg agctgcttgg ctttcctgcc	840
	cagccccatc ccagaggcac tgtacatctc tggttcttc agggggccct gtgtgaaagt	900
	atctttgtc ttccctgggt cagggatatc atcactgccc tgggtcttag gcgagccccc	960
20	cgccccagtct ccttaggatgg ggagagtaat gttcccgagc agaacagggt ggggctttca	1020
	gactactccc tttccctttac agctggcttc attccatcgca cctcatcaaa gccttcctgg	1080
	gagcaccccta gagaagagtt acgtccagggc cggccctgg ctgcctgggt cacggcgaa	1140
	tccccagcac cacgcctcgac acgtcgggt caaacatgt ttatgtaaagg agtaggtacc	1200
	tactgctaga tggagccatc tctctagact tgggtttcc ctataacgtat ggctatgtt	1260
25	ggcatggaaag cctttttaga agtcaatagt aggaaataag ggctaacagc acctaattgt	1320
	ggagtaaggt tcaaattctta gctctgccac ttaaccgttc cgaacctgtt ccctcactgc	1380
	agaggcgaaa aggctaacac tatttcacct cggagggtta ccgtggagaa tggagctgg	1440
	acaagctgtt tcaatgttactt acacacacaa gcgcacccacc cccacccac	1500
	cccacccacat gaatgaacac acacacccgc gcgcgcacat acacctcagg aatgaacaca	1560
30	cgccgtaca cacacacgcac gccccccca ggagtgaaca cacacacaca cgcggcgatc	1620
	tgttgttccc aggaacacac acagagacgc acacactcgcc cgggtttgt tttttccagg	1680
	ctttttactt ggggttttc actcggttta gggcaccgtt gcctgaaaga cttttctagg	1740
	ccagtcgggg tccggcaccc agttgacgag acagcggcgc gctttcagag ctggggagag	1800
	gcgaaaactc ttccggcccc ccgttccccc ggccagccgc cccggcagc tcttgcgc	1860
35	ctcccgccct gggccggccc agccgttctc ggcctggcgt caggcgatct cggccggccag	1920
	cccagccgcg atgtgacgccc gcgcgcggc gggcctcgg cgcctgcgc ctttcctata	1980

aagcagacgc	cgcgcgcgc	tgcgacgctg	tagtggcttc	gtcttcggtt	tttctttcc	2040	
ttcgctaacg	cctcccggt	ctcgtagcc	tcccgcggc	cgttcctta	acaccgaaca	2100	
ccgtgagtag	ccgcccactg	aactggaaag	ggtcgtggct	accggattgc	gtgccggctg	2160	
gcctaccgc	tgcggttgg	gcctgcccgc	ggcgggggt	gactgggcct	ggccttctt	2220	
5	cggccccgt	ggatcgcgtt	gtcgaccctg	ttcttcggga	gacactacca	ggttccgttc	2280
acctgccccg	cccccgactc	agcgaggcct	cctctggccg	ggcgtctca	cggcgctcca	2340	
taagtgagcc	gaaccccccgg	ctgggccttc	tctgcaccgg	ccgagcgtca	gccggcgccg	2400	
agctcggctg	caaggcccag	gctgcggccg	ggggcctctc	tttgtcttaa	gcctgctgtc	2460	
ccggggacca	ggcgggggt	ggcggcgccg	tttgtaatgg	g		2501	

10

<210> 64
<211> 2501
<212> DNA
<213> Homo Sapiens

15

<400> 64

gatctgacag	gttaaagggt	tacacttatt	ttctctgtaa	gaagcgtcat	ctggtaagat	60	
gatcaagaat	ggtgcaaagc	aggatgggga	gtttaaaatt	gttccaaat	gtggaaatgt	120	
20	aaatgaatat	aaacatgtaa	gatttaata	taccaaactg	atcagattct	gtgttaattc	180
caagtttctt	ttttcttca	aaactcctct	gaaatctgac	tgtccacaaa	aacttacttt	240	
atagaatttt	atgtgattta	tttactcaga	tattatactg	acctcacatc	cagtagtgaa	300	
aacagatttt	attttagaat	ctggaaagat	agagggccat	atagggttga	ttttcagttt	360	
tgtttatact	aacacgtgtt	tacaacccag	ttaatttac	acccctgtatt	gtattattgt	420	
25	tgtcatatct	ctgttatgcat	gtaaagtataa	tatgtgttgg	caaaggaaaa	ttttgagtaa	480
gaagaagctc	tctgatctat	ttgattcaat	atgtatttga	gtgtctaaca	gacactgttt	540	
tagacactgg	tgataacaaca	ctgaacggag	caccaaatac	tttacagcgt	ctcctggagc	600	
tgttgtcaag	acatactttc	caagggaaat	atttcagaat	aggtgataac	tagtcaacga	660	
agaaaaagta	ccttagtcat	ctaggagagt	tgtactttaga	gtgaactgaa	ataaaactaag	720	
30	ctcacgaaag	acagagattt	tttgttggc	ttttgtctgt	tgcattcaact	actgtatctc	780
cagggcccaa	aatagtgctc	ggctcataat	aagtattcag	caaatatatg	tttgttatttgc	840	
gagtgtttgt	tttgaatttc	tgtaatcaa	cacatacctt	gttaaatttat	ctttacatct	900	
tgttagttga	aaattttatc	tcagttgctt	tgttttaat	gttaccttgc	ttttgtttc	960	
tacttgtgcc	atacatcagg	atgctggaaa	agcttattaa	tattgacagt	catatggta	1020	
35	tctgatattg	aaaagaatag	atttggaaag	gaacctaaga	ggtcatctt	tgttcagtt	1080
cctgcctagg	aaaactaagt	aagatgatta	ggtatgtata	ttaatttagt	catttaaaaa	1140	

	aaaaccagga caacataatt gagttccctc ttgagaaaaat ggagaaaagg acttaaccct	1200
	agctataaag ggactaacct ggaaatttta gaacttctgt gtggggaaagt ggaaaaaaaa	1260
	aaaaagcaca actaagctgc tcttggta ttcagaaat gggcctgtca ttcattttgg	1320
	cattgaagca tagcctccta tctcgggca ggactgggac attttttcc tcccacaaga	1380
5	gctggacagt tattacaggt tcaaaaagcc ccgaccagtt tttcaagagt ttctccctct	1440
	ctttcccccc tgaaactcgt ggtgcttttgc ctctgcttc aagatgcatt aagtctcctg	1500
	ctttgtgact gctttggagc cagcagatac tctgatatgt ataattcaaa ttatgcaggt	1560
	ttcacgagta agtttaatct tatttttaa gtttagtaaa aggcaagtga tatttagaaa	1620
10	aatgttaact tgttagttatt tcacccttt tactttaagc atttttatttgc cttctcgcc	1680
	ttttggctaa gatcaagtgt gtactttaag catttttaa aataaaaaata tccttttaat	1740
	ttaataagaa aacaagggttc tacatagaaa agcccttca tctaagaccc gcacttttca	1800
	atttcttttgc agatgtctt gttgtaaaca gtattcatat gtctttgaa agccagttaa	1860
	ctaaacagtt ttcttgagca tcttttagt ttactgaga agtattttaa attgagctt	1920
15	tctgagctcg attgcttacg tctgacacag tctcaagttt ccactgaatg gtaacaaaga	1980
	ctgtagaatg ttgttgtac tgcgtgaga ggcgtgttc ctttagaccag gtaagagaga	2040
	tcagtttttgc tctcactgct gggtagttt ttacagctct tattttatat tctttaagca	2100
	gcagcaatat taaattgata aatagccagg agcacgtcgtcaagacgc tccttgcttgc	2160
	ttgcagacag aaaaactaca gggttatgttgggggttgg ggtggggggg gagggaaaga	2220
	attagtttat tactcagtttta cttatataaa ttaattaaaa tgtgaaaata attctggagc	2280
20	ttagttttct taattcagga actaaaggcag cagttgagga aatcagtaat tttaaaggta	2340
	cttcatgggtt attacttgc aaagcaatttccaaaggatagt ttacttcc atttttttcc	2400
	ccagtagtta ataaaataag ctttgcctt aactaaacat ttccact tacgaaaact	2460
	tttaaattgc caacagcaaa atataacttcc caaggatcct t	2501
25	<210> 65	
	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
30	<400> 65	
	cacaagtcaa gaccgctccc tgcttcttag cccgctgggg agccaggcca gcaggccccca	60
	cattcctgag gaagggacag ggttctggcc tggagggtct agcagaagcc accccagggg	120
	agggcccgac aggaaggaag gttaggcgtc cgaggggca tacaggagct tcctccccc	180
35	ccacagtgtc cagggccaaac tgctccagcc ctcaggctgg gtcaacacgga tggacagcc	240
	caggcggaaag gaaacctgtg gggaggggaca ccccgccagac aqaagcaggg acatggggtg	300

	gggagaggca ggaagagctg ccgggctgct gagctggcgc ctctccagca gactcaggag	360
	gggcggtgac aggaggccat tccctcctca tcccccagc cctgggcctc tctggtcctg	420
	gccaacagta ttactatcat tattattgtt gttgttgcgt agcctggcc ttagatacat	480
	tagaaaaaaaaa ccatcggaaat atacgcatacg cattggcagt ttctaaaaga attaattccc	540
5	ttcctgtgtt cattctgtga ttactggat agaaaatgta tttgcattac cagccittca	600
	ttcagttaca gagacgttag tgctcgaagg agagacagtg atttttgcct taaattcagc	660
	ctgtccaaat cgataagat ctccgatgg cttaagccc cgttatcact gccttcctct	720
	ccaacaacag ctgctgtgat cacgcacaaa cggccaaacg ggggcaaatc cgtgccaaag	780
	caggccatg ggcttcctg atcagaaggc cttagccccag ccccccaggcg cagcacacgg	840
10	gcggcttcct ttcagaaacc cagcctgcct cccaccagct ggagtgggtg ggtggggcg	900
	tagtgggcc agtttcaggg aacggccggc aaaccacccct ccaggcgtgc tccagcggga	960
	gcctggagac cctaggagag ccctccac aagcggcttc caggcaggac gcttccagag	1020
	gtcttggtcc aggggtgggg gtgaggtggg gtctacctt gaaacagcta caatttaaac	1080
	ttcagctaca ccgagctcaa actcgattcc gcagccgagt gtcggcgcga gagaaggata	1140
15	aaaactcggg tctacggctc cccaccacgc ccctggtccg gtcctctggg cttccaggag	1200
	tcctcacgccc atcctctggg ttgcccagga ggaaggatgg gcggggcggg caggcgtgc	1260
	gggcgctgca gatggggagg gcgagccgc ggcacggcgt gagcggggga gaggcgcgcg	1320
	agcagggtgc ggctccgtga cagggtcccc catccgcgc cccagtgtc cccgaggctt	1380
	agtgaggcaa aacccagcaa atgcttcaga aatgcagctc agtcggtcac cgggttctgc	1440
20	ttcctcatca gacgcgcaag aggatggcgc ttccaatgca aatctctgg ctccggccccc	1500
	ttggctggca gccgccggt ccccccgcctg cctggcgtcc cggccactcc gtggcgggct	1560
	gagacgaggc ccggcgcggg gggacgggg cggagcgggc atccctcccc accccccacg	1620
	tggggctggc cctccgcagt gcctggcgc gctgcagtc cccgcgcctcc cccgcgcgg	1680
	caccgcctct ctaggcaggg gcgggggacg aggggcaagg agtggggcag ggggtggcga	1740
25	gggggggggg gcgtcactca atcaggtggc ctctggagtt ccccggggca gggcagaggg	1800
	aacacgctgc cggggattgt gtacacgctc cactgacacc agcttcacgc tgccggcag	1860
	tcgcccgtca cgcgtggccc cgcgcgcgc ttggccggcg cctcacacac ctggccgtt	1920
	gattggccgg cctcaggctc cgcgcgcgc cccgcgcgc gcgcggggca ggctgagcgg	1980
	ctacactaat ggggaggggg cagacggcgc tgagcgcgc ggcggggggc gcggcgtcga	2040
30	gtgtctccgt gcgcgcgtc gtggccaagc agccagcagc ctagcagcca gtcagcttgc	2100
	cggccggcggc caagcagcca accatgctca acttcggtgc ctctctccag cagactgcgg	2160
	taagtcattt ggggatgccc ctgtgttcc tcgcctggc ttgtctgggg ggccaaagg	2220
	ggcgcgaacc cggagccccc gacatcagcc atgcctgaga attggggctg cagcggagtc	2280
	gtggggaaagg aaagggcttc ctgcctgcag actatggca tttagtgggg cgtgtgtt	2340
35	gggggggggg tccaaaccagg gggctggat cttcagacag ggacagggggt ctggctctag	2400
	atgtactgag gggaaaggac aactccgcattt ggagacccga gagggctgg gaggaggagg	2460

atgacgagcg ggggaggagt ggggaggggg ccgttgcctt g 2501

<210> 66

<211> 2501

5 <212> DNA

<213> Homo Sapiens

<400> 66

10	ggggctgttag aaatggcggc cccatctccc aacaacttgg gcatttgtaa tatacacctcc ttaaaggaga ttcctttgg tcataccgtc tagacagcc accataactt ctgagcgaaa attgtctatgt gatatataatc agaaaaatac aaattccaca aaagcaggga ctggctgt tctccctg cagggcccag gttctggcac atagttggtg cagaaagtgt gcagcctca gtcctatcca agcccccagg gcatcacact cggtacttgt tctgcataatt ttacttttg	60 120 180 240 300
15	cctcccaactg gtacttagttc ttccgtggaa cagcctgagt cccttcagat acttaatgtt ttttctcaag tgctgccatg aagccagatc tccaccgtct tggggcattc ctttttaggg atgggaagta tatgtcgctc cttttatgtt atttacattc tatcttggat aatttggcca tcaccgtatgt tcattcagat ctgtttggat cctgcccattc tcagcttcag tccatttcatt tcttttaaat ctgatcgaca gttacccca acagcttcat cacaatcac tcacaaaaat	360 420 480 540 600
20	ggcctaattc ctgaagtttta ttacggaga gcacacttgc taggttgtgt gcaagataac aggaagcaca agatgaggca gcagatctag aggcaaatga ctcccttc cctgccttagt ggtgactgcc agcatcacgc cctccggga gaggtgagaa accccctccac gcaagcactg gaaccttcac agtcaagagt ggcaacagct ccggttactg gacttggcc tggtaattc taatactctg tgactccaca tctggctga attttgctg agtatgtatgg aatttacatg	660 720 780 840 900
25	cttcctccct agccctact tgcgtata gttggaaatattt ttgggtgcct cctctggagg gatcttagtac gtttagatgc tagacgctgg aactgtcaaa gttcagagga aagagctcca gctgcaaagc aagagaaatg ggctggaaattt ctagcttcac cccttaatga atgcttctga ttttttttttttttttttt ttgagacgta gtctcactct atcggccagg ctggattgca gtggccacga tctcagctca ctgcaaccctc cgcctccctg actcaagcga ttctcggtcc	960 1020 1080 1140 1200
30	tgagcccttctt gatgtactgg gattacaggc gtgcgttacc acgccccggct aatttttgta tttttagtag agacagtttt tggccatgtt ggtcaggctg gtcttgaact catgacctca agtatctac cttccctccgc ctccgaaagt gctgggatta caggcccgag ccaccgcgcc cagccgcttc tgatcattaa aaaaaaaattt ttttttggc gggggaaacg aagtgtccct ctgttgcctca ggctggagtg cagtcagtg atctcggtcc actgcaatct ctgcctccca	1260 1320 1380 1440 1500
35	ggttcaagcg atttccctgc ctcaaggctcc tgatgtactgg ggaatacggg tgccccccac cacacccaggc taattttgc attttttagta gcgtgggggt ttcggccatgt tggccaaggc	1560 1620

	tggtctcgaa cttctggcct caggtgatct gccttccttg gcctcccaa gtgctggat	1680
	tacaggcgtg agccaccgtg cctggccaaa aaatttatgt tttaaaaaga ctagtcaagt	1740
	gcagtagtga gaagggggga aagagtagag caaggagtta tatctgtgc ttctgaccat	1800
	tttgaacaag ttacctaatt ctctgaggac aagctcgag aatgggagag acagttatct	1860
5	atttgcaggg ttgttggag gaataagtga catcatgagt gtgtgccagg tgtctgatta	1920
	cagaaggtgt tcaattaatc tgcaatcatt aattaacct tcagtcgctg gtattatttg	1980
	ccatccatcc tccgagtggtt gccaaagtat gggtgcgttc tgccagcgctc ctacgactgg	2040
	taaggcttct ggctgccagc ggcaaacctc tccctcgag tatttctctt cttgctgaga	2100
	tgaaatgcga ccgggtctct ttaaggccca ggcgcgggaa tccaggcggc gcccacggc	2160
10	tggactagca gtcgtcccgcc cgactcgca caagaaggaa ccccgccct ctggatccgc	2220
	tcgccccggct atgctgctgt ggccgctgcg gggctggcc gcccggggcgc tgcgctgctt	2280
	tggccggga agtcgcggga gcccggctc aggccccggg ccgcggaggg tgcagcggcg	2340
	ggcctggcct cccggtaacg cgcgtcttgg tccgcctcc caggagcccc tatgcgccca	2400
	cctactcccc gcccctcgcc ttccggaacc cgcggagcc cgaagcgcct cttccgaggc	2460
15	gcgggatttc ctccccggct gcggctggga cggggggcgc c	2501

<210> 67

<211> 2501

<212> DNA

20 <213> Homo Sapiens

<400> 67

	atggtctcgaa ttccctgacc tcatgatccg cccacctcg cctcccaaag tgctggatt	60
25	acaggcgtga gccactgtgc cggccctcta tcagcatttt ctttcttttt cttttttttt	120
	ttttttttt gagacagagt ttagctttg ttgccaggc tgaaggcaaa tggtgtgatc	180
	tcggctcaact gcaacttctg cctccaaagt tcaagcgatt ctccgcctc agcctcctga	240
	atagctggga ttacagggtgc ccaccaccaat gcccagctaa ttttgcatt ttagtagag	300
	acagggttcc accatgttgg ccagtctggc ttgaactcc tgacctcagg tgatccccc	360
30	gcctccaccc cccaaagtgc tgggattaca ggtgtgaaag agaccattcc cgatctctt	420
	cagcattttc atactgaatg tccacagctg ccctgtgagg aggctttta cccatatttt	480
	ctgactcaga gagaaggcgc cacatgtccc ttggccatgg cagttagac caactccatg	540
	gagctgggtg tcttagctca catctgtaat cccagcactt tggaaagcca aggcaggatg	600
	attgctttag gccagaagtt caagaccgc ctgggcaaca tagccagacc ccatctctac	660
35	aaaaatttaa aaatttagcca caaaatttaa aaattaacaa caaaaggcc gggtgcggtg	720
	gctcacgcct gtaatcccag cgctttggga gggtgatca cgaggtcagg agttcgagac	780

cagcctggcc aagatggta aatcccacatct ctactaaaaa tacaaaatt agccgggcgt 840
ggtggcgccc gcctgttgtc ccagctaccc aggaggctga ggcaggagaa tcgcttgaat 900
ccgggagtct gaggttgcag tgagccgaga tcgcagcatt gcactccagc ctgggcgaca 960
agagcgaaac tccatcttaa aaaaaaaaaaaa aaaaaaaaaagt ggaagatgag gaagttgatc 1020
5 agacatcaag gatgagcgga tgacttaata ggcttcttgc ctaagacttg gctgggcagg 1080
tcaaagacaa agtcgaggag tggttatgggt gtggcacaga agaagggtca gaggacggtc 1140
tttgcacct cttcatgcct gagttcttc ctctgtgaaa tggggataat aagagccgcc 1200
atacaggaa ttgctgctag gatcaaatga gataatgtat gtgaaacgct ctggctgttag 1260
gcttctcagc aaatgggcac gacttgcggc gtggggattt gaattcacgt ctggcgggat 1320
10 gtccaaagctg ctaccctgac cgctaggag cticagagga cagggctgca ggtgatcagg 1380
aagaggactg gggcaggtgg gcgaggaatg cctccagga gtgaaggagg gggattcta 1440
gtcagcagga tggagtccggc caggtagaaa cgaggaaag gagacaggac cggatggAAC 1500
ggggaaagcca aagggcaggg cgtcggagggttgaatgggt gccgggtcag ctgttgcac 1560
cgaggtgagg acatgcagct gtgtcctagg gtcaggaccg tacacgcctg acccaattcc 1620
15 acagcacggc gggaaactcc aggatccggc cgctttgcac acacacttcg ctctccctcc 1680
cgcccttcgc aagccccctcc cccgtctccg tccaccgagt gccagccaat agcagaagcg 1740
acagcgcaccc tgggtgccga ctcagccaat cgccgctgag tgacgaatga gccccaggac 1800
caatgagagt gcccacca tggcaaaaaa aaaaaaaaaatcc aatggtgcacg agcagggaga 1860
acagagcagc tgccaatggg cgtgtgcgtt tcaggcggcc aatgggagga ggcgtctcg 1920
20 cgggggacaa gcagtagcta cccgcgggag cggggagggg tccgggttcg agcttgttt 1980
ccccccggaaag ggtgagtctg gacgcgggagc cggaaaggagc gccggccggag gtcctcagga 2040
agaagccgcg gggactggct gcgcttgaca ggctgcactt ggatgggagc acctgggtgcc 2100
tcgggactgc tccgatgccc ggtgggtgca catcccgat cccgcgttg cccggccgggt 2160
tttagaggtt tggggggagg acatgggggc gtgcagccctt cccagttgca aacttcactc 2220
25 cgaccctgtc ttcaaagctg ggtctgggtc cagtggggac gagaaaggag gaaggaggaa 2280
gtaggctccg cgaaaggcccc atccccggga tctcatctat aacatgaata ggtattaatg 2340
gcaaaggcta attaagcgct tactgtatac caggcacttt ctctgcctcc tcgcgttaaa 2400
tcctcccgac agccttttga ggttagacact gttacatgcc cattttccag atgagggaaac 2460
cagcaacatg ggtggaaagtg acagccccctc cacttccata c 2501
30 <210> 68
<211> 2455
<212> DNA
<213> Homo Sapiens
35 <400> 68

	ggagtgcagaag aacacagaac taaaacagag cttgaaactt aaagaaaagg agagacttgg	60
	gggaggagtg gggtgagtg acgtgatgtg ctgctggaaa ccagcagttg gtggtttcct	120
	cttgccttc ctcttcgtg gttttctcc tgcttggg agggccttt tctctccctc	180
5	cgcacagaaag gctatctttg gtgttcgttc cttgaactg taacatcctg taagggtatg	240
	attccatgcc tctgtgtggg tgtgaattcc ctcatggta ccctcaaat ctgcacacag	300
	gacccttcc cattgagggg aggggatcaa aacaactcta ctctcaggg tcctctccctg	360
	ttccaactgg tctgtgtcca agagaaggct tagttaaatg gggccagctt gaagatcaa	420
	caggttggc agcctctccc gcgcctcttt ttctctccctc cagctttata gctacagctg	480
10	ccttgatatac aatattgact ttggctggct ggcatgacta cccacagggt atcggtgcctt	540
	aatttaccag gtgcacaggca acgctgcctt ctccctggAAC catccagcag agccaggcgt	600
	gtacccccaa atccctgcaac agaggttcc ctccatctca cctccctgtc cctgcatttc	660
	tcctatctca gtagctccctc ttccctctc tggcttctc ttccactcc ctccctttcc	720
	tggcttgggt aaactagtcc ctaatcttt cacacccag attggaaggt gggccctcc	780
15	ctgacactcc ccagagctgt caccaacctc ctccaaattt ctatagctcc attgctcaac	840
	agatttgcca gggtaacca ttaaccaggc ccttaactct gttcccccac ctttcttgct	900
	ggaggggatt ttccaattac tggtagcac agctaggtca ttcacccccc accatcttc	960
	ctaactctt ggggggggg gctggggagg aatctccca ttcagggtt ctaggaacaa	1020
	agctggggag gatggtgcat ttaaaggat tatatatata tatatatata tttttttct	1080
20	ttccctctca taacccacc cccgcaacac acacacacac acacacacac acacacacac	1140
	acacacacac agacgcacaa ataagctta tggagcagtg acttcattat gttcaccgct	1200
	ttgagtccaa cccctggccc aaaataggca ctaaatagtt gccgaatgca tgaatgatag	1260
	ataccctctc gtcttcagggt gtgttagaa gtgcgaagggt gatgggcat gtccctgt	1320
	gggtgtgagt gttctgtatca gaactacttc tctctgccc aatttgcgt aattcgaatg	1380
25	cttccaccc tcgttgaagg gtttaataa taaattaggc cctgtcggtc cattatgggg	1440
	gtggcatac cctgtacccaa ggaaacaggc acggtagggc tgagacagaa gtcctgcttgc	1500
	tttccgctta ttatggaa acaccgtca tttaggtctt acttttttgc ccaggcactg	1560
	ttctaagctc tgtataaata ttaactcaga gggtaaaaaat attaacttaa gagttgtgc	1620
	aggaaaaaaa ataagcgcct ctggctctt aagttggcc tcccccctaa aaccccccgc	1680
30	acggccccaa acccccttcca gggactgggta ctacggaccc tggccgacc ttctcgccgg	1740
	cttcccaactg cgccaaatcaa atcccaaaaa cagtgagtgc tagaggcccg gctgctaagc	1800
	aacggcagag ggcgggaagt ttgaacgttc tggacccgccc ccgaaggcaa ataggccaaat	1860
	cagcgtccag actcttcagc tacggcagtc cgcttcctt ctcgcctgt tcggatctct	1920
	aggctggatc cggcccttc caatcaacag cggctaggag ggcggggcgc gtgcgcgcgc	1980
35	acctcgctca cgccgcggcgc cgctcccttt gcaggctcggt ggcggtcggc cagcggggcg	2040
	ttctccacc tggactcgact caggttactg aaaaggcggg aaaacgctgc gatggcggca	2100

	gctgggggag gaggaagata agcgcgtagag gctggggtcc tggcgctgg ttggcagagg	2160
	cagagacata agacgtgcac gactcgcccc acagggccct cagaccctt cttccaaag	2220
	ggttaacctcc gcgtgacagg aatgagggtg gggcgctgg agttccac aatctgtact	2280
	ttagttaat acccgagaat tcacccctg tgtccacagc tctccacgcc cctcagccct	2340
5	gccccgcagc cctgttagcag aagtacttag tgcttgcatt tctgcgcgcc accctacccc	2400
	ggcctcctct gtgaatcggtt gcttccgaac cgcctcaact tttgcattcc gcaga	2455

<210> 69

<211> 2625

10 <212> DNA

<213> Homo Sapiens

<400> 69

15	ttttaaacga gaagtgtatgt ttccggagca ttaaaaactga agtgatttca aaaccatgtt	60
	gcactcacac gaacagggtgt gcacttaatg gactaaacta gttcagctga catgtttct	120
	tcatttaggaa cagtgtggag actgaaaaac taatttagcc tagagcagct atttaaattgt	180
	aaagtctctt ttctcaaata ttgatttact atgtgaggaa atatttactt tgtatagaag	240
	tgtgtggaaat tggacgaggg gggtgaccta cacatgtggt ttggatataca catacctca	300
20	ttacagaggg tgtaatgaag atataagggtt ttcagcacca tagaaaaggg aaaaaagaaa	360
	aaaaaaagac ggttagaggtg gcctccaaag catccactcc cactcctt gttatgatt	420
	cacaatttgtt tgttattgtt gtcatttact gttctccaca ctttccaca aggctgtgt	480
	gcttgaaaa aatatgtctc tactccggat agaagtgggg cacacaggc caggcgccgt	540
	ggctcacgccc tgtaatccca gcactttgggg aggccgagggc aggcagatca caagggtcagg	600
25	agttcgagat cagcctggcc aatatgttga aacccatct ctactaaaa tacaaaaatt	660
	agcctggcgt ggtggcacgt gcctgttagtc ccagatactt gggaggctga ggcagaagaa	720
	tcacttgaac ccgggaggca gaggttgcag tgagccgaga tggtaccact gcactccagc	780
	ctggcggaga gtcaatgag actccgtctc caaaaaaaaaaaaaaaa aaaaaaaaaga aaaaaagaaa	840
	agtaagtggg gcacacgatt caggcctaag ctaaccagac caacccatt cctgatggtt	900
30	gttaatgttt cagatacggg cccgcagccc tacgttagaga agaggccaag gttagaaaaca	960
	tgaatctgag gtaaaaagaa atgaggtact tgttgcctc atcaaggctc tcaattaaac	1020
	taaccttggaa gcctgtctt ctttggact tctagtgtatgc tcaaccggta aagcccttta	1080
	gtttcaggac gtaagagttt ggtttctgt gacttggaaac caaaaccatt ccaatttaca	1140
	aaatgagcaa cttaatatt acccatgaga aatacttcat tggtatatgc tctttcttag	1200
35	cgttttgaa aactaaacta ggtgggtgaa aagtataatct ttgcatgaaa cttttcttatt	1260
	ccagaaaaaca ttttgcattc ttgataataa tggccaatgc tactatatcc aaattttgt	1320

	ctttttttt ttttgagaca gagtctcgct ctgccgctca ggtgtatgg cgcgatctcg	1380
	gctcaactgca acctctgcct ccctggttca agcgattctc ctgcctcagc ctccctgagt	1440
	agctgggatt acaggcatgc gccaccacac ctggctaatt tttgtatTTT tactgttagac	1500
	gggggttcac cattttggcc aggctggtct cgaactcccg acttccagtg atcctcctgc	1560
5	ctacctcaaa aagcaacttg ataaatccac aggctcgta tattttaaaa attctttaa	1620
	atacagtata cttttctctt ttttccaga attaaccatg aatcgcacac acagccagag	1680
	gcttttaacc cgagaacgga caaaggggcc tgcttgca atacaattat ttttaatggt	1740
	taaacaaaatt aatacataag accagctta cctaataaa taataacgaa ccaaagtta	1800
	caacagacaa gaaaagcacc agctgtcccc gccaccccg agcgatctcc aaggggacgc	1860
10	gggagagcgc cgccccggac gcggaaagtct gacgtcacag gaactggggg cggggcgggg	1920
	aggccgcac acctattgc gcatgctccc gcctcccccgg ccgcggcctg ggcgcgtgcg	1980
	cacgcgcgcg ggtggggggg tttgactggc cgtagagtct ggcagttgg tgaatggcgt	2040
	tggtggcggg aaagttgagt ctctcctgcg ccgagccttc gggcgatgt gtatgcctt	2100
	ccataggct gagtctggga ccgaggtgag agccgcccgg ttgggagtga gggagatggg	2160
15	aacaaggccg cccgtggcg aggggagccg agggAACCCG ggggattggg aggcttgggg	2220
	cggcgcggcc tggccgggc gggaccggcc tctggccta gacgcccgcg atgctggcac	2280
	cctctgccac ctctcacctg ggccccaggg gtccgccccct gggcagcctg gagtcctccg	2340
	aggtggagg accgggcgga ggtggaggaa gtctttttt ggaagacttg ctgcctgccc	2400
	agatcgatat aacatacggat gtctctccctc ccaagagttt tggctaaaa acccctcaca	2460
20	aattaactac cgttggaaat gtcaagctat gcaagaaaag ctagaaaagg ggaggggtcg	2520
	cccggtggag catttggagc ttttctggaa caggtggtgt ttgcggaggt tgcctcacct	2580
	ccctgttagcc cacgtgtctc tgcttagggc agctggccct cgcca	2625

<210> 70

25 <211> 2540

<212> DNA

<213> Homo Sapiens

<400> 70

30	tagtcccagc tactcgggag gctgaggcag gagaattgct tgaaccagg aagcagaggt	60
	tgcagtgagc tgagattatg ccactgcact ccagcctggg caacagaggg agactccatc	120
	tcaaaaaaaaaaaaaatcat taaaatacag taattcaggt ttattaagtc attaccattg	180
	ggttacctca caaataaaact aagtttagat gcgaactcaa agataactgag acactaatcc	240
35	atttcttaag ctgctaagtt agccttcttg aaacctcaact tcgtagctct gcaaacaatg	300
	tacttttgac atcccaagct cacaggaata aaaaaccacc tgccagttgt ttccgtttc	360

	cacctatgtc taatttatgt acttataattt ataagaaaaca aatcactaag tcttatttca	420
	tccttagtta tgggtgttt ctatcgataa cagcatgaag atttcgggaa cctggacatt	480
	aaaataagtt tgagtactgg ctttacaatc tactagggtt gatccgaggc aagtcagtct	540
	cttcatgttt cacttcittc acttgtaaac atctattcag aagttgtgtt gaacttgata	600
5	tttccatgtctataaaactga ttttttggaa agagcctggt acataggacg tgataataaa	660
	tgaaagcatt tgctactttt ggaaaaacaa gcatgacaag atagttata tactgttgat	720
	cttaaagcaca gtatatgcat cttattttta gctagtcga cagtgagata ataaaaagag	780
	ttatcttga ctgcactac gagtagaaga attcaacttc agtttctaga aagatgtata	840
	agaattaaga gtggcagtct tcctagtctc aactgccatc ttcccaccag gtggtaaatt	900
10	cgtccagaga agaaaaatgaa ttattgttat atgggattct gcagcaactt ctgtgaacat	960
	aggctcataa tttttcacca tggagactca agcttttgg agtcatagtt gttttgggt	1020
	ctatttgcag gcatgcattcc tttgtccaga aataacata acatttggca catggacctg	1080
	gaggtaaaag aggaggaagg cctgaggcta gacaccactc caataagtac attaagctcc	1140
	tagaaggcata acccacctt gcagagaact cttaactatt aaaacctata gttgtaaag	1200
15	cagcattttc aaagtttaaga gaagaaggta gaagggtctt gagaggctac tgactaaaca	1260
	gataaaaatg aaggatgttga gtttggtgcc aaaagaaaact ccccccaaaa atcaaacaat	1320
	aacaccagag taaagccctt agggcgagat aaggagttgc aacaaaacaa gcgaaactc	1380
	gagaagcgct aatgcttcaa agggtaatg accacacata atctacgttag ccaacgtgtt	1440
	aaaacacacc aacgcatttt tttttctaa acaaagttagg aaagcggact ttgcatgagg	1500
20	ggcgggctgc cgacccagca gttttcctcg gacagtccgt cctgattctc tctgggtggc	1560
	cgtggagggaa ccacatggct ccaaggcctc tcagctccgg gcccacacac cccgggctgc	1620
	cgcacaaact ccagccctag tctagatcca caacccttc tcgaagatca accgcgacct	1680
	gggagcccca cttcttacca tagcgaggcc ggcgatgccc cagccacatc acccttccgg	1740
	ggctcaggcgt gaagaggctg catgtccctg ctgcccctct cgcctctcc agccgtccgg	1800
25	ttgggcttgt cacggcaccg cctaccaaga cggggcggtt agacactagg ataggctcct	1860
	ctccacccgaa aaaggcggga ttttagatcac gtcccgagg cggcggaag tagctgatac	1920
	tctcatttgtt tgcaaaacct tgatctgtga aagcggcggtt tttggaaatgatcc accgaaatg	1980
	gagtcacgga gaggtaggat cgggaagtgg ggctgcctct ttaataaca aaaatctgag	2040
	gttctgttct ttttatcttt ttgctttctt ttaaaaaag ttccctgcta cttaccccta	2100
30	gaactccaca atgcgagaat cccctcaat ttgtgagctc ccgcgacttc ctcttgggg	2160
	cttttggggaa tgcttagggtt ctggcattta tcctcagggt ggcacgtttt caccctt	2220
	tcagtttctc cgtttgcattc tgagggatcc ttggaaatgc gaagcacttt tgaatgctc	2280
	tgtgttgggtt gtgggattgg gaggacgggtt gaatccagag ggtgttgg agtaggctgt	2340
	ttgagcattt ccccagcact ggcctgtct ttcaatcccc agatattggt aaactgtggg	2400
35	ttccaaccag gcatcgaggc tgaaacgtac taggcaattt gaggtcagga aagaactttc	2460
	tgtggtaacc aatgggaaagg aactgcccgtt tgccgactgc agcgattgt taggtacttt	2520

aaagagatca actggcaaga

2540

<210> 71

<211> 2610

5 <212> DNA

<213> Homo Sapiens

<400> 71

10	ctacaggctc gtgtcaccac actgggaat aaaaaaaaata caaaaaaaaaa attttgtatt	60
	tttttagag acgaggctt gccatattgc ccaggctgga attcttacct ttgttactgt	120
	attnaacgtt tcttttcct ccggccatct tcattgtttt ctctctgatt tccacagttt	180
	gaatacactg catgtgtcag gcagggctc atatttatca agtttgtgt gtgctctgag	240
	ctcaggctt tcattttttt gggaaaatta ttggtaattt tctcttcaa catttttat	300
15	gatttgttct ttcttcttct tttggagtc ctattacatg catatgatat catttgat	360
	tttcccacag ttcttggatg cttttttaa aaaaaaactt tttttcttct ttatttcca	420
	acgtggtaa ttccatatttt tcctcagctgt gttgatccta ctgctgcccc atcagaaaa	480
	ttacctgtta tcagcgttct tccttctta taatttgatg agtttcttcc tcattgat	540
	tgttcacctt tcgtacaaga gacctccaca tattatcac agttaattta aatttccagc	600
20	ctgtttcaat ttctcgatca cctctgagtc tagtctgtt aattgtttag tgtttatttt	660
	tgttttgaa acagggttctt gctctgttgc ccaggctgga gtgcagcggc gcatctcag	720
	gctgttccct gagttcacac catccccctc aaccagcaga ttgaaatgt tccgagtcgg	780
	gccgtgcagg agtctttgtg ggggttcat ggactccgaa ttctcatttc tgctccatcc	840
	ccatctcatg aatccaaggc cccactctgt gcctcggctc ttcgttgtg gtgctgaacg	900
25	tcatctacgt catctacgcc atctacgtaa tcaacacaat aaagacgcct gccggaaacg	960
	cggcccttcg gctgaatccc ttccgggtt ccaaggccac tgccagagga tgccggacggg	1020
	tctccagggc ctctacttac ccaggacttt gaggcacatt agttcgcct aggactcgc	1080
	ttttacgaat ttctatgttt ggtttttttt tgagacagag tctcgctctg ccgcccaggc	1140
	tgtttaaaag atagggtctc agccgggtgc ggtggctcac gcctgtaaatccagcacttt	1200
30	gggaggccga ggcgggcccga tcacctgagg tccggagtcc gagactagcc tgggccaaca	1260
	tggcgaaacg ctgtctctac taaaaataac aaaaatcatc caggcgtggt ggcgcgcacc	1320
	tgcacatccc gctactcggg aggctgaggc aggagaatca cctgaacccca ggaggcagac	1380
	gttgcagtga gcccggatcg cgccactgca ctccagcctg ggcgcacagag ggagactccg	1440
	tctcaaaaaa agaaaaaaa aaaaaaagaa aagaaacaaa agtgtatgggg tctcgctctg	1500
35	ttgcccaggc tagtctggaa ttccctggct caagcgaccc tccagcctcg gcctccaaa	1560
	gctggctggaa tacaggcgcg gctaccgcgc ggtctccggc tgccgaaaca cccgcctgcg	1620

	cgcggaccgt tcggccgccc ggaggaacag cggctcccc gagctcagag ggcgcgcgg	1680
	ctttgcgtc cccgcggcgc tctgaggctg cctcggttg gttggccagg tggctctttc	1740
	aggaccaacc ccagtcatc cccgcaggaa ccacgctga gggcggcag tctgcccg	1800
	cgagacgccc cccgcggacta caccgcggcg gcaaagccaa acgaaaaaac tacctcaccg	1860
5	cgcgcaggcg cctcccccag gaccaacatg gccacgacgc aaggcctcg a cctgaggggc	1920
	gtggcctggc cgccgcgcagc caacgggtgt gcgcgcctgg ccgcagccaa taggaaggca	1980
	gcccggggctc gggcgcaggg agccgcgcgg ggggtgttag gcgcgcaggc catgtccgac	2040
	tcgtgggtcc cgaactccgc ctccggccag gacccagggg gcccgcggag ggcctgggccc	2100
	gagctgctgg gttaggtggc gcggcaggcc gcgggagtgg gcggcgtccg gcccgggacg	2160
10	gtttcgccgg ttcccccgtc cttcccgcc agagcctccg cgggtcgat ccccgacgc	2220
	cgcgcgcggg gggctgtgcg ggggtggcgc cgggtgggg cggcgcggct gcctcgacc	2280
	cggcccccctcc tgccgcctggg cggacgcaca ccagacccgc gcccgcgggg cgctcccttc	2340
	tttcccgaac gcccgcgcgg cggccgcggc tgcaggcgg gcctgggtg cgccgcctgg	2400
	ggctcccttc agcgcagagg cggccctcg ccagccgtcc cgggctccc ctgcctcg	2460
15	ccctccctggg ccgtcttccc cggcgtccgc ggtggggccg tctccgttag tttcccgaga	2520
	cctgcgcctt ggggaggagc cccggccctt ctccggagg gtgtcgctgg tgggtttctc	2580
	cgcggcgtcc acctgcgcgt cggccgggg	2610
	<210> 72	
20	<211> 3076	
	<212> DNA	
	<213> Homo Sapiens	
	<400> 72	
25	gctgggatta caggcataac atggcccgcc cctggccatg ttttaactg tttttctcta	60
	atagctaata atgccgagca tcttttatg tttttcttag ccatttagtag atcttttttg	120
	gtaaaatgtc tttttttttt ttttggtcc atcttaaat tttttttgt tttgttttga	180
	gacagggtct cactttgttg cccacgctgg agtgcagtgg ctcaatcatg gctcaactgca	240
30	gtttcgacat ccctgagctc aggtgatctt cccacctaag tttcccgagt agatgggact	300
	acaggtgtgt gccaccatgc ccagctaatt tttgtatTTT tttttagag gtggggTTT	360
	gctatgtgc ccaggcagggt cttaaacttc tgaggctcaa atgatcctcc cacctcagcc	420
	tcccaaagtg ctgggataac aggcatgaac caccacaccc agctaaaggatt ttttttaaaa	480
	atctttttct ttagttttgg gagttttat gtgttaggaa taccagtccc ttatgaggta	540
35	tataattagc aagtagtttc tcccaactctg tgactgtgac ctttctttt ttgaggcagg	600
	gtctcactct gttactcagg ctggaggcga gtgggtgtat catggctcac tgcaacctgg	660

	aactcctagg ctcaagggtc cctcccacct cagccccc aatgcgtggg tctacagggtg	720
	tgttattgtg ccagggttaa tgttttaaat ttgtttaga gataatgtct ctacaaaaga	780
	caccatcttt gttgcctagg ctggcttga actccctggct tcaggaaatc ctccagccctc	840
	agccccc aaatgtgtggg ttacagcatg agccacatcc agcctatgtat tttttttctt	900
5	ttcttttctt ttctttttt ttgtttaga gatggagtct cgctgttgcg caggctggag	960
	tgcagtgggg cgatctcgcc tcactgcagg ctctggcccg cggggttcac gccttctcc	1020
	tgcctcagcc tccccagtag ctgggactac aggcccccgc cacatcgccc ggctaatttt	1080
	ttgtatTTTt agtagagacg gggtttaccgt gtgttagcca tgatggctc gatctcctga	1140
	cctcgtgatc cgcccgccctc ggtctccaa agtgcgtggg tcgcaggcgt gagccacggc	1200
10	gccggggccc agcgtatgac ttcttaatga tgtctttgtatgtacaagagt tttaatttt	1260
	aataaaagtta acctttttttaaattgtaca agcttttagt gctgtgtcta acaacttgtt	1320
	gccaacccca aggtcataaa gctgttctct tacgttttctt ttgtttagac	1380
	ggagtctcac tctgtcaccc aggctggagt gcaatggcac gatgtcggtcactgcaacc	1440
	tccggccaccc ggggtcaagg gattcttccg cctcagccctc cggggtagct gggattacag	1500
15	gcccacgaca ccacgcccctg ctaatttttgcattttgtatgtacaagagt tttaatttt	1560
	gttaggctgc ttacgtttt cttagaag ttatattttt ttggctctta tatttagttt	1620
	gtgatccatt gagttgattt tatgtacgtatgtatggcgatgttgc cgttcttttc ttccctgtct	1680
	ttttttttttt ttgtttagatgtatggata ttcaattctc ctatgtccat ttaattttttagaa	1740
	atgattgggc aggtactttt gagcagtgc agtacagagc ggcactgcca gcagactaca	1800
20	cgccgttagaa agccgacccctt ggtgagcgtt tggtgtctcg acagtgcgca gagaaaggat	1860
	ggacgattac ggagcgccctt cgtctccagt taccgtttc tgaaacacc atccggccgg	1920
	gcggagctgt tccggcccggtc tgccgtacta cgactcccaag catgcacccctc gcagtcggcc	1980
	ctcgggtggaa gcgaaaccaggaggacct ggggtgtgg cagcgaggaa gggccgagcc	2040
	acggactgtg gggccaaac tcgctccgc ccaccccttc tcgaggctgt ggcctcccg	2100
25	agagccgagc gggccgcacc gcccggcgtcg actgcaccc agtcaagacac gacccggct	2160
	tctagccgc ctaagcctgt ttgggttgc tgactcgat ttcccccggat ttcccgccgg	2220
	ttcaagagga ccaaccgcag cccagagctt cgcagaccccg gccaaccaga	2280
	ggcgagggtt agagccggc gggccgggg gagagagcgt cccatctgtc ctggaaagcc	2340
	tggccgggtt gattgggacc ccgagagaag caggggagct cggcgggggtg cagaagtgc	2400
30	caggcccttc cccgctgggg ttgggagctt gggcaggcca gcttcaccct tcctaagtcc	2460
	gttctggtc tccggccca gcctcgccca ccatgtcccg ccagaccacc tctgtggct	2520
	ccagctgcct ggacctgtgg agggaaaaga atgaccggct cgttcgacag gccaaggtaa	2580
	cacgggtgtc ggcacccctcg gttgcagcc tcaagatccc tgaaagcggg ttgcagtgg	2640
	atttacccca acagatgggg agggactgag ctgacccaaa gagccagaaa tgactggaga	2700
35	atgcacccct tgccactgct gcaaggggag aaaaaaggat tgatcctcag tgacaacccc	2760
	tccctcatgt ggcaggtggc tcagaactcc ggtctgactc tgaggcgaca gcagttggct	2820

caggatgcac tggaaaggct cagagggctc ctccatagtc tgcaaggtag gcgggtcctc 2880
cccaggatgg tcagttcccc tcttccatacg ccagagaaac atccgctct gcgttttgg 2940
gatcgatata attactcggg gcagggagtc ctgttaagg cacagaggag actggagtgg 3000
aatcatctt gtacaggcaa atccctctct tccttacaca ctcacagagt ggcatttgaa 3060
5 aaatggtttc caagat 3076

<210> 73

<211> 2567

<212> DNA

10 <213> Homo Sapiens

<400> 73

cacaccatct cttgctccgt gagtatcttt gtctctctag ctcctttct tctctcagta 60
15 catgtccctc cttgactccc gcctctctgc aagggttatt tggtgcctc agttggcctc 120
tccccctctg catctctggg tggggtgttc tctgcccgtc tcccacccac acccaccccc 180
ggtgctcccc ttccccccag caggacagcg gtcaggttc acgcacccca cggcgggccc 240
gctggcgca cgacacgttc tgcacacaag ccgcacgttag ctgtacttga gcacgtcgt 300
gagcgtgttag agcggggcgca cactggccca gcggcagcgc gccaggtgca tggagcttt 360
20 gacgaagaag agcgcacggc gctgctggca ccacgcgtcg aagaagcgcc tgaactcgcc 420
ccacgagaag aaggccccgt cccgcagtc ctgctctcc tggcccgccag ccgtgcccgg 480
tgggggctcc ggccgctcca tcctggggc ctgcgtggag gagggggagaa caggtggata 540
tcagacccat tcccacccgg ggtatctcat ctactccatt ctggcctgc cccgtcggt 600
gctggtgccct ctatcgaggt gggtagcccc gggtcgacg tgcctgttt tctccaaata 660
25 tataaaatatc aacctccatc ctatcttgg ctcctccca cccgcatttc cctggttcac 720
ttggagcctg tcatcttgat tcctaattcc aactcgctc ctccctccga gatgtgaccc 780
ttaggtacag ttggaatctc tcctccaaa atacgaccct taagctcaga tggccctttaa 840
ggacatctcc tcaaattgtgt tctcaaattc cagctaaaac ctccctccct tccagctgtg 900
tctctcacc aagagtaact tctaactctc gtattcatct ggaactcctc cttccatgtg 960
30 ccaacagttt gctgttaaccc ctccaaagac gtcacatctc cagatgtgtcccacatcca 1020
ggccacggac ccctcaccgg gtcacatgtc tcatgcacct gttggctccgc actccccaga 1080
tgtgcctctg gcgtgcagct gttggccctt ccccccgttta tgaccctatg gtcgccaca 1140
tgcaactgtta gctggggctt ccctgagaca ctctcatctc cagatgtact ccccacatgc 1200
agttatccac gtttcgccta caggtgtgtg ccccaactgt ggctagttct cctcgaaagt 1260
35 gtcaccagta ttcacactgt gtcctctctt cctcagatgc ggcccccaagt ccagctgtgg 1320
gccccctctc ccagttacat ccaccatccc ccgcaaatatg catcttcgtt cttagacatgg 1380

	ccccctcgcc tcggatgggc tccttcaccc cagatgctcc ccccacgtcc agctgcgcgt	1440
	ctccccctcga gcagccccat ccagcccgct cccgacgctc ctactccccc cctccccgcc	1500
	cgcgtcggca cttccagcc cgcgcgtccc acctagctgt gcctctccccc tccccaaagat	1560
	gtgcaccctt cccggccctc cccactcacc tacccgcccc ggagcggcgt ccaccccca	1620
5	caatgccccg cgccccaggcc tggcccgcc cttgctcccg ggatgccccg cgccgtctcc	1680
	cgcctctctt cccgcgtgc ctgcggggg cgcttccacc gattcctctt cttccctgc	1740
	cagtcactcc ttagaccctc agccacaccc gctcatccag ggcgaggaa agcgccggca	1800
	ttttcccaagt gtgctctgcg ggagggctcg ccccaattca cccctttcc cgcctccctc	1860
	ccattcggga gactacgact cccagtgtcc tccgcgcac ggcggcggtg cggacggtgtc	1920
10	ccaggtccccg ccccttaggt ctgccccgca cccggccgca gacgtctgcg cgcaatgcc	1980
	gtggcgcgaa cttgggactg cagaggcgcg cctggcgat ctgagtggt tgccgggca	2040
	gcggcgcgcg ggaccaacgc aaggcaagt gggccgtccg caagcagatg ggaggcggag	2100
	ggcggcgggt ggcgggaatg cttgggacct atgcttcgcc atgtcggtgt gtctgcagag	2160
	gagtgggcgtt ggggacgctg aggctgccg gagcgcggtg gagacggaag agcgcggct	2220
15	gcggccgcgc ggagagtgcg gagaggtgtc tcccaagaggg agggggggca ggtagagggt	2280
	agacgagaga cagagacagt tggacaggtc ctctgagaag aggcccttgag gtgcgagttc	2340
	accttggaaagg gggagaggcc aaatggaact gagggggggg gcgggggggg gaaaaactgt	2400
	gtggcggggg ccagctggaa atcggaaaggc ccccccgggg ggccggggcta tctgggaggg	2460
	ggagggggctg aaggggagcta aggggggggg ccggggaaaa gattgcgtgt gggcggggcc	2520
20	accttggaaagg gggaggtgcc aagggtgggg ctggctggga accggaa	2567

<210> 74

<211> 2278

<212> DNA

25 <213> Homo Sapiens

<400> 74

	tcacagaagt caaagcttagt gaaaagcccc tcgagggttt ttgtgcggca gaggtgggtt	60
30	gtgggggtggg attgtgcctg ccacagtggc gggggccctgc agacccagat aaaccccaa	120
	gtggccagaa gggggggatg gctctgtgg gtgtggggc tgccatgggc cgtgggagcc	180
	agcagtgtgc ccagctccct cagggccgtt ccccttaggcc cttccgtcca ctggggcaag	240
	caccgtccct gcccccttccctt agggggatgg atctgacttg agaggttggt agagcttaca	300
	ggcgctgggc cgtcggggag gcctcagaag cgttaggacgg ctgcgcactg ccggggccgt	360
35	tccagccctg gtctggcctc ggcctctaga ggaggctgcc tgcgctccag caggcccaac	420
	ccagaacgtg ggcgagctcc ctgcagcatc cttggggcggaa aagaggatg ggggctctgc	480

	tgcagaggca gaatccgcgc cgctccctcc ttcccttcccc cgaccagcct gtgacaaccc	540
	cggccagggg cgggggcctc cgcacaagcc tggcgccac ttccctggata aggactcccc	600
	ggcccaactcc ggaccagggc tggggccggcc tcccaggcgc tcactccgct ggcaccccac	660
	cggaaaacac gtctgcggcc cgccccctcc cccaaagcac gaccactccg cccggggccc	720
5	tcgaggatcc actcagggttc acgacgggcc cgtcctctcg gtggtctgac cacccggctgg	780
	tggagtggc tctggggccg ccaggcgacc agggcgagg cgggggcgga cagctcattg	840
	ggaggggcgc cggggcacag tgcggggctc gcccccccc caggtgcccc ttcccgctc	900
	tcgcctcgca ggcacccgcat cggggccggg aatcggtccg gacctggcgg tggcgctgg	960
	gaagaggatc cacctccacg tggcccggcc cgccccgggg gcgcagccag ttcccgccgc	1020
10	tcactgcccc ccttctcccg gcttccgtcc cttctgcgc aggcgcgcgt ccgcggccgt	1080
	cctaggggtg ctcccggtt cggcgctgc tggctccgc gccggggtcc gagtccccacg	1140
	aagccccggc ccgagccgccc ggatccccgc gcgcagcggg gcccagggtga gcgcgcgcct	1200
	cggccgcccc gcggaacaga cgcgcacc accaggcgca gcagcgagcg cggccgcggg	1260
	agcgggagtg cgggggacgg gcgtagcgcc caccggcccg agggttccgg gcagagccag	1320
15	agcataggcc aaggggccaag ctcggggccga gagcagtggc cgcagcgcggg gggggctgaa	1380
	cccacggcgc gctggcagcg cggggccgagc tgccggagacg gtcacgtcag cgtccgttcc	1440
	aggccgactg gcatgtctccg ttctacatta acgtcagcac tcccgttaaa aataatgcat	1500
	ctctccatg ccaggaggac ttaggtgctg cttaagacca gcccctccggg tgctgccagg	1560
	ccggcgctca cccgcccacct tcatcttcc ttctcctttg ccccaggaca gccgaggatg	1620
20	tgtggttagg ttccccctac ccatggggag gccagagggt ggaggctggc ggctgctcg	1680
	gtctcagcag accctccctag tccctcagga gaccttcgc ttgccccact tgctcggttat	1740
	ccagcctggg ccatgaagca gaggacagt agggaccctg agcacgcggg ggtcaccccg	1800
	gtgctcaccc ctccctgtgt gtccgaccc ttccctgtca agatcctgtg ttttgaattc	1860
	tggcaagggt tggatgaaag ggcagggtc cagaaaccag ctcagacgt tgcttggac	1920
25	ctgcatgatg agtggaaatc ggagggcacc agccctgtct tcccaggctc aggccccat	1980
	ctgctccccca ggtcatgcag cctggggcccc catgcgtgc agctcgacataatgtgggc	2040
	agagcagcca ccctgcccccc agcagcagcc gtccatcgatc agacgtgatc atttcctgag	2100
	gcctcgagtgtgt tttgtgcctc ataacaaccc acaggatgtt caccggcgt	2160
	ttgcagatga agaaaccaaagc gcagggtggc agatccagtc cttgcacttc ctgagcctga	2220
30	ccttaccaca cagctgtctc ctattcgat gcttattttat ttttttccca attacagt	2278

<210> 75

<211> 2401

<212> DNA

35 <213> Homo Sapiens

<400> 75

	tcatgcctgt aatcctaaca ctttgggaag ccaaggtggg aggactgctt gaggccagga	60
	gttcaatact agcctggca acacagcaag atctcatctc taccaagaaa aacaaaggat	120
5	agaggagtca actgaaaaag atcccagtga ctaaagctcg aacaattttt gcaataaaaat	180
	aaatacgcattatata catggctgaa taaataaact ggggagaata gaaaaatatc	240
	ctgtcagaa gaattccaag taacttatat agatattttt ccttacctt caaggaagta	300
	gaacataact tttcattcct tcccaggatg ggctaggcat gatgacttcc ttccaaagag	360
10	tacagaacgg aaacaggggca gggggattaa cagtgagaa acctgaccaa cgctactgca	420
	gcttaggtgat caaggccaaa acatcgacag tgataaagca tgctgagagc acctttgatt	480
	tgatgtatg aaaatcgtgc ttacacctg taatcttcct gccaaaaacc cataatccca	540
	gccccaaatta tgagagaaac attaggcaaa tatcaattga gaaatattct aaaaaatacc	600
	tgactggtac tcctgaaaac tgtcaaggc accaaaaaca ataaaagctc aagaaactgt	660
	cacagcccag aggaacctaa gatgtgacta ctaaatggca ttagtaccc taaatggat	720
15	cctggaacac aaaaagagta tcaggtaaaa actaagagaa tcagaataaaa gaaaggactt	780
	ttgttaataa tagtgtatca atattggttc atcaattttt acaagtgtac catactaata	840
	atgcaagggtg ttaataagaa acattcagca tgagatttt aggaattttc tatattatct	900
	tcacaatttc ctgttaatct aaatctctcc taatgacaag ttatattaaa aagtaaaaaca	960
	aaacttgaag gagggaggaa acaagaaggg agggaaacatt ggagacagaa ccagcttggc	1020
20	aagttagcag ataaggctctg agaagtaggc agggaaaga tcattcattt caggcaatat	1080
	ttttccattt tacctgtata agaaccatata gacccattt tttttttttt tctttttct	1140
	ttttttttttttttt tttttttgtt agagatgaag atttcactat gttgaacagg	1200
	ctggctctaa actcctggcc tcaagcaatc ctcccacctc agccctccaa agcatgagcc	1260
	accatggtgg gcctgtatga aggaactttt taaaaatgc tacaagccgg gtgcagtggc	1320
25	tcattacctg taatcccagc attctggag gccaaggtaa gaggatcaact tgggcccaga	1380
	agttcaagac catcctgaac aacatagcaa gaccctgttc tctgcttaaa aaaaacaaaa	1440
	acaagctggg cgtggtgat cacgcctgta atccacgcac ttggggaggc tgaggtggc	1500
	agatcatgag gtcaggagtt cgagaccaga ctgaccaaca tggtaaaacc ccattctac	1560
	taaaaataca aaaatttagctt gggcacggtg gtgtgcgcct gtgatcccag ctactcagga	1620
30	ggctgaggca ggagaatcgc ttgaacccgg gagacggagg ttgcagttagt ctgagaaagc	1680
	agttagtgc gatagcacca ctgtgcctta gcctggaga cggagtgaga ctctgtttca	1740
	aaaaaaatcg cctgcccagt cagagcgcct cagcgcgtg ctcggacat cccgcctgc	1800
	ggccagcccc cgcgtgacgt caccgcattc cggctccgt cctccgcgg cggcccccgc	1860
	accgcagtga cagccagccg gggccgggtgc cggagagaa gtgcgggtccg cgccaagccc	1920
35	gtccccggccg acgccggctc cccgcggctc gggtagacgc gtcgcggccg cggacgcag	1980
	cgcggggcag ggcggggcag agccgagcgc agccgaggct ccggccggagg cgcggggaaa	2040

	atggctgatg actttggctt cttctcgctcg tcggagagcg gtgcggccggaa ggccggcggag	2100
	gaggacccgg cgccgcgttt cctggcccaag caggagagcg agattgcagg catagagaac	2160
	gacgagggtt tcggggcacc tgccggcagc catgcggccc ccgcgcagcc gggcccccacg	2220
5	agtgggggtg agtcagcgcg gggcctggag aggggctcag ggccgcgcacc cgggggaccc	2280
	cggccggggc ccaggggcac agggaaagaga gcctgcgtta ggccacccgg ggcaggagct	2340
	gggagacgtg gggaaaatc ttcttgaga tctccatgtt ggacttccga gctggggatg	2400
	a	2401

<210> 76

10 <211> 2501

<212> DNA

<213> Homo Sapiens

<400> 76

15

	ccagcctggg ccgcagagtg agaccctgtc tcaaaaaaag aacctactag tctacatacc	60
	acacttcctc atccccatct gagactatat atatttttc taacatgagg caatgc当地	120
	aagaggggtt ggtgagtgaa agtaagaaca gaaagacatg gaggcaagtc ttatagaata	180
	atagccaaca cttaaactta cacttaacag cgtataggt attgttccaa acacattaaa	240
20	ttcatattaat ggtccttaca tgtctatgtt tttgggtgatt attatcctta ttattcacat	300
	tgctgagtgtt attattctgt tctcatgtg ctgatagaga catacccgag actggataac	360
	ttataaaaaa aaaaaagggtt taatggactc acagttccac gtggatgggg agtcctcaca	420
	atcatggtag aaagcaaaaag acacgtcttta catggcagca gggaaagagag agaaatgaga	480
	accaaacaaa aggggtttcc ctttataaaa ccatcagctc tcatgcact tattcactac	540
25	catgagaaca gtatggggaa aaccacccccc atgattcaat gatctaccag gtgcctccca	600
	caacctgtgg gaattatggg agctacaatt ccagatgaga ttgggtggg gacacagcca	660
	aaccacatca ctgaggaaac tgagttatag ggagattgtt aacgcccac acagctggta	720
	ggtgggtggag ccaggcagtc tgactctagg gtctggactc tgaactgcat catgctgcca	780
	agaagttcctt catttttcc tctctctaag ttcccttat tcccctacag tcattccttc	840
30	aacagcattt ctttcacccat cttttctact tctactatat attaatttt ttcttcttgg	900
	tcccaaattt caacgtgcaa atgcagccctt atatacccta attcatctt accttttagac	960
	tttctccaa tggttctact tcattccatt ttaaattttt ccattgatg cctatttaca	1020
	agctgtaacc atcatgaagt gaatgaagaa taataccac tactgtacaa tagaattcca	1080
	agagtataaa taggagttt ggctttctga cttgaaacta aatacttgat acttgatttt	1140
35	gctgtctgag atcaatctga aaagtaataa taatcactaa catttgtga gcatcaattt	1200
	tggccaaagt gtcatttcaa tcactctgtt catattaact catttcattcc tacaacaacc	1260

	cggtgaggca agttctgtta ttctgttta cagttgagga aacagaggca tagagagtt	1320
	aagttagttt cccagtagat agccagaaga ggagccagga tgggtctcg gcagttAAC	1380
	agcacagctg aagtcttaac cactatgcc aacagttttt ggtcttacac atccatggg	1440
	aagaggaaaa taaaaaggta tctatttgc tacctttta tttctgatataagaagcaga	1500
5	attccttc a catgacctat gtctattaa tacgtcattt tgaaacttac caataaaaatt	1560
	tcccaagcgc cagaaaactg ttagtggtt tttccatttc tctctatttt ttttgtgt	1620
	actaattttt ctctttccc tcagaaggct gccggaatag taaacattca ctgacatgtc	1680
	ataattactg gaaaatgggc actggaaaat cacattgtaa ttaattcaaa gcatgtttc	1740
	caaattgtact actttaaattt ggagcttata tcataatcca aggaaacctt tgtgtgtgt	1800
10	ctgttcccac attgctcagc ctgggatac caggagtaat tcaccctgctg cctgcctcca	1860
	gaccatcttc catggaaagg ggtgaccctt tgcctctgg caaccactat ttctaaagctg	1920
	ccaacattac tcttgcatta tcaacattct aacttcatgg gaagggtgt ggtgagttt	1980
	tggaatgtga ataggaagtt gttttctaa acagcctgac actgagggga ggcagtgaga	2040
	ctgtaaagcag tctgggttgg gcagaaggca gaaaaccagc agagtcacag aggagatgtt	2100
15	gagtttattt ttttctgcat gggaaagtgg tgaagtggat tggagtggt tggagtaaag	2160
	tcaggcaggt aaaggttcag aaagtggatg acagcgtatag ccatggagtt ttatgttggaa	2220
	ttgccttta gatttgtga gtactttaa acttgctgtc cactttgacc ctcccaacac	2280
	ccttggatg tgagggtgt atttcttata tacaataaaa gccatcgtgg tttacagagg	2340
	ctgtgtttta tctaagcttc actgttaggc tacatgtatgt tggatctgg ggcctgtccct	2400
20	ctggctccgc agctgctgtt cctcctacta gaatttatag gggctctgt agaataagatc	2460
	atggtaaacc tgcacccca tttccaaaga ctgtactt c	2501

<210> 77

<211> 2501

25 <212> DNA

<213> Homo Sapiens

<400> 77

30	cctgggtcct ctcttccagc tcccaaaatg tactctattt ttatctgttt cacgaacgct ggtccagata gtcttcatc ccccactgac tgtagaagt gactctcagc ttttgtccat ctcgaagttt ctgtgcttag tgcctctc agactaaagg cttccttgg gaagccccga ctctcgcttc tcaggacaga gatccagggg ttgggggagg aaaagggttga ccagaagcca tagcggagca gggagagaga gtgtgaaaga cagacccgcg gccaggtctcc cagttctcca	60 120 180 240 300
35	gctcgttagag ggcccaagtg gccgtataa tctgaaagag cagatatcgt aatccatag tacttcctat tqqctgcagg acacagttct gtcctgacac taaaatttgg gtgtgtcagg	360 420

	gttctggaa ttcaacaacgc tcacaacttg tgaagcagct gtggggtggg ggatggggag	480
	ggtttcagca gaggaagtga ggtcagtc aaattgtatgc ctgtctgac ttttagccat	540
	tatctccccc agcctctatt cctgtcaaaa ggtggggcgg ggcaggagga ggggtccctg	600
	gctcatcttg tagaatcccc atatttagat aagacacctt agaggtctac tcctgcttct	660
5	aatacccacg tctttccaag tgtctctgag gccacccctt ccccagccctt ttcattttatt	720
	catttaatta acgaacgcct tcattgaggg cctcctctga gtcaggctca gccagccagc	780
	atctttgcta tgagctgaga taagcatcat ttccgtctat tctcacaacc accctatgag	840
	gctggcacgg ttactatgc ctatitagca gatggggac tgaagcatgg agaggtgtca	900
	ctagcctacg gtaacacaac cagcctgcat tcctagtagg tagtttact tcagagtctc	960
10	tgtggataac caggaggcta ggactaagac cagagtcctg caggtactta gatgggttgg	1020
	gcaaaggcagg gcagtgaggt cagtgctccc agcctgtgca ggagcatcg gaagagtctg	1080
	tgtccccctc ccctgcccgt atgaagccat tctgttccc tccccagctg ctttgttca	1140
	gcagagttcc agggaggctc cattccccac ctctatctaa agctccattt gctgggttgg	1200
	gggcctgcc tggaaagggggaa aggtccaagg ctgctccctg cgtgtccctc catcctgact	1260
15	gtccctggcg gggcggggt gtcttgcac cccagctgca caacggccag gaagggtctca	1320
	aaccatccctc agggctaacc caaggccgtc ctctggcct gtataccctt gtgctgagtg	1380
	cggatcggga gaggctgctg aagacaggag gggacaaatg gggacgaag gggcccgagg	1440
	gaggggactg aaggatttgg gccaagtcgg gagttccga gggcgagtc aaaacgcattc	1500
	tggattttgc tagccccaaa ctctgcccattt attgtctgaa gcctcctaga ccgaggaccc	1560
20	ccgggctgag ggtgggtaa ggataggtag tgccctcccc cggccgttcc	1620
	cttcctcggt ggcccttcc cggcgccccg attccaggcg gcccctccgc tgctgccagc	1680
	cgatccccctt ctaccccccac ccactactcc ggccgccaga cggtgcctac agtctcggt	1740
	ctgtctccca cggctgtggg tccggacccc acgggacccc tatgggaccc ccacaggacc	1800
	cccacggcct gagtccaagg cccgccccct cggggaggcg gatgtgggag gcccggcccg	1860
25	ggtgccggcc agcgaccccg gagctcgccc cggctggaggg gggaggccgc cctgaggggc	1920
	tgggagccgc gcgggggtgg gtcccggtcc tgcaaaaaa gcgagggcg agcggccggcc	1980
	agtccggcgag ctggcaata aggaaacggt ttatttagag ggagtgggtgg agctggccca	2040
	ggcaggaaga cgctgaaata agaaacattt ttgtccacg cccatccca gtcccgagg	2100
	gctgccgcgc cagctgcgc gagcgacccc ctccccggct ccagcccggt ccggggccgc	2160
30	gccccggaccc cagccggcccg tccagcgctg gcggtcaac tgccggccgc cgggtggaggg	2220
	gaggtggccc cggtccgccc aaggctagcg ccccgccacc cgcagagcgg gcccagaggt	2280
	gagtcgaggt cccggacccg gaccgggtgg cggggccct gaccccccgt tcagtgggcc	2340
	cttccttcgg gcggacccc gactcaccgc agagtggtcg cggggaggctc agtcccagct	2400
	cattagaaag gcaagctgct cctggctgac cacgcacagc tcccatgacc ctacctgaga	2460
35	cttggagggg aatggacgag actggactgg aaatcagaaa c	2501

<210> 78
<211> 2501
<212> DNA
<213> Homo Sapiens

5

<400> 78

	tggctaattt tttgtatTTT tagtagagac ggggTTTcTC catgttgagg ctagtctcgA	60
	actcCTgacc tcaggtgatC tgCCCGCCTC agcCTCCaa agtgcTgggA ttacaggcgt	120
10	gagccaccAC gcctggCCgc taactacatg tggTCTatga ggtgaggTcc ttcccAGacc	180
	ctggAAatcaG gggTTgcaat tagggTccaa ataATgaggT tggaCTacag ataACCCatC	240
	tcCTTtCTta cCTTgacta gatccaAGga ctaaACTCCA agAACCCgag catCTgtccc	300
	caAAAAactgaa aggATTggAC tagTCACCCCC ttgTTTCCCT acAGCCACAT CCCAGGCACC	360
	tggCCCTTgc tttgtccaga aattcagcta taactCCACA catCTgatgg ccTTTCTgg	420
15	caAGCAGGCA tttCCATCAg gaccCTCAGC tgCCAGACAC atttACTggA ggtCACTTAT	480
	taAAACCTGGG CTCAAATTCC ACACAGGGAG GCTACTGAAG CATCACACTG ggtCTCCAG	540
	CCCTTCTCA tagAGGAAAG atCTCTCTGT CCTGCAGGGT tggCAGTCAG CGCCAAGTAA	600
	AGGAAATTa GCTCTTGGCC CAAGATCCCT GCCCAGGAAA ggtACTTGCG CCTGCTGGAA	660
	actTTGGGCT gaAGTATACT CCTTCCAAA AACTCAGGTC TGATATTTAC ACAAAgTCTG	720
20	aaATTAATGC AGAGAAAAct TCCAAGTgCT tggACTGGAG CAGAAGGCTG AGAACAGGAA	780
	ggggCTGGTC CCTGGTACTA gTTTGGTT tttGGTggTT ttttttttC ttGTTTTTC	840
	TCACAGAAACA gggCAAAGCT gagTgTCCCT ggATgAGTgA AGCAGGAGGA TTAATCATgC	900
	CCAGTgCTTC TCCACTTAA ACTGGTTTC CTGGAAATTt GCAATTgAGA GTGGGGAGGG	960
	GTAAGAAATgC TGGAAAAGG CTGATGGTGT TCAGCCAAAT TCATCCTCA CGTCCCACC	1020
25	CTTCTACAGG CACATGCTTt gggGCCATCC ACggCTgCAG CCACCCATC CTAGGAAGC	1080
	accACTGGCC TtCCCTTCCG gtACCTGGAC TCAGCATCAC TCCCAGCCTC ttggAGATgC	1140
	AGCCTTCATT CAGCACACAG CTCAgCTCTG AGTtCTGTt TTGTCCCTAG ATGTCTCTgg	1200
	GGTcacCTAC TACTCCCTgC ttGGTGGCCC AGGCCATCC ttCTCCACTC ttGcacCTtC	1260
	ttTAGCAGAA AAGGAGTgAG AATGGATATT TCCATGGGCC GTGTGTgCAC TCCCGGCTAC	1320
30	CCCTGACAGC TCTACTCAGA GCTACCCtCC CTCCTGGGGC ttCTTATGTg ttCTAAGGCT	1380
	GAGGCAggAA GACTGTgAGA TCAGGTgACA CTCAACAGTT ATGATCGGTC TTAAGATTA	1440
	CAGTCCTGGC CGGGCGCAGT ggCTCAgCC TGTAATCCCA ACACTTTGGG AGGCCAGGc	1500
	AGGCAgACCA CGAGATCAGG AGATCAAGAC CATECTGGCT AACACAGTgA AACCCGtCT	1560
	CTACTAAAAAA TACAAAAAAAT TAGCCAGGCG TGGTGGCGGG CACCTGTAGT CCCAGCTACT	1620
35	CAGGAGGCTG AGGCAggAGA ATGGCGTgAA CCCAGGAGGC GGAGCTTGCA gtaAGCCAAg	1680
	ATTGCGCCAC TGCACtCCCG ggtGACAGAG CGAGACTCCG TCTAAAAAaaaACAAACA	1740

	acaacaacaa aaagattaac actccttcta cttccaaacc taatacaaag ggacattgcc	1800
	tagtattaa gagaattcat tcattcaaca aatacttggtt gagcacctac tatgtgccaa	1860
	gcactgttct aggcaccgga aatacagcag tgagaaaaac caaaaaaact ccctgccctc	1920
	atgggtgtta tattcaagta gctgaaacag acagtgaaca aacaaaaaag gacaataatt	1980
5	tcaaataata atgatgctat cggccagggtg tgggtggctca tgccataat cccagcattt	2040
	tggaaagcca agtcaagcgg attacctgag gtcaggagtt caagaacagc ctggccagca	2100
	tggtaaaacc ccatctctac taaaataca aaaattagcc agacatggtg gcacacacct	2160
	gtaatcccag ctacttggga ggctgacgca ggagaattgc ttgagcccg gagggtggagg	2220
	ttgcagttag ccaagatctg acaggccttc agcaccactg cactctagac tggctgacag	2280
10	agcgagactc tgtcaaaaaa aaaaagctt taaatagact ttaacagggt aacatgatag	2340
	ggagggaggg ataggggagc agggtgtca aggaagggac atttaaacag gctagaatga	2400
	caatggccag cgagggaaag atccagaagt gtgtgttggaa agaagaaaga gcaagcacaa	2460
	aacccttagg acaaaaatcag ctcgtgttggt caaggcacag c	2501

15 <210> 79
 <211> 2501
 <212> DNA
 <213> Homo Sapiens

20 <400> 79

	tgttctgac ccctggctgc agcctaattgg gccgactgct ggacagcggg cctgagtcct	60
	gtttgaattt gtgtgtcccc gacatcctt gacccatgtt aatgatcctt cctggccagg	120
	gcagacagggt ctctgcaacc ctatgggtgg taggggtggt gatgagagga gaggtgtct	180
25	cactgcaca gattttggtg tatggttctt tctttgcac tcttcaaca gaggtctgtc	240
	cagtccttct tgcaagtgtg gggaggggt ggtgcaggac tatgaggtaa ctgtgagaag	300
	agggctcca gcagaaccag ggtccaatgg ctttgaagag atggctgggg acagctggac	360
	tcattacgtc tactcctaaa tggagggaaac gacccttcag ctacacagca cctgagccag	420
	aatgtcacca tgggtgttgc ccacaggatg acagctaccc ggtttgttgg ggccttatt	480
30	ctagggacag ctacttcatt ctgcctcccc agagcagcaa gcaacaaccc tatgccagga	540
	ggccaattgg cacgtcaagt gccagctcca atcgatttat agtagctgcc tggctctgaa	600
	aggcagctgg gatcgattca ccatgctgcc agcacacaga tggacccagc ggtggtcccc	660
	gcagtgtgtt ctgccttgg gccatccat tttcttgc ctggccagg aatgattggaa	720
	tgaacacact ggactccaa tatgggtggaa taagacaaga gtgtgttgc acacccctcc	780
35	accactcata agcatgggtt tggcgagttt ggttccccag gccccttgg agaattgtt	840
	gagccgagga actggtcattc tccaggttgc tccagggcag gaaaggatgtt cagcatgcgt	900

	gagccagggt cactggctaa gaagtcatct caggacacctc ccctagaaaa gcccactggg	960
	cagcatccct gctggttccc ccctacacca caaggttacg cagagctggc ggagggtcat	1020
	ggtcccactc atgtcaggtg ctcttaatct ggcaaggaaa tgtaacctac gtgaatctca	1080
5	acaggcagtg aagcacccgtt tcttcctgac tccaggtagg gtgaaggaaa tgggacagta	1140
	gtacgggtg cgggcataaaa cgacacaactc tgcctccca gacgcagacg tgtgggctg	1200
	tgagaatgcc aggaggaggt aagaaaggc ggcggcatgg ggggcctgca ggggtgggaca	1260
	agcccaagag gtctctacat ccaggcctgg tgggggaggt gagccctgg tttaccgagg	1320
	gggtcccttc ctgcctcgaa aataactgca gtccttaccc ccatcgctc cccgctgcgg	1380
	ggacccaggc gcgtgaggat gagagagccc ccaggcccc gggtcagacg actgtgttca	1440
10	agcaagttag aacctctctg aggctgttc ccaactgtaa aatggggata gcagcagac	1500
	tctctctcgc ggcttgcgtg aagaatacaa ttcatgtcg acaggaggga ggggcgcgca	1560
	gcgcgcagcg agtagcagggc gctgaagaag gatacctgtg aactgggagt ggtggcggag	1620
	gctacgcggc cagagtccgg ggaaggggcg ccggctctgc cagtcctgc tcggggctgg	1680
	atggtcgggg gatgttctcg taagtcggct gggagggagc ggtcccgctg accctgcccac	1740
15	cgcgcgcga gaggttcggg caggtgcggg gccgcggccc ctccgcgagg gggccggta	1800
	tccgcggga ctgacatccc ggaggccaa tggcaagccg tcatctccgc gcatccgc	1860
	aatcggcgcc ggttgcgtg ccgcgcggg tctctcgacc aatggggaaa tttgctgtca	1920
	gatggggcgg ggcggagatt cgcgtcgccg gcccgtccg ctttgcgcac gggccgcgtg	1980
	aggggggag ggctggcccgg gggtgtcggttgcgcgtg ggcctggagg gagggggcgg	2040
20	ccccgcacc ggtccgagtt gggccgcgt ggactgcgac ccgcgcgcgc ccgcaccgcg	2100
	ccgcgcctg ggaacgcgcg tccccgcgcg ccaacggacc cggggaaagcc cttctgggt	2160
	ccgaggccgc gtcgcgggc cgcacgcgt gcgcgcagg taagcctgag ccagtggcgt	2220
	gggtgtggga cccggggctg gggcctcggt tcggagccgg gactgggggc gggcgtcag	2280
	atatgggacg cattccggc agcggtccgg acagggtcct atccctggag tcgagatccg	2340
25	ggcgagggtc tggggccggac gtcggagcca atctccgc caccgcgcgc ttgtccgcgc	2400
	gctctgcggc gtccgagacc ccggccggc gggggcgggt ctcttgcgtc gtggccttgg	2460
	ggccctaccc taccgcgtccgg ggcgtcttc actgagact c	2501

<210> 80

30 <211> 2501

<212> DNA

<213> Homo Sapiens

<400> 80

35

acagatgacc gaggggctcc cagcccgaaa ggtggaaatc cagcaggat ttccaaggcc	60
--	----

	tagttgcag ggctccagga tcgttcctag atcctggtct tgcagccttg acaagggaa	120
	ggaggggaggc agcagaagga gggcagaaca atccatgcca ggctgtgatt tgccaagtga	180
	ccatctggga agaatgggct ctcagaccag ggacaggag cagaggcaag cccgcacatcg	240
	ccctgggtgc agaaccggaa ttcaactca gggccccat ttctgcctgg atcgctccac	300
5	tggggcggagg agtgactgtg gacacatcca gggttctctc caagteggct tcctcatctg	360
	ccaaatagag accgcagacc accagctccc aggcaaggc tactcttccg gcccctccca	420
	aggcaggagg gccaggcgta ctcgagacac aggtgtgctg ggggccagg tggccagcc	480
	agcagcatcc tgcagggtaa tgggagcagg tgggcacccc gaggtggca gtaaaactg	540
	gctatctgcc cccaggctcc caggagggtt ctggccctc acctcctccg gccggaacag	600
10	gaaagcagct ccaggcagct gggtccacaa aaatctccgt tccctgaggt ctcaaggca	660
	gtggccagg agcatctggt caccttcggg aaaaacccgc ttggcaaagg ctcccccgag	720
	ggcacgcgtt tcccgacag tgaggcagga cctaaactct tccgttaaca ctacatttt	780
	cgcatttctg cagtgtttgc actctcaggc cccaccattt cccgcacatct cttagggaga	840
	agttctcgac gtcccacctc ccctggaagg gtgtgtcc cagagacatt caggccatg	900
15	gcccaatctc agtgccctca ggggagaggg gggtgcagaa aaacagcctg ggtcacaaaa	960
	gaggtgcgag ggctgtgaga tcccgaggc accgacggg agcgagacgg agaacaggag	1020
	ggcaggacgg gctggagggtg gggatactg cagatggagg gagccacggt gggggaggc	1080
	gtggacctga ccgtcctggc acaaggcgtt cgggtgcaga cctccaggcc ctccgggtta	1140
	aggtgcgcgc cagagccctc aggccgggg cgacggaaa ccacaggcag ggtgcgcgtg	1200
20	gaggacggg gaaagcgggg cgggttgggg aaggcffff gggAACCTGA acctcccacc	1260
	ccgcctcaagt ctcgaccact ccttaagccc cacccccc caggttaaggc gcagtccacc	1320
	cccattccca gtagattaac gcacagggtt gggcgcgc cggacatgc tgcgttaggg	1380
	gacagcgcgc ccagcccaat cgcggggcgg aggacaggc cggggccag caggaacccca	1440
	gcttttttag cgtatctccc cgtgagccac gcgcacgcgc tacgcgcctc ctcaatgggg	1500
25	ccggcgtgg agccgcgc tgcgcgattt gccaaacggg tggccacga ttggctgaga	1560
	ccctggccccc cgcctccctcg gccccaggag ggtggggcgt gggatgggc tgcgcgcgc	1620
	gtgcgtcccc cggggatctt gcgcgcctcc cgaacagccg tggatggcc agggccgcgc	1680
	cttccctccc acagcgcgc ctcgcgtgc gaaggctgg cggctttgg gactggcggg	1740
	gctgcgcgc gggtaggtt ggggtacgg gaaggctcaa cccaggacct gcgtaccttgc	1800
30	ctttggggc gcaactaagca cctgcccggg gcaggggcgc caccggaaac tcgcagattt	1860
	cgccagttgg gccactggg gatctgtgga ctgcgtccgg gggatggcgt agggggacat	1920
	gcgcacgcgtt tggcccttac agaatgttat cgcgcgaggc ggaggcgc ggcgtggcgg	1980
	aggcgcaggc gaaggaagga gggcgtgaga aaggcgcagg cggcggcgc gaggagggtt	2040
	atctatacat taaaaacca gcccctgcg cgcgcctgc ggagacctgg gagagtccgg	2100
35	ccgcacgcgc gggacacgcg cgtcccacgc tccctggcgc gtacggcctg ccaccactag	2160
	gcctcctatc cccggctcc agacgaccta ggacgcgtgc cttggggagt tgcctggcgg	2220

cgccgtgcca gaagccccct tggggcgcaca cagtttccc cgtcgcctcc ggttcctctg 2280
cctgcacccct cctgcggcgc gcccggaccc ggagcgggcg ggtggatgca ggcgcgatgg 2340
acggcggcac actgcccagg tccgcgc(cc ctgcgc(cc ccgtccctgtc ggctgcgcgt 2400
cccgccggag acccgcg(tcc ccggaaactgt tgcgctgcag ccggcggcgg cgaccggcca 2460
5 ccgcagagac cggaggcggc gcagcggccg tagcgcggcg c 2501

<210> 81

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 81

aatcctccaa attctaaaaa ca

22

<210> 82

20 <211> 20

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 82

aggaaaggga gtgagaaaat

20

30

<210> 83

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 83

5 ggataggagt tgggattaag at

22

<210> 84

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 84

aaatctttt caacacccaa at

22

<210> 85

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 85

aaccctttct tcaaattaca aa

22

30

<210> 86

<211> 21

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 86

5 tgattgggtt ttagggaaat a

21

<210> 87

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 87

ttgaaaataa gaaagggttga gg

22

<210> 88

20 <211> 19

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 88

cttctacccc aaatcccta

19

30

<210> 89

<211> 18

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 89

5 tgggtttttt tgggttagg

18

<210> 90

<211> 23

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 90

cataaaccttt accttatctcc tca

23

<210> 91

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 91

ttttagattt aggttttagg gt

22

30

<210> 92

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 92

5 atccattcta cctcctttt ct

22

<210> 93

<211> 18

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 93

ggaggggaga gggttatg

18

<210> 94

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 94

tactatacac accccaaaac aa

22

30

<210> 95

<211> 19

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 95

5 ttttggaaat gggttgtat

19

<210> 96

<211> 21

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 96

ctacccttaa cctccatcct a

21

<210> 97

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 97

tttgtggag ttttaagtt tt

22

30

<210> 98

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 98

5 caaattctcc ttccaaataa at

22

<210> 99

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 99

gtaatttcaa gaaagtttag gg

22

<210> 100

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 100

ccaacaacta aacaaaacct ct

22

30

<210> 101

<211> 20

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 101

5 ggagttgtat tggggaga

20

<210> 102

<211> 21

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 102

taaaaacccca attttcaacta a

21

<210> 103

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 103

tttgtattag gttggaaatg gt

22

30

<210> 104

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 104

5 cccaaataaaa tcaacaacaa ca

22

<210> 105

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 105

gatttttggaa gaggaagtta ag

22

<210> 106

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 106

aaaactaaaa accaaaccca ta

22

30

<210> 107

<211> 20

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 107

5 tggggtttagt ttaggatagg

20

<210> 108

<211> 25

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 108

cttaaaaaca ctaaaacttc tc当地

25

<210> 109

20 <211> 21

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 109

tttttgtatt gggtaggtt t

21

30

<210> 110

<211> 24

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 110

5 cccaaactatc tcttcctct ataa

24

<210> 111

<211> 25

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 111

attagaagtg aaagtaatgg aattt

25

<210> 112

20 <211> 19

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 112

tcaatttcca aaaaccaac

19

30

<210> 113

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 113

5 gggatgggtt attagttgta aa 22

<210> 114

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 114

ccttcacaca aaactacaaa aa

22

<210> 115

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 115

taattgaagg ggttaatagt gg

22

30

<210> 116

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 116

5 aaaacccaaaa ccaaaactaa aa

22

<210> 117

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 117

 agtggatttg gagtttagat gt

22

<210> 118

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 118

 aacaaaataa aaacctctcc ca

22

30

<210> 119

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 119

5 tagggaaaaa gtttagatgg ag 22

<210> 120

<211> 18

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 120

cccattaacc cacaaaaa

18

<210> 121

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 121

attttagttt gtgaaatggg at

22

30

<210> 122

<211> 21

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 122

5 tcttaaccaa taaccctca c

21

<210> 123

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 123

gtgggaaaaa ggtagttata ga

22

<210> 124

20 <211> 20

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 124

taacctcctc tccttaccaa

20

30

<210> 125

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 125

5 taggatgggg agagtaatgt tt

22

<210> 126

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 126

acaacttatac caacttccat tc

22

<210> 127

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 127

tccccacaaaa actaaacaat ta

22

30

<210> 128

<211> 21

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 128

5 aggttttaga tgaagggtt t

21

<210> 129

<211> 23

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 129

tttggagggt ttagtagaaag tta

23

<210> 130

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 130

cccaataatc aaaaaataaa ca

22

30

<210> 131

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 131

5 atacaacctc aaatcctatc ca

22

<210> 132

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 132

agggagaagg aagttatttg tt

22

<210> 133

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 133

ggaagatgag gaagttgatt ag

22

30

<210> 134

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 134

5 cctacaaccc tatacctctaa aa

22

<210> 135

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 135

ttagtagggg tgtgagtgtt tt

22

<210> 136

20 <211> 23

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 136

caaacaaaac ttcttatctca acc

23

30

<210> 137

<211> 21

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 137

5 ttatagggtt gagtttggga t

21

<210> 138

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 138

taaacaaaca acaaatcttc ca

22

<210> 139

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 139

tgaaaatgaa ggtatggagt tt

22

30

<210> 140

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 140

5 ttaaaaaccat ataatccctc ca

22

<210> 141

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 141

tatgtttggc ttgttttga ga

22

<210> 142

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 142

aaccccatca cttttatcc tt

22

30

<210> 143

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 143

5 gggtgttagaa gtgttttaggt tt

22

<210> 144

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 144

tttctccct tacaacaata ac

22

<210> 145

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 145

tcccccttcca actatatctc tc

22

30

<210> 146

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 146

5 tgagagtgtt ttagggaaat tt

22

<210> 147

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 147

aaaacccaaaaa cataaaccaa aa

22

<210> 148

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 148

gattaggagg gtttgttgag at

22

30

<210> 149

<211> 21

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 149

5 aatggttgat gatTTTggTT t

21

<210> 150

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 150

actctcttcc ctataccctt aa

22

<210> 151

20 <211> 24

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 151

tgttagtaga gtttttagggaa ggTT

24

30

<210> 152

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 152

5 acactaccta tccttacccc ac

22

<210> 153

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 153

ttttgtttt tatgggtgt at

22

<210> 154

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 154

ttaaatatcc cttccttaac ca

22

30

<210> 155

<211> 23

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 155

5 agttagaaga ggagtagga tgg

23

<210> 156

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 156

taattttcca ataccatatt tc

22

<210> 157

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 157

tgggtat ttttgttggt tt

22

30

<210> 158

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 158

5 cctaaaaact ctctcatcct ca 22

<210> 159

<211> 23

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 159

agtggtttag gagtatttgg tta 23

<210> 160

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 160

aactccctcc atctacaata tc

22

30


Figure 1


Figure 2


Figure 3

Figure 4

A				C					
	TP	FP	FN		TP	FP	FN		
11-a	9	8	0	11-a	8	7	1		
11-b	9	7	0	11-b	8	4	1		
12	7	9	0	12	7	6	1		
13	7	6	1	13	8	6	0		
14	9	11	1	14	6	6	2		
15	7	5	1	15	4	9	5		
21-a	8	4	2	21-a	7	3	0		
21-b	8	4	0	21-b	8	4	0		
22	8	9	2	22	4	6	3		
23-a	7	5	0	23-a	6	4	3		
23-b	7	10	1	23-b	8	5	1		
24	10	17	0	24	8	10	4		
25	8	0	0	25	5	1	3		
31	9	3	0	31	7	2	1		
32	4	7	4	32	8	3	1		
33	6	9	2	33	2	3	7		
34	8	3	0	34	7	8	1		
35	7	4	2	35	6	3	1		
		TP	FP	FN			TP	FP	FN
\emptyset		7,67	6,72	0,89	\emptyset		6,5	5	1,94
STABW		1,37	3,86	1,13	1,76		2,45	1,89	

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 03/08602

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C12Q1/68

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 C12Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, EMBASE, BIOSIS

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 01 62960 A (BERLIN KURT ; EPIGENOMICS AG (DE); OLEK ALEXANDER (DE)) 30 August 2001 (2001-08-30) page 10, line 9 - line 12; claims 1-26 page 13, line 10 - line 29 --	1-51
X	HERMAN J G ET AL: "METHYLATION-SPECIFIC PCR: A NOVEL PCR ASSAY FOR METHYLATION STATUS OF CPG ISLANDS" PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA, NATIONAL ACADEMY OF SCIENCE. WASHINGTON, US, vol. 93, 1 September 1996 (1996-09-01), pages 9821-9826, XP002910406 ISSN: 0027-8424 cited in the application page 9821 -page 9823 --	1-51

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

10 December 2003

Date of mailing of the international search report

02/01/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel: (+31-70) 340-2040, Tx. 31 651 epo nl.
Fax: (+31-70) 340-3016

Authorized officer

Favre, N

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 03/08602

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 786 146 A (HERMAN JAMES G ET AL) 28 July 1998 (1998-07-28) page 6, line 1 -page 7, line 6; claim 1 ---	1-51
X	WO 01 44504 A (FOX JAYNE CATHERINE ;HAQUE KEMAL (GB); LITTLE STEPHEN (GB); ASTRAZ) 21 June 2001 (2001-06-21) page 6, line 26 -page 8, line 7; figure 1 ---	1-51
X	WO 98 56952 A (UNIV SOUTHERN CALIFORNIA) 17 December 1998 (1998-12-17) page 9, line 20 -page 10, line 2; claims 9,10 ---	1-51
X	REIN ET AL: "Identifying 5-methylcytosine and related modifications in DNA genomes" NUCLEIC ACIDS RESEARCH, OXFORD UNIVERSITY PRESS, SURREY, GB, vol. 26, no. 10, 1998, pages 2255-2264, XP002143106 ISSN: 0305-1048 cited in the application abstract; figure 2 ---	1-51
X	WO 00 70090 A (UNIV SOUTHERN CALIFORNIA) 23 November 2000 (2000-11-23) page 13, line 29 -page 14, line 34; claim 1 ---	1-51
X	ZESCHNIGK M ET AL: "A SINGLE-TUBE PCR TEST FOR THE DIAGNOSIS OF ANGELMAN AND PRADER-WILLI SYNDROME BASED ON ALLELIC METHYLATION DIFFERENCES AT THE SNRPN LOCUS" EUROPEAN JOURNAL OF HUMAN GENETICS, KARGER, BASEL, CH, vol. 5, no. 2, 1997, pages 94-98, XP009011533 ISSN: 1018-4813 cited in the application abstract; figure 1 ---	1-51
A	GRIFFIN HG AND GRIFFIN AM (EDS.): "PCR TECHNOLOGY: Current Innovations" 1994 , CRC PRESS , BOCA RATON XP008025537 page 5 -page 11 ---	1-51
A	US 6 007 231 A (BISHOP ROBERT ET AL) 28 December 1999 (1999-12-28) the whole document ---	1-51
	-/--	

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 03/08602

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	SEIJEN A M ET AL: "Systematic design of mouse Vh gene family-specific oligonucleotides" JOURNAL OF IMMUNOLOGICAL METHODS, ELSEVIER SCIENCE PUBLISHERS B.V., AMSTERDAM, NL, vol. 254, no. 1-2, 1 August 2001 (2001-08-01), pages 161-168, XP004245450 ISSN: 0022-1759 the whole document ---	1-51
A	WO 00 49177 A (DU PONT ; ROUVIERE PIERRE (US)) 24 August 2000 (2000-08-24) the whole document ---	1-51
A	SCHULER G D: "SEQUENCE MAPPING BY ELECTRONIC PCR" GENOME RESEARCH, COLD SPRING HARBOR LABORATORY PRESS, US, vol. 7, 1997, pages 541-550, XP000872176 ISSN: 1088-9051 cited in the application the whole document ---	1-51
A	ENGELS W R: "Contributing software to the internet: the Amplify program" TRENDS BIOCHEM. SCI., vol. 18, 1993, pages 448-450, XP001161002 the whole document ---	1-51
P,X	US 2003/068625 A1 (BARRETT WADE A ET AL) 10 April 2003 (2003-04-10) claims 1-32; figures 1-4 ----	39-51

INTERNATIONAL SEARCH REPORT

International application No.
PCT/EP 03/08602

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
see FURTHER INFORMATION sheet PCT/ISA/210
2. Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this International application, as follows:

1. As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- The additional search fees were accompanied by the applicant's protest.
- No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.1

Insofar as they include the step of isolating a nucleic sample, i.e. a step which could be performed on the living human or animal body, claims 1-38 relate to a method of treatment and/or diagnostic performed on the living human or animal body, the search has been carried out and restricted on in vitro methods.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 03/08602

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
WO 0162960	A 30-08-2001	DE 10010282 A1 AU 4227701 A CA 2401233 A1 WO 0162960 A2 EP 1257670 A2 JP 2003525041 T US 2003157510 A1		06-09-2001 03-09-2001 30-08-2001 30-08-2001 20-11-2002 26-08-2003 21-08-2003
US 5786146	A 28-07-1998	CA 2257104 A1 EP 0954608 A1 IL 127342 A JP 2000511776 T WO 9746705 A1 US 6200756 B1 US 6265171 B1 US 6017704 A		11-12-1997 10-11-1999 25-07-2002 12-09-2000 11-12-1997 13-03-2001 24-07-2001 25-01-2000
WO 0144504	A 21-06-2001	AU 2194801 A WO 0144504 A2		25-06-2001 21-06-2001
WO 9856952	A 17-12-1998	AU 7829398 A US 6251594 B1 WO 9856952 A1 US 2002177154 A1 US 2003211473 A1		30-12-1998 26-06-2001 17-12-1998 28-11-2002 13-11-2003
WO 0070090	A 23-11-2000	US 6331393 B1 AU 4712200 A CA 2372665 A1 EP 1185695 A1 JP 2002543852 T WO 0070090 A1 US 2002086324 A1		18-12-2001 05-12-2000 23-11-2000 13-03-2002 24-12-2002 23-11-2000 04-07-2002
US 6007231	A 28-12-1999	AU 3632097 A CA 2263731 A1 EP 0925372 A1 WO 9806872 A1		06-03-1998 19-02-1998 30-06-1999 19-02-1998
WO 0049177	A 24-08-2000	CA 2359645 A1 EP 1153141 A2 WO 0049177 A2 US 2003113886 A1 US 6365376 B1 US 2002127666 A1		24-08-2000 14-11-2001 24-08-2000 19-06-2003 02-04-2002 12-09-2002
US 2003068625	A1 10-04-2003	WO 03021259 A1 US 2003108919 A1 US 2003073093 A1		13-03-2003 12-06-2003 17-04-2003